
10 CD-ROM DRIVES TESTED—WHICH ONE'S BEST?

# COMPLITE OCTOBER 1991


#### SPECIAL ANNIVERSARY ISSUE



\$25 VIRUS SOLUTION
5 KEY STRATEGIES FOR TELECOMMUTERS
COMPUTE GOES ONLINE
NEW PC TOOLS AND CARMEN SANDIEGO REVIEWED

## THE VOYAGE CONTINUES!

STAR TREK: 25th Anniversary™.





Fasten your seatbelts, bring your seat backs to an upright position, and stow away those other computer games. You're about to pilot a Federation Starship on a wild roller coaster ride through the final frontier.

STAR TREK: 25th Anniversary combines a realistic, 3D space flight simulator with a wide variety of role-playing adventures to create a gripping game of galactic exploration.

You'll play James T. Kirk and experience the thrill of piloting the U.S.S. Enterprise<sup>TM</sup> using Interplay's stunning, new, state-of-theart, digitized model graphics. You'll control phasers, photon torpedoes, shields, communications, and warp drives in 3D space action so real you'll be reaching for your airbag!

Scan and survey hundreds of fractally generated worlds and then join a landing party sent down to map and interact with alien races and artifacts. So beam aboard the







MS-DOS Screens Pictured. Circle Reader Service Number 134

U.S.S. Enterprise  $^{\text{TM}}$ , and continue a quarter century of exploration and high adventure.

- Full 256 color VGA graphics
- Thousands of state-of-the-art, 3D digitized, space action scenes
- Interact with dozens of alien races
- Navigate Kirk, Spock and Bones on a variety of world explorations
- Complete musical score featuring digitized sound effects from the series and major sound board support
- Easy to use, point-and-click, icon interface

To order STAR TREK: 25th Anniversary, call 1-800-969-GAME. Available on MS-DOS compatible machines for \$59.95.

> Interplay Productions 3710 S. Susan, Suite 100 Santa Ana, CA 92704 (714) 549-2411

TM, ® and © 1991 Paramount Pictures. All Rights Reserved. STAR TREK and U.S.S. Enterprise are Trademarks of Paramount Pictures. MS-DOS is a Trademark of Microsoft Corporation.



#### WHY YOU SHOULD GO ONLINE

D A V I D E N G L I S H

n the 1970 movie, *Colossus: The Forbin Project*, the largest American computer demands to be connected to the largest Soviet computer so that the two computers can share their enormous data banks. It seems that curious computers and intelligent humans always want to know more about the world around them.

This urge to merge has grown even stronger over the last two decades. In the 1970s, we networked our dumb terminals by wire to the nearest large computer. In the 1990s, we can connect our personal computers by phone to just about any computer—large or small. With personal computers, you can have a network based on choice. The result is a series of global communities created not by geography but by interest.

 If you're a professional musician, you can chat about music with an electronic community of musicians on PAN (Performing Artists Network)—even though you live in a mountain lodge in Arkansas and your electronic neighbor lives in an apartment building in downtown Tokyo.

- If you're an animal-rights activist, you can
  organize an effective letter-writing campaign by
  leaving a message on GEnie's Pets
  RoundTable—even though you have no idea
  where any of the members live.
- If you have to write a research paper and need information on the various federal agency libraries, you don't have to travel to Washington, D.C. You can stay where you are and use your modem to call the Library of Congress BBS.
- If you're a beginning poet, you can find other poets on the major online services who will gladly read and critique your writing.

#### No More Excuses

Whatever your interests—music, sports, investments, grassroots politics, movies, programming, science fiction—there are online communities devoted to the things that you're into. And now that modems and communications software are cheaper than ever, there's really no excuse for not getting involved in online communications.

#### **COMPUTE GOES ONLINE**

ver wish you could download an article from *COMPUTE* into your word processor or talk with a *COMPUTE* editor? Maybe you'd like to replace a lost disk from a back issue of *COMPUTE!'s PC Magazine* or find a COMPUTE book that's been out of print for several years. Now you can do all these things with a single phone call, 24 hours a day.

Starting immediately, you can go online with COMPUTE on either GEnie or America Online. You'll find complete back issues of all the COMPUTE magazines for the years 1991, 1990, and 1989; previously published disk products for PC, Amiga, Commodore 64, and Atari ST computers; the complete text of out-of-print COMPUTE books; excerpts from currently published COMPUTE books; digitized NASA photos; special feature sections for COMPUTE's

booklets and *COMPUTE*'s Test Lab; and application macros and templates. You'll also be able to order COMPUTE products online.

Over the coming months, we'll be adding a submarine simulator game and back issues from years prior to 1989. On GEnie, we'll also have a complete bulletin board, covering such topics as software tips, *Windows*, industry rumors, feedback to editors, programming, hardware care and

maintenance, and much, much more.

To reach us on GEnie, type COMPUTE.

On America Online, make your way to the main menu, click on the Computer and Software icon, click on the Computer News and Magazines icon, and click on the COMPUTE icon.

Look for more information in the main part of this month's *COM-PUTE*—including instructions on how to sign up for GEnie and America Online.

—David English

#### **HOW TO CHOOSE A MODEM**

TONYROBERTS

f you're going to link up with bulletin boards and information services, you'll need a modem. For general telecommunications tasks, such as logging on to bulletin boards and downloading files, nearly any modem will do. The amount you should spend and the features you should look for depend on how much you'll use your modem. Consider these items when selecting a modem:

- Hayes compatibility. The Hayes command set is a group of commands that communications software uses to configure the modem. It was introduced in the early 1980s in modems produced by Hayes Microcomputer and has since become the standard. You'll want Hayes compatibility in a modem.
- Speed. Currently, there's no point buying any modem slower than 2400 bits per second (bps).
   Although information services such as GEnie and CompuServe are adding 9600-bps nodes, most casual users will find 2400 bps adequate.
- Error correction and compression. Once found only in the most expensive modems, error

- correction and compression capabilities are now available in many lower-priced models. Error correction protocols include Microcom Network Protocols (MNP) 2-4 and CCITT V.42. Compression schemes include MNP 5 and CCITT V.42bis. In order for error correction and compression to work, modems on both ends of the line must have the same capabilities.
- Internal versus external. The choice depends on your setup. An external modem needs a serial port, a data cable, and an AC outlet; it also occupies desk space. On the plus side, you can easily move an external modem from computer to computer. Because internal modems don't require a power supply or case, they're usually a little less expensive. In addition, you can usually configure an internal modem for COM3 or COM4 if your other serial ports are occupied.
- Fax options. Many modems include some fax capability. This can be a real convenience, letting you send faxes from your PC rather than having to wait in line for the office fax machine.

#### HOW TO CHOOSE A COMMUNICATIONS PROGRAM

MICHAEL A. BANKS

hile most of the features in communications programs are there because users need them, many others are added simply to keep up with the competition. Because of this, buyers are faced with a dizzying array of features and options—many of which they may not need. Here are some of the more important features to look for.

- Command set compatibility. A communications program must use a command set that's recognized by the modem with which it's used. This will, more often than not, be the AT command set—or a subset of it.
- Variable communications parameters. At the very least, you should be able to change these parameters: communications speed (bits per second), the number of data bits in each character, the number of stop bits used, parity, and echoplex (duplex).
- Automatic dialing support. Most modems can

dial a number automatically. They can accept a number from the communications program (or one entered by the user) and dial the number without using a telephone set. If you use this kind of modem, you'll naturally want software that supports autodialing. It should issue the commands necessary to tell the modem to take the phone line "off hook" and dial a number.

- Originate/answer mode switching. If you plan to
  use your computer and modem to receive as
  well as make calls, your software must support
  switching between the originate mode (make a
  call) and answer mode (receive a call). Manualdial modems usually have an external switch to
  perform this function. Autodial modems usually
  rely on software commands to switch between
  originate and answer modes.
- Telephone hangup. Most BBSs and online services automatically disconnect at sign-off.
   There are some systems, however, that rely on

6

the calling system (your system) to disconnect. A remote system can also become stuck or go berserk and start displaying text or garbage on your screen. If the software can't hang up the telephone, you'll have to turn off your modem or unplug the telephone line.

- Autologon files. Signing on to a BBS or online service requires several steps, including ID and password entry. If you're accessing an online service via a packet-switching network, there are additional steps involving routing your call to the online service. Fortunately, the sign-on process can be automated if your software provides autologon files (also known as script files or command files). Programs such as Crosstalk XVI, Crosstalk for Windows, and Mirror III come with template files for various online services. All you have to do is supply your telephone number, user ID, and password.
- Parameter files. Programs that don't have a full scripting language may at least allow you to store telephone numbers and parameters in files that you can load into memory. Such files save you the trouble of entering communications parameters every time you dial a system, although you still have to go through the signon process manually.

- Dialing directories. A dialing directory may store telephone numbers and communications parameters, or it may store only telephone numbers. Numbers (and parameters, if included) are usually stored in a directory format, accessible by name. With the proper command, the program can retrieve a specified number from a directory file and direct the modem to dial it.
- Capture buffer. If you're a slow reader, you may spend more time than you wish online, pausing the screens of text. If your software provides a capture buffer, you can hold and temporarily store text. Most communications programs with capture buffers allow you to access the text in the capture buffer and store it in a disk file.
- Backscrolling. Many programs that provide a capture buffer also provide a feature called backscrolling. This feature allows you to view (scroll back over) text in the capture buffer. Backscrolling is handy when you need to review something that has scrolled off your screen.
- Binary-file transfer protocols. A binary-file transfer protocol (also called error-checking protocol) is necessary if you intend to transfer programs or binary data files. This is because some of the characters used in such files appear as end-of-file markers to a receiving system if

they're being transferred as straight ASCII files. Your communications software package should offer at least one binary-file transfer protocol. The most popular protocols are XMODEM, ZMODEM, and Kermit, although several others are in use on various systems, among them YMODEM and Windowed XMODEM.

#### Straight Versus Front-End

Communications software comes in two broad categories: straight and front-end. A straight program is a general-purpose telecommunications program, while a front-end program is designed to communicate with a specific online service.

Because a front-end program is dedicated to a single service, it's much easier to use it to automate such tasks as E-mail, bulletin board postings, and file transfers. Software packages in this category include *Aladdin* for GEnie, *Lotus Express* for MCI Mail, and *CompuServe Information Manager* for CompuServe.

#### Menu Driven Versus Command Driven

Like most application programs, communications software is either menu driven or command driven. Which way a program operates can be very important in terms of your personal preferences.

A menu-driven program lets you select com-



#### Crosstalk for Windows 1.2 from DCA

mands from a menu or menus. It may provide one menu containing all the commands, or it may use a main menu from which you can select submenus.

Command-driven software displays no menus; rather, you issue commands on what is called a command or status line, or press a combination of keys (usually including the Ctrl or Alt keys) or special designated keys (such as the function keys).

A number of communications programs are both menu and command driven. This is the most efficient setup if you're new to telecomputing.

#### HOW TO CHOOSE AN ONLINE SERVICE

#### MICHAEL A. BANKS

erhaps you're new to online communications. Or maybe you've only used your modem to call your local BBS. Now that you've gotten your feet wet, you're probably wondering what the online services—such as CompuServe, GEnie, Prodigy, and America Online—are all about.

An online service provides modem users with a variety of information, entertainment, education, and communication services. In most American cities, you can dial these services directly or through a third-party network (such as Tymnet).

#### Variety Pack

All these systems offer a mix of E-mail, databases of one type or another, special-interest groups, message bases, and realtime conferences. In addition, most of the consumer services offer some or all of the following:

- News and weather. These services include regional, national, and international news; weather by city, state, or region; and specialized news such as sports and financial news. The news is from the same sources that other media use—newswires and syndicates.
- Financial information and services. Stock and commodity quotes, market reports, and brokerage services are offered online by many of the big-name investment companies. Some systems can automatically update your portfolio.
- Entertainment. Online entertainment is very popular. There are single- and multiplayer games, played realtime or via postings in message bases. Most online games mirror the disk-based computer games, so you'll find a lot of role-playing and adventure games. You'll also find arcade games (most of these require special software or terminal emulation).

8

- Reference and education. Online encyclopedias
  head the list here. You can find products such as
  Grolier's Academic American Encyclopedia and
  Compton's Encyclopedia on just about every
  service. A variety of other references are also
  available, ranging from Marquis Who's Who to
  the Magazine Index. Education services include
  the College Board and Peterson's College
  Guide, as well as online tutoring, study, and
  degree programs.
- Special-interest groups (SIGs). These are the heart of many online services. Known variously as Forums, RoundTables, and conferences, SIGs host a variety of services, including message bases, databases, upload/download services, and online advertising and sales.
- Travel services. This usually takes the form of travel information that's sponsored by a carrier, destination, or travel agency.
- Shopping and online product support. Online shopping is just now coming into its own.
   Although specialty retailers and computer and software discount operations have enjoyed some success online over the years, it's taken the presence of major national retailers such as Waldenbooks and Sears to legitimize online shopping. Online product support—almost

- exclusively for computers and software—has been fairly well received, although there seems to be competition among online services to be the only host for some companies' online product support.
- Specialized news and database services. As you might expect, there are a number of computer news services and columns online. Some are unofficial products in the form of special-interest newsletters, such as "PC Review Online." These are usually found in the public database areas. Others are official products, such as Charles Bowen's "A Networker's Journal" on CompuServe and GEnie, that are presented in their own areas or as menu selections. Specialized newsletters that have nothing to do with computing are also showing up. Among these you'll find newsletters for occupations such as writing, public relations, and advertising.
- Full-text versions of magazines and newsletters.
   Selected computer magazine articles and program listings have been popping up within SIGs for some time, but it's only since the late 1980s that the complete contents of computer magazines have been online. Online versions of noncomputer magazines, such as National Geographic, are much less common.

#### 10

#### ONLINE SERVICE SAMPLER

MICHAEL A. BANKS

#### America Online

Introduced in October 1989, America Online (AOL) uses a graphical user interface based on *GeoWorks Ensemble*, complete with icons and pull-down menus.

America Online features a sophisticated E-mail system that lets you review messages you've already read, copy them to disk, attach files to messages, and check to see whether a message has been read. A systemwide member directory lets you see where a member is from and read the member's profile (if he or she has entered one).

Special-interest groups, called Forums, provide message bases and realtime conference areas. The conference areas are referred to as rooms and auditoriums. AOL's Forums cover specific computing, hardware, and software interests, as well as hobby, lifestyle, and personal interests that range from science fiction to veterans' concerns.

You can download files from the individual Forums or from a central area. AOL uses a proprietary binary file-transfer protocol.

The ability to search for software from within a central area makes it easy to find files. You can specify any combination of categories, range of time, or keywords. The search facilities in the message bases are similarly well designed.

Among AOL's other highlights are national news, weather, and sports; stock quotes; travel services such as Eaasy Sabre; shopping with Comp-U-Store online and other vendors; computing and consumer news features and columns; and access to *Grolier's Academic American Encyclopedia*.

Online gaming is popular on AOL. There are several play-by-mail games and single-player games. Of particular interest is *Rabbit Jack's Casino*, which lets you play blackjack, bingo, and other games in realtime with other players or against the house.

AOL's rates are \$5.00 an hour during nonprime time and \$8.00 an hour during prime time, with a \$5.95 minimum charge each month. (The minimum charge includes one hour of connect time.) You can contact America Online at (800) 227-6364.

#### BIX

BIX is an acronym for Byte Information eXchange. Established in 1985, BIX uses the UNIX-based COSY computer-conferencing system. (That's computer conferencing in the traditional sense of the term—meaning conferencing via message bases, not realtime conferencing.)

BIX has four main services: computer conferencing, electronic mail, realtime conferences, and software/file databases. An area called options lets you set up and change how BIX communicates with you. In addition, you can create an online résumé with information about yourself that other users can access from most prompts by typing show resume <username>.

The heart of BIX is its computer-conferencing system. The system is based on a series of message-base subject areas called conferences, each of which is a part of a group of related conferences. BIX currently hosts over 200 conferences. Individual conferences are further organized into topics that are appropriate for the conference subject.

The conference system is fairly sophisticated. In addition to letting you read, scan, post, reply to, and search for messages, BIX allows you to locate and follow message threads, and much more. You can participate in (join) as many or as few BIX

conferences as you like. And you can select specific topics within a conference to participate in. (A few conferences are closed, which means that you must ask or be invited to join them.)

BIX's CBix realtime conferencing system is a fairly easy-to-use multiband, multichannel CB simulator. Features include whispers and handles. The system makes interesting use of specific terminal features. If your software can emulate a VT-100 or any of a dozen or so other terminals, you can take advantage of screen clearing, a chat window, a window for whispers, and other special features.

You can find downloads of all types in special BIX areas called listings. ASCII, Kermit, XMODEM, XMODEM/CRC, YMODEM, and ZMODEM protocols are available for file transfer. (Billing is automatically turned off when you upload a file.)

BIX gives users their choice of per-minute billing or a flat rate. The flat rate is \$39 each quarter for unlimited access to BIX, 24 hours a day. The hourly rate is \$4, 24 hours a day, with an annual subscription fee of \$59. Neither plan includes the costs for access via a packet-switching network, such as Tymnet or BIXnet. You can contact BIX at (800) 227-2983.

#### CompuServe

CompuServe is one of the world's largest public online services. It was also one of the first commercial online services to cater to computer hobbyists. Established in 1979, CompuServe today has more than 750,000 subscribers.

The TOP menu is like the tip of an iceberg. While it shows in general what's there, there's much more than the TOP menu even implies. Literally hundreds of services exist on CompuServe—among them some extremely useful areas dealing with electronic communications. Beyond this menu lie general and specialized news and information services; special-interest groups (called Forums) for computer users, professionals, hobbyists, and others; online games and other entertainment; sophisticated research services; a free online tutorial; and more.

You'll find the standard newswires, including AP, UPI, and Reuters, as well as more exotic services, such as TASS. There's also a clipping service that delivers news stories to your E-mail box, based on the keywords that you specify.

CompuServe is particularly strong in online research facilities, among them *Grolier's Academic American Encyclopedia* and gateways to Dow Jones News/Retrieval Service and several special-

ized services—including IQuest, a collection of more than 700 specialized research databases.

The Forums feature sophisticated message bases, a reasonable database system, and realtime conferencing that's separate from the system's CB Simulator.

Also of interest are CompuServe Mail's twoway gateways to MCI Mail and Internet. CompuServe Mail can handle outgoing fax and telex messages, as well as paper mail. You can also use CompuServe Mail to transfer files to other CompuServe users.

File-transfer options in Forum databases, E-mail, and certain product areas include ASCII, XMODEM, XMODEM/CRC, CompuServe's own B and B+ protocols, and others.

CompuServe's basic rates are \$5.00 an hour at 300 bps and \$12.80 an hour at 1200 or 2400 bps, through CompuServe's own network, 24 hours a day. There are additional charges for higher speeds and for access through other networks. Various optional service plans are available, and gateways and certain other services have surcharges.

As of this writing, CompuServe is testing a plan whereby a specific group of monthly services is made available for \$7.95 a month. You can contact CompuServe at (800) 848-8199.

#### DELPHI

Established in 1982 as an online encyclopedia (the first of its kind), DELPHI has evolved into a full-service network, providing products and services of all types. It's an especially friendly system with a real sense of community and a good place to meet others who share your interests.

Like CompuServe's TOP menu, DELPHI's Main Menu is just the tip of the iceberg. DELPHI offers a variety of news and information services, online entertainment, special-interest groups, two online encyclopedias (*Grolier's* and the original *Kussmaul Encyclopedia*), a unique gateway to the DIALOG information service, and more.

DELPHI's special-interest groups are noteworthy for the BBS-style communication facilities they provide and for the software and information that are available to download. The SIG message bases are extremely sophisticated, letting you find messages based on almost any criteria imaginable, including content. The SIG database structure is equally sophisticated and lets you use multiple keywords to narrow or widen your searches.

Also of note on DELPHI are the weekly online realtime poker and trivia tournaments, a scrambled word game, and games that take advantage of VT-100 terminal emulation.

You get a personal online storage area, called Workspace, which you can use to store your files or to transfer your documents for E-mailing. File-transfer options in Workspace, SIG databases, and certain other areas include ASCII, Kermit, XMODEM, XMODEM/CRC, YMODEM, YMODEM/Batch, and ZMODEM.

Of all the E-mail systems offered by consumer online services, DELPHI's is the most powerful yet easiest to use (once you learn it). Not only can DELPHI members send fax and telex messages, but they can also receive incoming telex messages free of charge beyond normal connect-time charges.

The basic plan costs \$6.00 an hour during nonprime time, with a \$5.95 a month minimum (this covers your first hour online). DELPHI's 20/20 plan costs \$20.00 a month, for 20 hours of nonprime-time access. Under this plan, additional time costs only \$1.20 an hour. The 20/20 plan is available only for those who access DELPHI through Tymnet and includes the Tymnet charges. Unlike the flat-rate or alternative plans offered by some services, the 20/20 plan covers the entire service. A few areas, such as DELPHI's link to DIALOG, require a surcharge no matter which plan you use. There's also a \$39.00 sign-up charge. You can contact DELPHI at (800) 544-4005.

#### **GEnie**

Established in 1985, GEnie is the fastest-growing service of its kind. It enjoys a tremendous growth rate, thanks to its variety of services, aggressive advertising, and friendly price structure.

GEnie offers the same categories of services as CompuServe and DELPHI. News, weather, sports, and travel information are particularly strong areas for GEnie, as are its versions of special-interest groups, called RoundTables.

The RoundTables are fairly easy to use, even though the message bases aren't very sophisticated and you can't specify more than one keyword when you search a RoundTable's software library.

Online research facilities include *Grolier's*Academic American Encyclopedia and a gateway to Dow Jones News/Retrieval Service. GEnie's news offerings include searchable headline news and columns by a number of well-known writers in the computer field. There's also a clipping service that delivers news stories of interest to your E-mail box, based on the keywords you specify.

With GE Mail—GEnie's E-mail service—you can send letters to and receive them from other GEnie users, and send paper mail and fax messages. GEnie offers a unique option by which a GEnie user can have his or her own telex number

for an extra fee. While GEnie has no personal file system as such, you can upload messages to send to other GEnie users via a special utility. GEnie's mail address file features a flexible search system that you can use to find both GE Mail addresses and the names of people online.

In addition to trivia, parlor, sports, role-playing, and single-player adventure games, GEnie has some very attractive realtime multiplayer action games. In particular, *Air Warrior* has attracted a large and extremely devoted following.

GEnie offers 300/1200/2400 baud access through its own national network of direct-dial local numbers in several hundred U.S. cities. It also has an increasing number of 9600-bps and V.32 nodes, and even some V.42 nodes.

For just \$4.95 a month, you can have unlimited nonprime-time use of E-mail, news, and other selected services. GEnie charges \$0.10 a minute during nonprime time for services that aren't included in the flat-rate plan (including the RoundTable software libraries and realtime conferencing). The prime-time rate is \$18.00 per hour with a surcharge for 9600-bps access.

Certain products, such as GEnie's gateway to Dow Jones News/Retrieval Service, cost extra. You can contact GEnie at (800) 638-9636.

#### Prodigy

This high-resolution graphics-based service is very different from the other consumer services in both how it's set up and what it offers. If you're a software junkie looking for downloads or you're a realtime conference maven, you won't find those things here. But Prodigy has virtually all the other trappings of a full-service consumer service. And you'll find some unique offerings among its more than 750 products and services.

Prodigy is a partnership of IBM and Sears that's intended to be a simple yet powerful online service for the general consumer market. Given its goals, Prodigy has done a good job in reaching its intended audience—those with computers who aren't technically oriented.

E-mail, news, weather, and travel information head the list of Prodigy offerings. Reading news on Prodigy is a lot like reading a newspaper; you can select news to read by headlines and jump to other articles whenever you wish. Like a newspaper, Prodigy offers pictures and charts—in the form of color graphics—along with the news.

Several nationally known magazines are Prodigy service providers. Among them is *National Geographic*, which provides an especially attractive and enlightening excerpt each month. You'll

also find *Billboard* music charts, *Changing Times* magazine, and magazines for young adults and children (including *Weekly Reader*).

Online gaming is also graphics intensive. Graphics-based games include *Police Artist* (a game that challenges children to combine different elements of faces to match a suspect's picture) and *MadMaze* (a role-playing/adventure game). There's even an online Where in the World Is Carmen Sandiego? with a new adventure each week.

Grolier's Academic American Encyclopedia heads the list of reference resources on Prodigy, which also includes columns and clubs on a variety of home, special-interest, and business topics, as well as information from computing and generalinterest magazines.

Prodigy costs \$12.95 a month for unlimited access, day or night. You can have as many as six IDs per household—so you are, in effect, getting six accounts for the price of one. Prodigy's 6-, 12-, and 24-month memberships are available for \$65.70, \$119.40, and \$199.95, respectively.

Startup kits are sold for \$39.95 at Sears and computer stores nationwide. However, Prodigy runs constant promotions in which the software is given away, along with a month's free trial. You can contact Prodigy at (800) 822-6922.

#### **ONLINE COMMUNICATIONS GLOSSARY**

baud rate A measure of the speed that a modem can send and receive data—specifically, the number of events, or signal changes, that can occur each second. Because an event can contain more than one bit, a modem's baud rate and bps are not always the same. See also bps.

**bps** (bits per second) A measure of the speed that a modem can send and receive data—specifically, the number of bits that can be transferred each second. Often confused with baud rate. See also **baud rate**.

**download** The process of receiving a file by modem. See also **upload**.

duplex Communication that occurs in both directions at the same time between two computers. One-way communication is called simplex, and two-way communication taking place in only one direction at a time is called half-duplex.

E-mail (electronic mail)The transmission of messages from one computer to another by way of an electronic network. This network can be either a local area network (LAN) or a larger communications network, such as CompuServe or GEnie.

MNP (Micom Network Protocol) A set of errorcorrection and data-compression standards that was developed by Micom and made available to other modem manufacturers.

modem (modulator/demodulator) A device that allows a computer to send information over a standard telephone line.

parity An extra bit that a modem sends with each character to check the accuracy of that character. Common types of parity are even parity, odd parity, no parity, space parity, and mark parity.

**stop bit** The bit that signals the end of a character during an online transmission. The data bits that make up a character are usually followed by 1, 1.5, or 2 stop bits.

upload The process of sending a file by modem. See also download.

OUR NEXT ISSUE: COMPUTE'S GETTING STARTED WITH™ EASY WINDOWS PROGRAMMING

COMPUTE'S GETTING STARTED WITH' ONLINE COMMUNICATIONS COPYRIGHT  $\odot$  1991 BY COMPUTE PUBLICATIONS INTERNATIONAL LTD. ALL RIGHTS RESERVED.



This booklet is printed on recycled paper.

## TOLKIEN'S EPIC MIDDLE-EARTH TRILOGY CONTINUES!





THE LORD OF THE RINGS, VOL. II

The legendary tale lives on, as
The Two Towers<sup>TM</sup> picks up where the critically acclaimed The Lord of the Rings. Vol. ITM left off. The wicked Lord Sauron persists in his quest to capture the one true ring of power. But now the Evil Wizard Saruman, with his insatiable lust for power, is after it as well.

You, the player, control a party of benevolent characters in this captivating, role-playing adventure as they battle orcs, trolls, wargs, ghosts, and oliphaunts.

You'll travel through the dark and mysterious Forest of Fangorn, over treacherous mountain passes, past the great fortress cave complex, through the ghastly marsh of the eternal spirits and, ultimately, come face to face with the mysterious two towers.

All the color and imagery of Middle-earth comes to life with stateof-the-art, 256 color VGA graphics, a new and enhanced interface, full musical score, digitized speech, and colorful animations.







MS-DOS Screens Pictured.

The Two Towers<sup>TM</sup> is a stunning sequel that will involve you deeply in the Tolkien experience.

- Stands alone as a game or plays as a sequel

- Automapping
  Full screen, 256 color VGA graphics
  Complete musical score and digitized speech and sound effects for all major sound boards
- Enhanced, easy to use, point-and-click interface
- Thousands of screens of Middle-earth terrain to explore

To order The Two Towers<sup>TM</sup>, call 1-800-969-GAME.

The Two Towers<sup>TM</sup> is available for MS-DOS machines

at \$59.95.

Interplay Productions 3710 S. Susan, Suite 100 Santa Ana, CA 92704 (714) 549-2411

Circle Reader Service Number 135

Circle Reader Service Number 135
The program is published with the cooperation of the Tolkien Estate and
their publishers, George Allen & Unwin (publishers) Ltd. The plot of The
Lord of the Rings, characters of the hobbits, and the other characters from
the Lord of the Rings are © George Allen & Unwin Publishers Ltd. 1966
1974 1979 1981 © 1991 Interplay Productions. All rights reserved.
J.R.R. Tolkien's The Lord of the Rings, Vol II: The Two Towers ™ is a
trademark of Interplay Productions, Inc. MS-DOS is a trademark of
Microsoft Corporation.

## COMPUTE

VOLUME 13, NO. 10, ISSUE 134

OCTOBER 1991

#### **EDITORIAL LICENSE**

By Peter Scisco Americans embrace technology even as they debate its effects.

#### **NEWS & NOTES**

By Alan R. Bechtold Arcade 3-D. voice control for PCs, a real editor. and more notes on the news.

#### 14 FEEDBACK

Legal copies, cheers and jeers, how to park, bad clusters, and more reader mail.

#### 18

#### THE STATE OF COMPUTING: U.S.A.


By Gregg Keizer They're everywhere. Computers have altered the American home and office more than any other appliance.

#### SHAREPAK

By Richard C. Leinecker This month's disk brings voice capability, 3-D designs, world conquest, and chess to your PC.

#### TEST LAB: 386SX DESKTOP SYSTEMS

This month we take on ten hot SX machines.



The artwork on our October cover, An Egyptian Dream, was created by Marcel Achard at STUDIOS TAARNA. A computer artist since 1985, Achard used a software package called Taarna. The result provokes images of modern mystery and ancient history against a dark desert landscape.

#### VIRUSES FROM A TO Z

By Mark Minasi Computer viruses. Mysterious and malevolent. Be prepared for any contingency.

#### ON DISK

By Tony Roberts VIRUSCAN, Useful Notes, Directory Size, Big Desk, and Mr. Filter help your PC.

#### POINT & CLICK

By Clifton Karnes GeoWorks Ensemble is here.

#### 54

#### **BUYER'S GUIDE TO** VIRUS PROTECTION SOFTWARE

By Chantelle Oligschlaeger and Erin Richter Here's protection.

#### **INTRODOS**

By Tony Roberts Create macros.

#### 62

#### PROGRAMMING POWER

By Tom Campbell When speed is essential, assembly language is your ticket to ride.

#### 66 TIPS & TOOLS

Speed up DOS, conserve your handles, and operate QuickBASIC rodent-free.

#### 68

#### HARDWARE CLINIC By Mark Minasi

Choose a hard drive.

#### 73 ONLINE

By Denny Atkin Reach out and play someone.

#### 74 PC TOOLS 7.0

By Tony Roberts Despite bug reports, it's still a topflight hard disk utility.

COMPUTE (ISSN 0194-357X) is published monthly in the United States and Canada by COMPUTE Publications International Ltd., 1965 Broadway, New York, NY 10023-5965. Volume 13, Number 10, Issue 134. Copyright ⊚ 1991 by COMPUTE Publications International Ltd. All rights reserved. Tel. (212) 496-6100. COMPUTE is a registered trademark of COMPUTE Publications International Ltd. Printed in the USA and distributed worldwide by Curtis Circulation Company, P.O. Box 9102, Pennsauken, NJ 08109. Second-class postage paid at New York, NY, and at additional mailing offices. POSTMASTER: Send address changes to COMPUTE Magazine, P.O. Box 3245, Harlan, IA 51537-3041. Tel. (800) 727-6937. Entire contents copyrighted. All rights reserved. Nothing may be reproduced in whole or in part without written permission from the publisher. Subscriptions: US, AFO - \$19.94 one year; Canada and elsewhere -\$25.94 one year. Single copies \$2.95 in US. The publisher disclaims all responsibility to return unsolicited matter, and all rights in portions published thereof remain the sole property of COMPUTE Publications International Ltd. Letters sent to COMPUTE or its editors become the property of the magazine. Editorial offices are located at 324 W. Wendover Ave., Ste. 200, Greensboro, NC 27408. Tel. (919) 275-9609.

You must have heard how SOUND BLASTER took the PC market by storm...

Now the HURRICANE...

"It's the next-generation sound card and it is loaded! The operative word is "twice." It has twice the sound channels (22) of the original Sound Blaster with twice the quality of sound in stereo, as well as stereo DACs for digitized speech and sound effects."

Computer Gaming World August 1991

3,000 SQ. FT. BOOTH #S2456 COMDEX FALL SANDS EXPO, OCT 21-25, LAS VEGAS




The Multimedia Sound Standard



"With its associated software, it has quietly (no pun intended, but what the heck) become the standard sound system for advanced PCs."

Jerry Pournelle, BYTE June 1991



"...Creative Labs is now turning up the volume with the Sound Blaster Pro. It's basically two Sound Blasters on a single card with additional multimedia features thrown in. It has twin FM chips capable of creating 22 individual voices, two DACs for stereo voice and sound-effects playback, a stereo microphone jack, and a built-in stereo mixer that can adjust the volume of all your Sound Blaster audio sources (stereo DAC, stereo FM, microphone, stereo line-in, CD-Audio and PC internal speaker).

The <u>built-in mixer makes the</u>
<u>Sound Blaster Pro fully compliant with</u>
<u>Microsoft's Multimedia Level 1</u>
<u>Extensions to Windows</u>. Multimedia software will be able to fade-in, fade-out and pan the various audio sources to create elaborate sound montages.

The Sound Blaster Pro includes a CD-ROM interface for either an internal or external CD-ROM player. There's also an internal connector for CD-Audio. The MIDI interface is compatible with the original Sound Blaster's MIDI interface but adds the MIDI time-stamp that's part of Microsoft's new multimedia standard.

All in all, the Sound Blaster Pro is chock-full of new features, yet it's fully compatible with its younger brother."

Reprinted by permission of COMPUTE ©1991, COMPUTE Publications International Ltd

Microsoft and Windows are registered trademarks of Microsoft Corp and Ad Lib is a registered trademark of Ad Lib Inc. Sound Blaster is a trademark of Creative Labs, Inc.

## At a *devastating* price of \$299.95 and you get a "chock-full of features":

- \* Stereo DAC for digitized sound output
- \* Stereo voice recording from mic, CD or Line-in
- \* Sampling rate 4KHz to 44KHz
- \* Stereo 22-voice FM music synthesizer
- \* Stereo mixer with digital volume controls
- MIDI interface with adaptor and cables
- Built-in CD-ROM interface
- Joystick Port
- \* Microphone AGC amplifier
- \* Power amplifier (4W per channel)

#### and loads of FREE bundled software:

- \* MIDI Sequencer
- \* Pro-Intelligent Organ
- VEDIT2 Voice Editor & Utilities
- SBTALKER text-to-speech synthesizer with DR SBAITSO2
- Talking Parrot voice in/out application.
- \* MMPLAY Multimedia Presentation
- \* CD music player
- Windows 3.0 DLL and sound applications





"The big question is, at a list price of \$249.95, is the Sound Blaster worth the investment? Yes, yes, a thousand times yes!!!" PC HOME JOURNAL

How many "yes!!!" would you give now that the Sound Blaster list price is reduced to \$169.95! And you get:

- \* DAC for digitized voice output
- \* ADC for voice recording
- \* 11-voice Ad Lib FM synthesizer
- \* Full duplex MIDI interface
- \* Joystick Port
- \* Microphone amplifier
- \* Power amplifier (4W per channel)
- \* Bundled software: Intelligent Organ
  - Talking Parrot Voice Toolkit
- · SBTALKER · DR SBAITSO
- Jukebox for Windows 3.0

Sound Blaster Micro Channel Version is also available.

North America master distributor: **Brown-Wagh Publishing** 130D Knowles Drive Los Gatos CA 95030 For your nearest dealer, call **1-800-451 0900** Tel (408) 378 3838 Fax (408) 378 3577

#### CREATIVE LABS, INC.

2050 Duane Avenue Santa Clara CA 95054 Tel (408) 986 1461 Fax (408) 986 1777

Outside North America, contact:

#### CREATIVE TECHNOLOGY PTE. LTD.

75 Ayer Rajah Crescent #02-04 Singapore 0513 Tel (65) 773 0233 Fax (65) 773 0353

### THE PC SOUND STANDARD

Largest support of Multimedia, Music, Education, Entertainment & Productivity software under DOS and Windows 3.0.

Circle Reader Service Number 125

## COMPUTE

#### 76 WORKPLACE

By Daniel Janal
Showing up
at work is just fine—
as long as you
can do it without leaving
your house.

#### 78 REMOTE POSSIBILITIES

By Rosalind Resnick
More and more employees
 are working for
 the company from
 home offices.
 Here's how to get
 telecommuting to work
 for you.
 And how to convince
 your bosses
 that it will work for them.

#### 84 ARTS & LETTERS

By Robert Bixby
Get the adventure
out of Ventura Publisher
with some clever
supporting products.

#### WHERE IN AMERICA'S PAST IS CARMEN SANDIEGO?


By Clayton Walnum
Working proof
of an age-old adage—
you just can't
keep a bad woman down.

#### 97 PATHWAYS

By Steven Anzovin
The whole idea
of virtual reality has
given birth
to a staggering amount
of verbal goulash.







#### 160 CONVERSATIONS

What a long, strange trip it's been.
Dr. Timothy Leary discusses mind expansion during the computer age.

#### TURN A HOME SWEET HOME INTO A SMART HOUSE

By Howard Millman
This step-by-step guide
turns that old
XT into a home sentry.

#### FAST FORWARD

By David English
Hot 'Lanta dances to the
wild 'n' funky Windows
multimedia beat.

#### 106 LEMMINGS

By David Sears
Run yourself crazy with
this invigorating
mental cliff jumper.

#### 108 GAMEPLAY

By Orson Scott Card If Prodigy gets it right, its name is Legion.

#### 110 SPECIAL REPORT

By Tom Netsel and
Peter Scisco
From ants to tanks,
from outer space to inner
sanctums,
this summer's
Consumer Electronics Show
had a little
something for everyone.

#### 121 REVIEWS

Sneak peeks
at Headline Harry and the
Great Paper Race
and Elvira II: The Jaws
of Cerberus.
Also, more product reviews.

#### COMPUTE GOES ONLINE

Join COMPUTE's editors and contributors on America Online or GEnie. Get wired with our expert online guide following page 72.

## Get over 100 GEnie services and the time to enjoy them. Just \$4.95 a month.



closings, single-player games and a wide range of bulletin boards to news, weather, flight schedules, shopping services and more.

And for an additional \$6 per non-prime-time hour\*, you can also enjoy access to a variety of other valuable features like software libraries, computer bulletin boards and multi-player games.

#### Sign-up today.

connection, enter HHH

1. Set your communications software for half duplex (local echo), at 300, 1200 or 2400 baud. 2. Dial toll free 1-800-638-8369 (or in Canada, 1-800-387-8330). Upon

checking account number.

For more information in the U.S. or Canada, call 1-800-638-9636.



We bring good things to life.

## **EDITORIAL LICENSE**

Peter Scisco

ou've got a high-maintenance, high-tech rep that
precedes you to every
neighborhood cocktail party and backyard cookout. Hardly a night passes without your
getting a call from a friend of
a friend seeking advice
about hardware or asking recommendations about good
software for kids. You're
known around the office as
the resident PC troubleshooter,
though the title never appears
in your job description.

On the day you bought your PC and brought it home, you strapped yourself to a superoctane booster on a hightech shuttle into the nether regions of information overload. The rarefied atmospherics of this newfound land have propelled you into frenzied, latenight flights across a galaxy of 0s and 1s.

On each successive voyage you get closer to the rim. Each trip into the digital night finds you flirting with full-throttle burnout that threatens to fling brain waves and electrons willy-nilly across the entire technospectrum.

You remember what it was like at first. After a few weeks, you had learned a little about batch files. You started writ-

ing a few of your own. You rewrote AUTOEXEC.BAT, and then you swung your sights onto CONFIG.SYS.

A couple of months later, that wasn't enough. You started to read all you could about PCs. You bought some software to optimize your hard disk. You bought a new word processor. You talked your boss into buying a copy of the spreadsheet program you use in the office so you could work at home.

A couple of months have passed. You've become an expert at using every XCOPY switch. But you're getting tired of lugging those floppies back and forth to work. You suspect that any day your data will self-destruct—the latest versions of the company budget will evaporate into a cloud of dissipated electrons. Anxiety begins to dull your technological edge. You start looking around for answers.

What you see are more computers. Your world is built of systems. Chips control your car's engine and your microwave oven. Your inexpensive pocket data card operates within a frame of silicon. Words like bandwidth, crash. virus, and interface creep into your speech. At home, your kids are running up tremendous bills on a cordless phone. Back in the city, lunch is served while conversations are channeled, corpuscular infobits navigating the net like synapses fired into the cerebral cortex.

Welcome to America. Technology is much more than a thread in the fabric of our late-twentieth-century society. It's irrevocably bound up with the way we see ourselves and our place in the world. Our history is a story of progress and setbacks underscored by a practically unwavering belief in the machines we have created. From the cotton gin to

the computer, Americans have embraced technology's benefits even as they have debated its effects.

The advent of the personal computer has furthered this uneasy alliance by placing powerful technological tools in the hands of individual citizens. The air fairly teems with ideas for new computing devices of every imaginable purpose.

This month, we examine some of those advances and the implications of the new technology in "The State of Computing: U.S.A." Writer Gregg Keizer looks at the rise of invisible machines, the advent of pen-based computing, and the roles computers play at work, at school, and in play. He explores the trend toward more powerful, less expensive computer systems that are beginning to fill American households. And he takes a hard look at why so many Americans have yet to open their homes to the personal computer.

For those of us who have adopted the newest in technology, it's sometimes amazing that more of our neighbors go without. Sometimes it's a matter of economics. Sometimes it's a matter of computerphobia. Sometimes it's a simple matter of priorities—why spend \$1,500 on a computer to balance a checkbook?

PCs are still underused, relegated to the role of fancy calculators and muscle-bound typewriters.


While it's not up to consumers to define what's needed, technologically, to enhance the quality of our lives, we can help by spreading the power of computing to our friends, relatives, and neighbors.

What can you do to further the cause of computing in America? Invite some folks over to see what the fuss is all about. After all, your reputation is at stake.

From the cotton
gin to the computer,
Americans have
embraced technology's
benefits even
as they have debated
its effects.



# Without exception, this year is proving to be our best in every area. From manufacturing to product testing to sales and merchandising, we've in the money. Why the sudden turn-around, you sak? It imple. It we stake we switched to Citizen color printers, life has been rosy, (That was a pun.) Seriously, one every floor, down every hallway, it seems our staff has renewed energy and gusto. Partly, iff due to how darned simple it is to use Citizen printers. With the touch of a button or the flip of a switch, you're in total control of countless impressive functions. That's pertiy important to staffers who used to struggle with the endless mace of cryptic codes the other printer put us through. But here's the piece de resistance — color. Inagine having to come up with yet another product design belt or a counts payable statement or even a company memo. We've all done more than our share of at least one of these. Division B Division B Division B Division D Nation of the first same old document has impact. Life Verve. Small wonder we're doing so much better all the way down the line. Our Citizen printers have given us more than countless hours of reliable operation and strudy dependability. They've given us more than countless hours of reliable operation and strudy dependability. They've given us more than countless hours of reliable operation and strudy dependability. They've given us more than countless hours of reliable operation and strudy dependability. They've already ordered designer water for all, the coolers! Keep up the good work.



## YOUR SOFTWARE. THEIR PRINTER.

MARKET SHARE

## YOUR SOFTWARE. OUR PRINTER.

Color. It adds impact. Memorability. Charts and graphs come to life. Important information jumps out. Color is the fast, easy way to turn an ordinary document into a vibrant, compelling presentation.

And the Citizen line of superior printers is the fast, easy way to get that color. Because Citizen is the one name in color printers that gives you everything you need. Quality. Reliability. And a very reasonable price.

Best of all, Citizen printers communicate with the software you probably already have – just press "print." It's the easy

way to print in color, from your simplest needs to your most elaborate presentation spreadsheets. Transparencies too.

For the classroom, the office, or the office at home, there's

a Citizen printer that's right for you. Look into Citizen. And make a colorful statement. For more information call 1-800-556-1234 ext. 34.

©1991 Citizen America Corporation Citizen, Color On Command, Command-Vue and the Citizen logo are trademarks of the Citizen Watch Co. Ltd.






## **NEWS & NOTES**

Alan R. Bechtold

#### Proto Holo Deck

Claiming to have the "world's first three-dimensional holographic videogame," Sega of America started shipping Time Traveler to arcade halls across the country in July. While most PC game players might not take note of the local mall arcade hall, this game merits attention. With a self-contained Sony 12-inch laser disc player and 20-inch Trinitron monitor, and boasting digital stereo sound and full digital graphics, Time Traveler may be as close as we'll

Save the holographic universe in Sega's Time Traveler arcade game.



ever get to an interactive 3-D entertainment environment in this decade (unless virtual reality really takes off).

The game itself is straight game hall action—a rowdy shoot-'em-up that requires you to traverse time and battle renegade scientists, ninja warriors, streetwise punks, cowboys, cave dwellers, and every other brand of adversary imaginable to modern arcade game wizards in an attempt to (what else?) save the universe.

Time Traveler should be in your local arcade hall by now, if you're curious. It costs 75 cents a pop, and you can buy more time cubes to keep you alive and kicking—sort of an interactive wallet. A roll of quarters and a willing suspension of disbelief should buy you a couple centuries of fun.

#### Computing sans Keyboard

A new personal computer accessory can literally bring the world to those who are physically unable to operate a keyboard. IBM's VoiceType is a new multimedia speech recognition product that allows a person to use DOS along with familiar word processing, database, and spreadsheet applications simply by speaking a word or command into the device instead of typing it.

Developed jointly by the IBM Special Needs Systems group and

Dragon Systems, VoiceType adjusts to each user's individual speech patterns and language usage and, once it recognizes a user's unique pronunciations, stores them for future speech recognition. The product is intended primarily for those who are unable to use a

keyboard, but any- one can use it as a keyboard alternative—especially if price isn't an issue with the user.

VoiceType uses IBM's M-Audio Capture and Playback Adapter and is supported on IBM PS/2 386 and 486 systems that run 16 MHz or faster. It comes with a user's guide, training videotape, online reference guide, programs on 3½-inch disks, and a headset microphone. The product is available through Dragon Systems for \$3,185.

For more information on VoiceType, contact Dragon Systems at 320 Nevada Street, Newton, Massachusetts 02160; (800) 825-5897.

#### **Power Editing**

You've heard of power lunches, power brokers, and power deals. Now there's power editing. Good writers know their best work requires a second pair of eyes to double-check—at the very least—for grammar, spelling, and those inevitable typing errors.

Artificial Linguistics says its new program, PowerEdit, is the first software product to intelligently read, manage, and manipulate text. To perform the functions of a human editor and proofreader, PowerEdit employs proprietary artificial-intelligence technology-a text engine-that produces a quantifiable database it uses to intelligently manipulate text. It finds and corrects problems associated with business writing-lack of clarity, wordiness, ambiguity, and incorrect grammar.

PowerEdit's text engine recognizes more than 1 million words and their usages and applies 200,000 rules of good writing to your writing. It works directly with word processing software, recommending changes to make writing powerful, clear, precise, and correct. Artificial Linguistics president Doug Kramp says the company plans to eventually license the text engine to software publishers for other applications needing intelligent text manipulation, making it a type of operating system or environment in which word processors and other software programs can run. The program sells for \$295.

For more information about *PowerEdit*, contact Artificial Linguistics, 2301 North Akard, Suite 200, Dallas, Texas 75201; (800) 800-4254.

## It's Like Being A Kid In A Candy Store.



#### Any Car, Any Day, Anywhere. \$29.95 With Free Unlimited Mileage.

Just rent from General this September and you'll have some very delectable choices to make. Because for just \$29.95 a day, we'll reserve and guarantee a midsize quality Chrysler car like the delicious Gumball Blue Plymouth Acclaim, and we'll upgrade you to your choice of the best available car on the lot. We'll even sweeten the deal with free unlimited mileage. Plus OnePass<sup>SM</sup> miles with proof of arrival on Continental. And the kind of fast, friendly service that's truly scrumptious.

This rate applies to drivers 25 and over and is subject to availability, as are colors and flavors. Optional LDW Tripsaver<sup>SM</sup> \$9.99 a day or less. Gas, taxes, airport access fees of 10% or less, if applicable, and other optional items are extra; one way drop-off, if allowed, and additional driver charges may apply.

For reservations and information, nationwide, call your travel agent or General at 1-800-327-7607. Ask for rate plan LO. And find out how sweet it is.

We feature quality products of Chrysler Corporation. Most are air bag equipped for added safety.

#### Touch Axxess

New from Oregon Scientific is Axxess, a small, lightweight LCD touchscreen that allows you to quickly and easily store and retrieve information. The large-character, easy-to-read screen features numerous layouts for entering data, including convenient QWERTY and alpha keyboards.

With the mere touch of a finger, you can store and retrieve more than 1000 "busi-

Axxess screen to speed-dial a phone number.



ness cards" of information, speed-dial any phone number stored, set an audible alarm that displays a two-line reminder message, print reports directly from Axxess when connected to a PC printer, transfer data to and from a PC or from another Axxess unit for memory backup, and perform numerous other handy functions. You can also enter a personal security code to prevent others from accessing your machine.

Axxess can speed-dial from most phone systems and print from most printers, so with the 3½-hour battery supply included, it's especially useful for business travelers. Axxess is priced at \$599.

For more information about Axxess, contact Oregon Scientific, 10950 SW 5th Street, Suite 275, Beaverton, Oregon 97005; (503) 646-9806.

#### Single Does It

Upgrading a personal computer by simply plugging in a single chip would certainly

make life easier for some of us, considering how fast computer technology changes. Thanks to Acer America's new ChipUp Technology, single-chip upgrades are now more than wishful thinking.

Acer's new system is actually an Intel 486SX-based CPU that allows you to upgrade your system's speed from 20 MHz to 25 or 33 MHz by simply adding a single chip. The ChipUp CPU will accept a 25-or 33-MHz Intel 486DX microprocessor in a low-insertion-force socket that also accepts the Intel 487SX 20-MHz math coprocessor.

Acer's first challenge in creating the ChipUp was how to effectively combine the design of three system boards into a single motherboard—a necessity for accommodating CPUs running at 20, 25, and 33 MHz. Since every CPU type has a different pin assignment and internal architecture, autoswitching and detecting CPU frequency were the biggest design hurdles.

Acer ended up designing a dynamic architecture with a built-in autodetection feature that senses the type of CPU in use and then automatically switches to the proper system speed to match it. The Acer design team then made the upgrade easy enough for users to implement themselves.

Because Intel's chips are readily available off the shelf from component dealers worldwide, Acer's new system gives those wanting to upgrade the opportunity to shop around for the bestpriced chips available. Since specially designed sockets allow users to easily insert the Intel chip of their choice, both users and dealers have an easy way to upgrade systems on their own without technical help. Suggested retail price for the ChipUp is \$2,745.

For more information, contact Acer America, 401 Charcot Avenue, San Jose, California 95131; (408) 922-0333.

#### Is OS/2 Losing?

The race between OS/2 and Microsoft Windows has been running for a long time, but the finish line may now be in sight. Gartner Group, a leading research firm that analyzes trends in the information technology industry, predicts IBM won't succeed in its efforts to encourage a majority of users to migrate to OS/2. According to Gartner, OS/2's market share will be only half that of Windows by 1995. Windows currently holds 12 percent of the market, which Gartner predicts will grow to 41 percent by that time.

The fate of OS/2's Presentation Manager is hotly debated. Gartner believes the operating environment has been dealt a severe, if not fatal, blow by Windows.

Although OS/2 is considered technically superior to Windows, it lacks third-party appeal, according to Jonathan Yarmis, vice president of personal computing at Gartner. "Without that appeal, it doesn't matter how well OS/2 performs. Users buy applications, not operating systems," Yarmis said.

#### 200 Million Miles per Hour

It's hard to imagine, but IBM's newest multichip package is actually capable of speeding electric impulses between computer chips at the rate of 280 million miles per hour. The record-breaking package, which holds 121 silicon chips inside a densely packed ceramic module, is currently in production as part of IBM's new System/390 series of large computers.

To take advantage of the increasing speed of computer chips, computer architects

# Willims Will THE BLACK GATE

## ORIGIN presents A LORD BRITISH PRODUCTION "ULTIMA VII — THE BLACK GATE"

Starring THE AVATAR, IOLO, SHAMINO, DUPRE, and BILL JOHNSON as "The Guardian"
Programming KEN DEMAREST III, HERMAN MILLER, ZACHARY SIMPSON, JEFF WILSON, TONY ZUROVEC

Technical Design Assistants ANDREW MORRIS, JOHN WATSON
Art Direction BOB COOK, JEFF DEE, KARL DOLGENER, GLEN JOHNSON, DENIS LOUBET, GARY WASHINGTON

Audio Director MARTIN GALWAY Music DANA GLOVER

Sound Effects MARC SCHAEFGEN, NENAD VUGRINEC Writing JACK HERMAN, BETH MILLER

Executive Producer DALLAS SNELL Associate Producer ALAN GARDNER Screenplay RAYMOND BENSON

Producer and Director RICHARD GARRIOTT

Available in Retail Stores or call 1-800-999-4939 for Visa/MC Orders



#### THE QUEST BEGINS CHRISTMAS 1991

Ultima, The Black Gate, Avatar, Lord British, Iolo, Shamino, Dupré, The Guardian are trademarks of ORIGIN Systems, Inc. © 1991 ORIGIN Systems, Inc.

Released by



#### **NEWS & NOTES**

must design equally speedy connections between chips. In IBM's new package, 121 chips are tightly packaged just three-eighths of an inch from each other, which is an industry record.

The chips are mounted directly on a new IBM material called glass ceramic, which effectively transmits signals from one chip to another. They're connected by tiny wires made of copper, an excellent conductor of electricity. The package resembles a multilayered sandwich.

Although the new IBM chip package isn't intended for use in microcomputers, once the technology is tried and true, it could eventually trickle down to the PC platform.

Still Alive and Kicking

The advent of *Microsoft Windows* actually breathed new life into BASIC. Visual Basic for *Windows* 3.0 is the latest version of the long-lived, popular programming language. It's a graphical application development system for *Microsoft Windows* 3.0 that combines visual-design tools with a powerful general-purpose programming language and *Windows'* EXE compiler.

Bill Gates, Microsoft founder and chief executive officer, forecasts that many thousands of *Windows* applications will be written in Visual Basic. Forty-five independent software developers have already announced and demonstrated more than 60 such products, ranging from custom controls to add-on DLLs for data access and multimedia applications.

Visual Basic for *Windows* is now available in the U.S. for \$199. Microsoft already started shipment of German and French versions and has also scheduled other language versions to follow.

For more information, con-

tact Microsoft, One Microsoft Way, Redmond, Washington 98052-6399; (800) 426-9400.

Shooting for a Longer Run

Running out of battery power in the middle of a laptop computing session can be frustrating. It can even wipe out the bountiful benefits of using a portable computer in the first place, which is why so many companies are diligently trying to come up with anything that will extend battery life for portable, laptop, and notebook PCs.

Appian Technology's PowerMizer is a new Power Manager Controller chip for laptop and notebook PCs that goes a long way toward achieving the long-life goal. The new chip controls circuits and peripherals during system operation, working in conjunction with Appian's System 90/SX local-bus-based 386SX chip set. Already available to manufacturers, the new chip should start showing up in laptop and notebook PCs soon.

For more information about the PowerMizer, contact Appian Technology, 477 Mathilda Avenue, Sunnyvale, California 94086; (408) 730-8800.

#### Not Just Nintendo

Super Mario, Princess Zelda, Link, and Donkey Kong, For the first time, these popular Nintendo characters will be hitting home television screens on a video system other than Nintendo. They'll be seen on Compact Disc Interactive (CD-I), a new multimedia technology Magnavox has planned for release this year. Nintendo of America and American Interactive Media (AIM) reached an agreement that will permit AIM to develop and market CD-I titles featuring the popular Nintendo characters.

AlM is the principal developer of software programs for CD-I systems planned for

sale through consumer electronics stores this fall. The Nintendo characters will join such familiar names as Time-Life, Rand McNally, the Smithsonian Institute, ABC Sports, Richard Scarry (of children's book fame), and others who have copublished software through AIM for use on CD-I systems. Other popular children's characters to be available on CD-I software are Big Bird, Elmo, Bert, and Ernie from "Sesame Street," who appear in Children's Television Workshop programs developed for the new system.

For more information on this software, contact American Interactive Media, 11111 Santa Monica Boulevard, Suite 700, Los Angeles, California 90025; (213) 473-4136.

#### FAX on the Go

Those eleventh-hour rushes to the fax machine only to wait in line for a leisurely transmission may soon become office history now that Ibis has developed a new software program which lets you send faxes with a modem.

On the GoFAX can transmit a one-page document in 20 to 30 seconds—from your computer. If the number you're calling is busy, AT&T's Service Bureau will redial it up to four times during the first half hour, leaving your computer free for you to work on something else. Transmission for the first page is \$3.00, and each additional page costs \$2.00. The product retails for \$69.95.

For more about *On the GoFAX*, contact Ibis Software, 625 Second Street, Suite 308, San Francisco, California 94107; (415) 546-1917.

Alan R. Bechtold is editor of *Info-Mat Magazine*, an electronic news weekly published by BBS Press Service.

Thanks to Microsoft Windows, BASIC has more than one life to live.



## KICK BACK

and relax, you've got a CH Products Controller!



Flightstick™



Mach I™ and Mach I Plus™



Mach II™ and Mach III™



GameCard III Automatic™ GameCard III Automatic/MCA™



RollerMouse™

970 Park Center Drive Vista, California 92083 (619) 598-2518 To order: (800) 624-5804



Available for Apple, Mac, IBM PC/PS2 and compatible computers.

Circle Reader Service Number 207

## FEEDBACK

Copywrong?

Regarding your answer in the June "Feedback," under federal copyright laws everyone who buys a piece of software has the right to make a backup copy for archival purposes. That's why programs like Copy II PC and Twin Copy are legal to use. You owe it to your readers to check your facts thoroughly before firing off a reply. DAVID VIERTEL AUSTIN, TX

In your June issue, you told Travis May that even a nonworking backup copy of commercial software was illegal. I, and the folks in the Computer Science Department of Southern Arkansas University, where I work, have been un-Legal copies, der the impression that the new copyright law says that it's legal to make a backup copy. As a matter of fact, everyone that I've talked to suffers from this same delusion. How about a clarification of the current copyright/backup situation? JACK RYAN

EL DORADO, AR

Your point is well taken. Making personal backups of software constitutes "fair use," a loophole in the copyright law that allows a teacher to copy a page out of a magazine for a class, a reviewer to lift quotations from a novel, or (usually) a computer user to copy software for archival purposes. Although that right is extended by the law, you can at any time give up your rights voluntarily by consenting to a license agreement that prohibits making archival copies. The best way to discover whether it's legal to copy is to check your license agreement.

understanding of Our May's letter (only a small part of which was published) was that he had tried making backups with the standard DOS commands and had not been successful, which indicates that he was trying to back up locked software. License agreements on locked software usually specify that no copies can be made. Use of the software constitutes acceptance of the terms of the license. For this reason, copies created by DOS or other means would be in violation of the license agreementand therefore illegal-whether they worked or not. Thanks for the opportunity to expand and clarify our response to this question.

Hard Disks, Easy Decisions

"How to Choose a Hard Disk" in the May issue was great-clean, informative, and specific. I especially appreciated the warnings about IDE drives. ARTHUR J. SOINSKI SACRAMENTO, CA

Headstop

I use a Vendex Headstart III with a hard disk. I've heard a lot about a head-parking command that should be used whenever a computer is moved. What's the command, and when should I use it? Also, can I have two or more hard drives in the same machine? WILLIAM D. WAGNER APO NEW YORK, NY

Usually the command to park the heads of a hard disk is PARK. This command automatically moves the heads to a position where they won't do damage to the disk if a shock or sudden movement causes" the heads to come into contact with the disk. Some people advise that if your hard disk requires parking, you should park it every time you turn off the machine. Others feel that you should only park your heads if you're transporting your computer by car or freight. Some hard disks are self-parking, and so using the PARK command is unnecessary. On the other hand, if you're not sure whether your hard disk is self-parking or not, prudence would dictate that you should use the PARK command, if you have it. If you don't have it and you're determined to park your drive, SpinRite II includes a PARK command. It's sold by Gibson Research. 22991 La Cadena, Laguna Hills, California 92653.


As for adding one or more hard disks, the primary problem with this is the extremely small size of your computer case. The half-height 51/4inch hard disk you have takes up all the space availa-

If you have some free slots, you could add a hard card-a hard disk mounted on a card designed to be installed in the expansion bus. Although the card itself only takes up one slot, most drives stick so far out from the card that the neighboring slot will be inaccessible. An external drive might be a solution.

#### Not the Same Old Same Old

The magazine that I've been getting for the last year isn't the magazine I started reading back in the early eighties. The last issue of my subscription was no different from at least half a dozen computer magazines on the market. There's very little in your magazine that's of interest to me anymore. I don't care what John Dvorak, Jim Seymour, or Clifton Karnes has to say about networks, laptops, or laser printers because I probably won't ever have one. Your magazine isn't a home computer user's magazine anymore. EDWARD R. SALYER DES MOINES, IA

cheers and jeers, parking lessons. bad clusters, and more



## Another Eastern block falls.

There's a new'TRIS on the block. Its name is WORDTRIS. And if you love TETRIS, this latest fast-action, falling block, Soviet game will boggle your mind.

This time the falling pieces are letter blocks. Form them

Go for XYLOPHONE if you dare.

into words and score points. As each block falls, it pushes down the blocks below, producing an ever-changing kaleidoscope of letters where scoring opportunities appear - and vanish - at the blink of an eye.

Create words horizontally or vertically, but don't put all your E's in one BASKET. Because


every time a word lines up, *poof!* those letters disappear, and the blocks below pop up to fill the spaces. So whenever you earn points you stir up the alphabet soup. And suddenly that falling M has no HOME to go to.

WORDTRIS keeps raining vowels and consonants until you've collected enough words to move to the next level, or the well fills up. Of course, each successive round ups the ante as the blocks fall ever faster. But you can choose

your difficulty level to match your skills, and select from single player, cooperative, competitive, head-to-head or tournament modes. The built-in 30,000 word dictionary verifies even the most obscure word.

Set the difficulty level at 10 and you'll find WORDTRIS harder to keep up with than the changes in Eastern Europe.

WORDTRIS. Another great game from the TETRIS people.



Available for IBM and Mac/MacII.

#### Spectrum HoloByte

A Division of Sphere, Inc. 2061 Challenger Drive, Alameda, CA 94501

Available in retail stores or for Visa/Master Card orders call toll-free, 24 hours a day, 7 days a week: 1-800-695-GAME (Orders Only) For technical questions and availability call: 1-415-522-1164 (M-F: 9am - 5pm PST)

#### FEEDBACK

Thanks to all who write. We read all your letters and try to be responsive to our readers' interests and concerns.

#### Dir Straights

After I use the following Quick-**BASIC** statement

#### SHELL "DIR > DIR.DAT"

I would like to be able to examine the entries in DIR.DAT for the subdirectory names and then change to those subdirectories in order to examine the files in each subdirectory. How can I use the various subdirectory names with a CD command within the BA-SIC program? RICHARD KIRCHMEYER UTICA, NY

The following set of QuickBA-SIC commands places the directory listing in a file and then reads the file, creating a second file containing only the names of the subdirectories. It then goes on to create a file called FILES in a subdirectory called TEMP that contains all the filenames in the current directory and all its subdirectories. You could use some recursive variation on this program to look farther down the tree.

dir1\$=COMMAND\$ IF dir1\$="" THEN dir1\$="\*.\*" SHELL"md \temp" SHELL"dir "+dir1\$+ ">\temp\temp1" OPEN"\temp\temp1"FOR INPUT OPEN"\temp\temp2"FOR OUT-PUT AS #2 OPEN"\temp\files"FOR OUTPUT DO WHILE NOT EOF(1) LINE INPUT #1,a\$ IF LEFT\$(a\$,1)<>"." THEN IF MID\$(a\$,14,1)="<" THEN GOSUB cleanup IF a\$<>"" THEN PRINT #2,a\$ ELSEIF LEFT\$(a\$,1)<>" " THEN **GOSUB** cleanup

IF a\$ <>"" THEN PRINT #3,a\$ END IF **END IF** LOOP CLOSE #1 CLOSE #2 OPEN "\temp\temp2"FOR INPUT AS #1 DO WHILE NOT EOF(1) LINE INPUT #1,a\$ SHELL "dir "+dir1\$ +"\"+a\$+ ">\temp\temp4" OPEN "\temp\temp4"FOR INPUT GOSUB cleanup:PRINT #3,:PRINT #3,"\"+a\$ DO WHILE NOT EOF(2) LINE INPUT #2,a\$ IF LEFT\$(a\$,1)<>" " AND MID\$(a\$,14, 1)<>"<" THEN GOSUB cleanup IF a\$<>"" THEN PRINT #3,a\$ END IF LOOP CLOSE #2 LOOP CLOSE #1 CLOSE #3 SHELL "del \temp\temp\*.\*" END cleanup: a2\$=MID\$(a\$,10,3) FOR i=1 TO 8 IF MID\$(a\$,i,1)=" " THEN EXIT FOR NEXT a3\$=LEFT\$(a\$,i-1) IF a2\$=CHR\$(32)+CHR\$(32) +CHR\$(32) OR a2\$="" THEN a\$=a3\$:RETURN a\$=a3\$+"."+a2\$:RETURN

Readers whose letters appear in "Feedback" will receive a free COMPUTE's PC clock radio while supplies last. Do you have a question about hardware or software? Or have you discovered something that could help other PC users? If so, we want to hear from you. Write to COMPUTE's Feedback, 324 West Wendover Avenue, Suite 200, Greensboro, North Carolina 27408. We regret that we cannot provide personal replies to technical questions.

**EDITORIAL Editor in Chief** Art Director Executive Editor Senior Editor Emeritus Managing Editor Features Editor Associate Editor Editor, Gazette Associate Editor, Amiga Resource Reviews Editor Assistant Editors

Jill Champion David Sears Karen Huffman Copy Editors Susan Thompson Dana Stoll Chantelle Oligschlaeger

Kenneth A. Hardy

Peter Scisco Robin C. Case Clifton Karnes

David Hensley Jr. Robert Bixby

David English Tom Netsel

Denny Atkin

Erin Richter

Keith Ferrell

ART **Assistant Art Director** Designer

**Editorial Assistant** Interns

Jo Boykin Terry Cash Typesetter PRODUCTION
Production Manager De Potter
Traffic Manager Barbara A. Williams

PROGRAMMING Programming Manager Programmers

Richard C. Leinecker Bruce Bowden Steve Draper Troy Tucker

Kathy Keeton William Tynan

ADMINISTRATION President Executive Vice President, Operations Office Manager Sr. Administrative Assistant, Customer Service Administrative Assistant Receptionist

Elfreda Chavis Polly Cillpam

ADVERTISING
Vice President, Peter
Associate Publisher
Vice President, Jan Sales Development Marketing Manager

Peter T. Johnsmeyer (212) 496-6100 James B. Martise

Caroline Hanlon (919) 275-9809

East Coast: Full-Page and Standard Display Ads—Peter T. Johnsmeyer, Chris Coelho; COMPUTE Publications International Ltd., 1965 Broadway, New York, NY 10023, (212) 496-6100. New Engmeyer, Chris Coelho; COMPUTE Publications International Ltd., 1965 Broadway, New York, NY 10023; (212) 496-6100. New England—Jack Garland, Garland Associates, Inc., 10 Industrial Park Rd, Hingham, MA 02043; (617) 749-5852. East Coast and Midwest: Fractional and Product Mart Ads—Caroline Hanlon, Product Mart Manager; COMPUTE Publications International Ltd., 324 W. Wendover Ave., Suite 200, Greensboro, NC 27408; (919) 275-9809. Southeastern Accts. Mgr.: Full-Page, Standard Display, and Mail-Order Ads—Harriet Rogers, 1725 K St. NW, Suite 903, Washington, D.C. 20006; (202) 728-0320. Florida—J. M. Remer Associates, 3300 NE 192nd St., Suite 192, Aventura, Ft. 33180; (305) 933-1467, (305) 933-8302 (FAX), Midwest-Full-Page and Standard Display Ads—Starr Lane, National Accounts Manager; 1025 Crescent Blvd., Glen Ellyn, It. 60137; (708) 790-0171. Northwest—Jerry Thompson, Jules E. Thompson Co., 1290 Howard Ave., Suite 303, Burlingame, CA 4010; (415) 348-8222. John Taggart, (415) 547-4102. Lucille Dennis, (707) 451-8209. Southwest—lan Lingwood, 6728 Eton Ave., Canoga Park, CA 91302, (818) 992-4777. West Coast: Fractional Mail-Order, Shareware, and Product Mart Ads—Lucille Dennis, Jules E. Thompson Co., 1290 Howard Ave., Suite 303, Burlingame, CA 94010; (1707) 451-8209. U.K & Europe—Beverly Wardale, 14 Lisgar Terr., London W14, England; 011-441-602-3298. Japan—Intergroup Communications, Ltd.; Jiro Semba, President; 38 Tiger Bldg. 5-22 Shiba-ken, 3-Chome, Minato-ku, Tokyo 105, Japan; 03-434-2607. Classified Ads—Sharon Steinkemper, COMPUTE Publications International Ltd., 1965 Broadway, New York, NY 10023; (212) 724-0911.

THE CORPORATION

Bob Guccione (chairman) Kathy Keeton (vice-chairman) David J. Myerson (chief operating officer) David J. Myerson (cniet uperating unice), Anthony J. Guccione (secretary-treasurer) William F. Marlieb (president, marketing, sales & circulation) John Evans (president, foreign editions) Patrick J. Gavin (vice president, chief financial officer) Patrick J. Gavin (vice president, chief lifeared ADVERTISING AND MARKETING ADVERTISING ADVERTI

ADVERTISING AND MARKETING


Sr. VP/Corp. Dir. New Business Development: Beverly
Wardale; VP/Dir., Group Advertising Sales: Nancy Kestenbaum;
Sr. VP/Southern and Midwest Advertising Dir.; Peter Goldsmith.
Offices: New York: 1965 Broadway, New York, NY 10023-5965,
Tel. (212) 496-6100, Telex 237128. Midwest: 333 N. Michigan
Ave., Suite 1810, Chicago, IL 60601, Tel. (312) 346-9393.
South: 1725 K St. NW, Suite 903, Washington, Dc 20006, Tel.
(202) 728-0320. West Coast: 6728 Eton Ave., Canoga Park, CA
91303, Tel. (818) 992-4777. UK and Europe: 14 Lisgar Terrace,
London W14, England, Tel. 01-828-3336. Japan: Intergroup
Jiro Semba, Telex U25469IGLTVO, Fax 434-5970. Korea: Kaya
Advtsng., Inc., Rm. 402 Kunshin Annex B/D 251-1, Dohwa
Dong, Mapo-Ku, Seoul, Korea (121), Tel. 719-6906, Telex
K32144Kayaad.

ADMINISTRATION

ADMINISTRATION

VP/Finance, CFO: Patrick J. Gavin; Sr. VP/Administrative Services: Jeri Winston; Sr. VP/Art & Graphics: Frank Devino; VP/Newsstand Circulation: Marcia Orovitz; VP/Director of New Magazine Development: Bona Cherry; VP Director Sales Promotions: Beverly Greiper; VP Production: Hall Halpner; Dir. Newsstand Circulation: Paul Rolnick; Dir. Newsstand Circulation: Paul Rolnick; Dir. Newsstand Circulation: Paul Rolnick; Dir. Subscription Circulation: Marcia Schultz; Director of Research: Robert Rattner; Advertising Production Director: Charlene Smith; Advertising Production Tradic Mgr.: Mark Williams; Traffic Dir.; William Harbutt; EPS Mgr. Lisa R. Sulgit; Production Mgr.: Tom Stinson; Asst. Production Mgr.: Nancy Rice; Foreign Editions Mgr.: Michael Stevens; Exec. Asst. to Bob Guccione: Diane O'Connell; Exec. Asst. to David J. Myerson: Teri Pisani; Special Asst. to Bob Guccione: Jane Homlish. ADMINISTRATION

16



#### Product support for your IBM or compatible.

CompuServe, the world's largest network of people with personal computers, is also the world's largest network of people with answers to your hardware and software questions.

Brains abound on CompuServe. You'll


find quick solutions and information from our thousands of forum members, some of whom have already had your problem, some of whom are the product developers themselves. Company decision-makers are online, too, discussing the next generation of products, and giving CompuServe members software updates ahead of every-


one else, and before they hit the market.

Got a question? Got a problem? Get smart. And get some answers, from the many minds of CompuServe.

To join, see your computer dealer.
To order direct, or for more information, call us today.

CompuServe®800 848-8199





alk through the door and shout, "I'm home!" and you may get an answer from the kids, a spouse, and half a dozen computers. Computers hide all around your house. Touch the membrane panel of your microwave, and you call on a microchip-based controller. Your telephone-answering machine may record calls not on tape, but in silicon memory. That late-model car out in the garage is smarter than some of the kids you went to school with. And your videogame machine does graphics better than most business computers.

Even if you didn't have a personal computer in your home, you'd still live in a technologically advanced household. But because you do include a computer in your home's inventory, you're part of an important American minority that collectively owns more computing power than such global powers as the Soviet Union, China, and India.

Home computing, once the exclusive province of electronics hobbyists, is now being taken over by millions who might never have touched a soldering iron. As one of those millions, you've got a jump on most Americans. You know how important a PC is for working at home, for accessing immense amounts of information almost instantly, for learning and playing with—a tool and a toy that would have seemed magical only 15 years ago.

Grabbing a snapshot of home computing as it flies by is tough. You've got to lead it a bit, aiming not only where it is today, but where it will be, say, next year. So set your sights on the present and the future for a picture of home computing in America.

#### PC, Go Home

You're in good company. According to Link Resources, a New York-based market research firm, one in four American homes has a computer. Over 30 million computers work at home, not at the office or in the classroom.

Most of these machines run MS-DOS. A smattering of Macintosh, Apple, Amiga, Commodore, and Atari computers may sit at home, but the PC has clearly won on the home front. That's no surprise. The foremost reason new computer owners give for their spending spree is to do job-related work at home. We're most comfortable with what we know—the PCs we use at the office.

And those home PCs are getting more powerful. Where once a floppy disk-based PC with a slow microprocessor and a paltry 512K of memory served, now home PCs typically include a hard disk drive, a color monitor, a megabyte (or more) of RAM, and a 286 or 386SX brain.

#### **HOW DID WE GET HERE?**

The path to today's version of home computing, filled with false starts, dead ends, and half-witted ideas, is littered with machines that should never have seen the light of day.

#### The Handmade Tale

Millions may compute at home today, but less than 15 years ago only a handful of hobbyists had computers at home. Some people built their own from kits while others bought such behemoths as the Radio Shack Model I and the Commodore PET. They rejoiced when the first floppy disk drives replaced cassette tape drives.

#### **Happy Days**

Computers shoved their way into American homes by the millions during the early 1980s with games and classic machines like the Commodore 64, Atari 800, and Apple II. Ads played on our suspicions that families without computers produced kids who couldn't cut it at college, even though solid productivity and educational software was nearly nonexistent. The country woke up in 1984 to realize home PCs were one-dimensional appliances that were too temperamental, too hard to use, and too expensive.

#### The Dark Ages

Computers went home, but no one knew what to do with them. Games started shifting to dedicated machines like Nintendo, and everyone grew tired of filing Christmas-card lists and computing home budgets. PCs ruled the office, but they were still too costly and too tough to use at home.

#### Taking the Office Home

The late 1980s were a time of excess—including excess work—so people took work home and realized they needed PCs there. Low-priced clones helped. The Mac struggled to hang onto its under-10-percent share; older computers hit the closets.

#### The Multi Medium

Windows in 1990 and multimedia in 1991 redefined the PC as a graphical tool that could do at home what it could at the office, as well as integrate text, sound, music, video, and still images into stunning educational, reference, and entertainment programs.

#### The Future

Inexpensive PCs with CD-ROM work in four of ten American homes. Family workstations control notebook and slate computers. Home and office PCs talk to each other via modem and dedicated networks. Kids use slate computers to file homework. Highend simulations make up PC play, but most electronic entertainment comes from the duo of game machine and CD-I player, both connected to a TV.

This trend of high-powered, lowpriced home computing is accelerating. Prices of fast 386 PCs have been dropping rapidly. IBM cut prices twice in less than a month. Brand-name compatible manufacturers like Compaq have slashed prices, too, in an attempt to keep profits up and box out the more marginal PC makers. Consumer electronic giants like Samsung and Magnavox are pushing PCs in the mass market, with discount clubs such as Sam's and computer superstores like CompUSA as their readymade outlets. The recession may have hurt many PC sellers, but it was good news for anyone shopping for a computer. Today you can bring home an amazing machine for around \$1,800: a 20-MHz 386SX complete with two megabytes of RAM, Super VGA, a 40MB hard drive, Windows, and a mouse.

And it won't be long before the computer in your home will have even more power. Major-league companies like Digital promise workstationlike graphics in a PC, while AT&T-owned NCR has built a minicomputer based on the 80486 chip. Though your home computer won't be as powerful as these monsters, don't be surprised 12 months from now if you're able to buy a 486SX-equipped PC for what you'd now pay for a 386.

More power for less money. That's one trend you won't have to wait for.

#### **Mobile Clones**


We love to take it with us. Even if we're not on the move, we like to pretend that we soon *will* be.

No part of the PC business bloomed as quickly during the last year as the portable computer market. A blizzard of laptop and notebook computers debuted during 1990 and 1991, enticing on-the-go professionals in sales, real estate, insurance, and financial fields to computerize.

The average portable computer is a no-features featherweight, but recently the market has grown to include 286, 386SX, and even 386 microprocessors; VGA graphics; multiple megabytes of RAM; large capacity hard drives; and long-running batteries. Briefcase-size computers compete with desktop systems in almost every performance area.

Notebooks, the under-seven-pound category, are the hottest draws. Such notable examples as the Sharp 6220, the Texas Instruments TravelMate 2000, and the ZEOS 286 all tip the scales at around five pounds. These machines, and others, are light enough to take everywhere you go.

The rush to faster processors has spun down the prices of older, but still



NEW! Exciting Game of U.S. History & Geography



#### Ages 10 to Adult

Grab your press pass and get ready for fun as you match wits with the unscrupulous Diabolical Daily in Headline Harry and the Great Paper Race. As Harry's ace reporter at the U.S. Daily Star, it's your job to outsmart the competition and get the true news stories on the front page first! It's a race to the deadline that takes you across the country and back through time.

Each new assignment will enrich your knowledge of U.S. history and geography as you uncover news events spanning four decades of American history (1950-1990).

Dynamic VGA graphics, animation, and digitized speech and sound effects add excitement as you race against the clock!

Suggested retail prices for Headline Harry and the Great Paper Race

> IBM/Tandy & PC Compatibles Full-Spectrum 256-Color: \$59.95 16-Color Version: \$49.95

ORDER TOLL-FREE (800) 545-7677 / (800) 556-6141

Satisfaction Guaranteed or your money back from Davidson.



Davidson.

A Learning Adventure Game

Circle Reader Service Number 148



Help Harry put an end to yellow sheet journalism.



A good reporter always asks the right questions.



Travel across the U.S. in search of headline news.

capable, portables such as the Toshiba 1000 SE and the low-end Bondwell machines. Portables can be found for under \$1,000 and make attractive second-computer alternatives to homebound desktop PCs. Laptops already account for almost 10 percent of home computers.

One portable trend seems clear, and one more muddied. Notebooks will get slightly lighter, much less expensive, and more powerful, and will have longer battery life. Hand-held computers, called palmtops, probably won't work their way into many homes, but further ahead, slatelike computers (with pen operating systems) built from inexpensive components may.

As laptops, notebooks, palmtops, and slates become better able to handle your computing chores, their impact on home computer purchases will be striking. If so many computers are bought for at-home work, why would you buy a desktop computer for the house when you can take your office machine home with you in your briefcase or your pocket?

Portable computers freed us from the desktop. Will they also be able to free us now from the separation of office and home computing?

#### We're All Gutenbergs

First impressions are important. They must be, or we wouldn't spend so much time on our home computers churning out slick office documents, school reports, and family newsletters.

The notion that almost anyone equipped with a computer can produce high-quality printed materials is such a powerful idea that millions have bought it—along with the necessary hardware and software. Home office workers in particular like how desktop publishing has made their firms seem larger than life.

A laser printer, the crucial component of good document generation, is a great equalizer. It's difficult to tell whether a letter was printed with a Hewlett-Packard LaserJet III at a business or with a LaserJet IIP at home. Once too expensive for any but the most fanatical home publisher, laser printers have dropped in price and expanded in features nearly as fast as computers.

Several laser printers broke under the \$1,000 list price barrier last year. Leader Hewlett-Packard aimed its LaserJet IIP at the single user and in the process discovered a ready market in homes and home offices. Companies like Okidata, Canon, Toshiba, and Epson all carry laser printers that commonly sell for around \$800. Analysts predict that the popular IIP will sell for as little as \$700 next year.

Other printer technologies are making an impression on the home market as well. Inkjet printing technology, even less expensive than laser, is especially well suited for the home, where high volume and high speed are less important. Portable printers such as the tiny two-pound Citizen PN48 illustrate the trend in miniaturization. Printer addons that transform your laser printer into a plain-paper fax machine are already available.

With price competition so stiff, home computer owners can expect personal laser printers—machines that pump out four pages or less per minute—to settle in the \$600-\$700 range during 1992. More featurebound printers, those with PostScript, for instance, will remain above the \$1,000 mark, but they'll close on that magic number. The Texas Instruments Microlaser PS-17, for example, often sells for \$1,350. Look, too, for laser printers to keep shrinking in size and for specialty printers to include fax reception and printing.

#### **Beaucoup Bits**

The promises of CD-ROM entice even the most jaded home computer user. Who wouldn't like an entire encyclopedia on a disk? By packing hundreds of megabytes of data on a platter that looks just like an audio CD, CD-ROM puts vast amounts of information at your fingertips.

CD-ROM may finally find a way home if several computer makers are successful in selling their playerequipped models. Tandy, a giant in the home and home office markets, recently introduced a series of computers with CD-ROM capabilities. With base machines that stretch from a bottom-end 16-MHz 286 model (Tandy M2500 XL/2) to a powerhouse 33-MHz 386 machine (Tandy M4033 LX), this line does much to legitimize home CD-ROM. Magnavox's HeadStart/SX-20 CD computer, part of another CD-ROM series, is especially attractive to the home user; it includes not only a CD-ROM player but also several discs.

Software has been slow to arrive for reference and education, two major applications for CD-ROM in the home, but there are some excellent discs available. Grolier's *Illustrated Encyclopedia* and Bureau Development's *U.S. History on CD-ROM* are outstanding discs that by themselves justify the price of a player. National Geographic's *Mammals: A Multimedia Encyclopedia* teaches kids about animals with 700 color photographs, 150 maps, and 45 full-motion video clips.

The shallow software pool and the added price of players will keep the lid on the CD-ROM market at least through

1991. After that, all bets are off. That's because multimedia, a hot new complex of technology, will push CD-ROM into the limelight and possibly generate some software that home computer users won't want to do without.

An unknown in all of this is how non-computer players like Commodore's CDTV and Philips's Magnavox CD-I model will affect CD-ROM. These players, controlled by hand-held navigators and featuring entertainment and educational software aimed right at the home, are touted by some as the next VCR. With no keyboard or computer to intimidate, their strategy is to infiltrate millions of homes and leave CD-ROM computers in the dust. Will they? Experts are waffling on that question. Only one thing is certain: Some form of CD is in your home computer's future.

Someone's Buying the Stuff

You'd be hard pressed to tell that the economy is in a slump if you looked at the software sales charts. According to the Software Publisher's Association (SPA), North American software sales were 26 percent higher in 1990 than in 1989. Lee lacocca would kill for a growth rate like that.

Some interesting stories hide among those numbers. Naturally, PCs dominated the software side of the business just as dramatically as they did the hardware, with nearly 80 cents of every software dollar spent on MS-DOS or *Windows* packages during 1990.

Other systems simply tagged along, if they succeeded at all. Macintosh ran a very distant second, accounting for only 13.3 percent of total software sales. The Apple II and Commodore 64 software droughts so evident on store shelves were borne out by the SPA data, which showed a 16.5-percent drop in the former and a whopping 42-percent decline in the latter during the year. And Amiga software couldn't climb out of its small (2-percent) market share.

Meanwhile, *Microsoft Windows* and *Windows* applications ended the year as winners, growing nearly 160 percent over the previous year and cornering over 10 percent of worldwide software sales.

Clearly, PCs rule the software roost now, and with the *Windows* explosion only a little more than a year old, they'll continue to crow for years to come.


#### Working Hard at Home

Work is work, no matter where you do it. Increasingly, home computers run the same software and perform the same tasks as machines in the office.

It's the new, powerful PCs that make this possible. With an at-home 286 or

## How this \$149 software will: 1) Improve the way you work and think, 2) Instantly find the info you need, and 3) Help you make brilliant decisions ...

urprisingly, there is a whole new world of uses for your computer! You can use your computer to deal with all the countless bits of "random" information scattered across your desk: plans, notes, lists, actions, contacts, ideas,



and much more. INFO SELECT™ will not only give you instant access to this important information ... it will help you make better decisions and see important new relationships. Try INFO SELECT risk-free and discover a whole new dimension of computing.

#### **Photographic** memory

INFO SELECT is like having a 'photographic memory' that gives you perfect superfast recall of up to 64,000 items of information.

#### **Telephone notes**

When Harry calls you on the phone, you'll display the six windows on Harry before he finishes his first sentence! No more embarrassing pauses or scrambling for information.



INFO SELECT is easy to use - yet powerful.

**INFO** SELECT also includes the world's first "3-D" word processor. You'll be amazed at how it works.

Instead of one window or

ten, imagine up to 64,000! The uses are

#### Are you forgetful?

Were you born with a memory situated squarely on the tip of your tongue? Do you forget things like which day you placed an order or important numbers? If you are forgetful you especially need INFO SELECT - the software that remembers almost everything for you.

#### Thinking tool

Have you ever worked on a complex project and felt lost? With INFO SELECT you'll group, scan, and cross search through all your notes so fast you'll see the big picture in seconds.

Will I be better off doing this now or that later? Keeping priorities straight can make or break your career or your business. INFO SELECT lets you keep on top of what's hot.

Should you use an east or west coast supplier? To make decisions you need facts. Now you can view the facts any way you like ... as fast as you can think. You'll make the best decisions ever -and fewer expensive mistakes.



The #1 PIM

What's all the fuss about PIMs (Personal Information Mangers)? Simple - you probably have





smoothly. Why is Info Select the #1 PIM? Because Info Select is based on ideas you can identify Management with - like stacks of paper. And it's free-form too. You

won't waste days or weeks learning complex structures. Instead you'll be up and running in minutes. Info Select also does more and costs less than other PIMs.



Owners of our TORNADO software (symbolized by the famous "blue tornado") can trade up to the second-generation Info Select under our special offer. There are over 200 improvements.

#### Feature packed

INFO SELECT is memory resident (if you choose), so you can quickly jump in from other programs. Info Select windows can hold: notes, plans, lists, facts, letters, contacts, and much more. You can search for a window or a group of windows related by a word or phrase. There are five ways to see overviews; hypertext, a fast sort, and line drawing. Save time with the dialer, date tickler; and searching by text or date ranges.

Info Select allows you to: add columns of numbers; store data in EMS: use template or free-form windows; import and export files, screens, and databases; move, join, and duplicate windows and much more.



If you have notes, ideas, contacts or other unorganized RANDOM information, you need Info Select.

#### LAN option

The new LAN version allows integrated E-mail, sharing company rolodexes and distributing company policies. You can share any kind of information. It's your first step into the exciting new world of groupware! Ask about the five node LAN starter pack.

#### Easy power

Info Select is easy to use yet offers the power you need with infobases up to 10 megabytes; text searches up to 700kb/sec; up to 32,000 characters per window; and up to 64,000 windows per infobase. Even better, Info Select can swap down to as little as 7K memory!

#### TORNADO owners

INFO SELECT is based on the pioneering TORNADO™ software PC World called "Excellent, Excellent, Excellent, Excellent" and PC Magazine awarded Editor's Choice - twice. Call about our special trade-up offer.

## Brodian 1 hase ful somate THE MOST USE FULL SOFTWARE **Endless**

Info Select can do much more than manage all your RANDOM information. Use it to manage business correspondence, sales leads, orders, and client notes. Track facts, plan projects, or interrelate all your ideas. You can catalogue parts, documents, and inventory items. Match buyers and sellers or doctors and patients. Setup an information desk. Edit E-mail. Store notes on magazine articles, software operation techniques, or just names and addresses. Whether you are a lawyer tracking court cases or a zoologist collecting feeding habits you'll find countless uses for Info Select.

The next generation

of TORNADO is here at lastl



Info Select keeps your information in intelligent automatically positioned windows.

#### **Risk-Free Guarantee**

Info Select is so effective you will be amazed. That's why we offer our money-back guarantee. Try it for 30 days. If you are not fully satisfied, accept our full prompt refund. Could any offer be more

#### All for just \$149.95! Ver 2.0!

INFO SELECT has a special price of just \$149.95. You can even try it risk-free with a 30-day money back guarantee. But hurry - this is a limited

Doesn't it make sense to get the software package that can open up a whole new world of important uses for your computer? Order today. Call

#### (800)342-5930

... and get ready for a new dimension

Hackensack, NJ 07602 (800) 342-5930 (201) 342-6518 Fax: (201) 342-0370

Makers of: Tornado, Info Select, Key Watch & Micro Charts



"Rarely do I recommend a product as wholeheartedly" David Harvey, Comp. Shopper



"Beats the pants off just about everything else." Jeffrey Parker, PCM



"As easy as remembering your own name." Patrick Marshall, Info World



Editor's Choice PC Magazine

386 PC, you can crunch numbers with 1-2-3, pound out reports with WordPerfect, or compile charts with Harvard Graphics long after the kids are in bed. This power can also form the foundation of your home business, letting you compete with larger companies because you're using the same hardware and software tools they use.

Productivity is king at home. The top two home computer uses, reports Link Resource, are word processing (69.6 percent of those with a home computer say they use word processing software) and file keeping (62.4 percent). Not far behind are graph and chart making (41 percent), budgeting (40.2 percent), and spreadsheet work (38.6 percent).

Home computer work is changing, though. Integrated software—affordable all-in-one packages combining word processing, spreadsheet, and database modules—once were the home computer user's dream. The gleam's gone, it seems, since integrated software was the only PC category to post a drop from the previous year. One possible reason: It's easy to integrate several separate, full-featured programs with a graphical environment like *Windows* or *GEOS*.

But financial and tax applications show no signs of loosening their grip on home computers. Of people who are looking to buy their first home computer, one out of every four indicates budget making and tax preparation are the reasons for their purchase. The result? *Quicken*, an easy-to-use personal accounting program, appears on virtually every bestseller chart. Conveniences such as electronic bill paying and tax filing will become the rule, not the exception, at home.

Although stripped-down versions of corporate productivity packages are often perfect for the home—*LetterPerfect* instead of *WordPerfect*, *Personal R:BASE* instead of *R:BASE*—the trend is to equip the home with the same software functionality as the office.

What else would you expect when so much work is done at home?

#### Go Ahead-Teach Me

We only pay lip service to educational computing. We say we're buying a computer for the kids, but we don't often put our money where our mouth is. Prospective home computer owners rank their children's schoolwork as the second most popular reason for wanting to buy a machine. More than half of current owners claim they use their computers for educational applications. But we spend less than a third as much on PC educational software as we do on games.

What's the problem?

Maybe it's the wretched state of

much of what's labeled as educational by software publishers. With many packages crippled by boring and repetitive play, crude graphics, and lack of sound effects, it's no wonder kids turn off the computer and hit the Nintendo instead. Fortunately, a few educational software publishers are waking up to the fact that kids want some sizzle with their electronic schoolwork.

Edutainment, as some call the category, mixes traditional game elements with carefully crafted educational ideas to subtly teach things to kids. Its origins can be found in such long-running lines as Brøderbund's Carmen Sandiego games, which successfully combine learning geography and history with detective-style gameplay. More recent examples come from the Learning Company and its Super Solver series.

These efforts are paying off. According to the SPA, 1990 was the first year that PC educational programs outstripped the combined sales of Apple II and Macintosh learning software. Educational software sales grew by 48 percent from 1989 to 1990, beating out such stalwart categories as games, word processing, and desktop publishing in the growth race. And though much of this increase is undoubtedly due to an increased emphasis on the PC in the classroom, MS-DOS is the first priority of every major publisher that sells home education software.

Home learning's future depends on more and better CD-ROM software, even more gamelike style, and superior speech. The last may be most important, as impressive new text-to-speech capabilities—like those pioneered by First Byte and now utilized by Davidson & Associates—create entirely new types of educational software.

Pick your packages carefully, and your kids won't know they're learning.

#### Fun Against All Odds

The numbers are staggering. Over 42 million Nintendo videogame machines sit in American homes. Nintendo sold approximately 8 million copies of its Super Mario Brothers II cartridge. Videogame systems and cartridges rang up a whopping \$3.4 billion in sales during 1990.

By comparison, computer software publishers sold only \$355 million worth of disk-based games last year. Computer game makers count themselves lucky if a program sells 50,000 copies.

One of the most significant home computing developments in the last five years is the steady erosion of entertainment. At least one type of game is already lost to the cartridge machines. Arcade games, traditionally built on quick joystick action and rapid fire, are all but

gone from the computer scene. Other categories of computer games are in danger. Sophisticated sports games now show up on cartridge, as do a handful of role-playing games and simulations, such as *Ultima* and *SimCity*.

Game developers fight back with increasingly complex products, especially high-end simulations like SimEarth, hybrid arcade/role-playing games like Strike Commander, and long-length adventure games like King's Quest V. PC entertainment sales climbed slightly faster than the overall average, but cartridge systems returned fire with more powerful machines like Nintendo's Super NES and the CD-equipped NEC TurboGrafx. Looming behind these are players based on CD-I (Compact Disc, Interactive) technologies, which might spell the end of most computer games.

Because PC developers compete for a finite number of electronic entertainment dollars, they must look for new ways to play off the home computer's strengths. The Sierra Network, an online amusement park where you play against opponents via a modem, is an area that shows promise. Another is an increasing reliance on the PC's powerful processor and 256-color VGA graphics to handle games that cartridge systems simply can't duplicate.

Watch for a small flood of CD-ROM games in 1992. Expect to hear more involved soundtracks and digitized speech, see more photographic-style graphics, watch more Disney-style animation, and play more sophisticated simulations in the areas of electronic life, military weapons, and sports.

You'll keep playing on the screen. But unless home computer games fight back, that screen may be your television, not your PC's monitor.

#### Eyes on the GUI Prize

The Macintosh is on a roll. Last year's lower-priced models—particularly the Classic for under \$1,000—literally sold faster than they could be built. Surprising nearly everyone, the success of the Classic and its color cousin, the LC, will put new Macs in at least half a million homes by the end of 1991.

The Mac's biggest drawing card is its graphical user interface (GUI), the desktop metaphor where icons represent applications and files, mouse clicks launch software, and programs look and often work alike. Apple's new System 7.0 recaptures the lead in GUI expectations from *Microsoft Windows*.

Windows 3.0 is only a year and a half old, and already it's selling half as many programs as those for the Macintosh. The intense interest in Windows applications demonstrates that at least some PC owners are drawn to the



prospect of a graphical environment.

But is *Windows* something important for the home? Right now? Hardly.

Windows' hardware requirements leave out all but the best-equipped home computer users—those with a 386SX or 386 machine, two megabytes of RAM, and a VGA display. But that's not to say that home computer users aren't casting eyes on GUIs.

GeoWorks Ensemble—a graphical environment complete with minimalist applications—sits atop DOS and provides an elegant solution for anyone with an 8088, 8086, or 286 PC. In some ways slicker than Windows, this GUI is perhaps best demonstrated by America Online, a new telecommunications service that simplifies sending Email and downloading software.

That's today. What about tomorrow? Perhaps one in ten home computer users looks at a graphical environment, with most of them seeing a Macintosh. But the trend toward GUIs seems irreversible, especially for the home user. More and more computer makers bundle Windows or GeoWorks Ensemble with their machines, particularly those sold as just another piece of consumer electronics. And GUI ease of use makes perfect sense in the home, where there isn't always someone around to show you what to do.

Computers must be simpler to use if they're to climb out of their one-out-of-four-households ghetto. GUIs will be a crucial part of the catalyst that takes millions more computers home.

#### Just Around the Corner

Home computing rarely stands still long enough for anyone to form a complete picture. In a few years, that picture may be nearly unrecognizable.

"I see a division of computing and game playing," says Ken Williams, president and CEO of Sierra On-Line, one of the country's biggest computer game producers. "There'll be something that will sit on top of your TVmaybe it's CD-ROM based-that looks just like a stereo component.' That's what we'll play with, says Williams, while we relegate our at-home work to a more familiar personal computer. "The next big leap [in games] will be to get away from text," Williams says. "If the motion picture industry had to depend on silent pictures, it wouldn't be much.'

Speech is vital to the future of education on the home computer, too, according to Jan Davidson, president of Davidson & Associates. "I think there will be huge movements in speech technologies," she says, adding, "I'm sure there will be educational applications using very interactive video in

very compelling ways." Unlike Williams, Davidson isn't bullish on players without keyboards. "I don't believe the keyboard is going to go away as quickly as other people think. Players certainly will have their appeal with entertainment, but I wonder if they'll be useful tools for things like education."

Brian Dougherty, CEO of GeoWorks, looks ahead and sees a multicomputer home. "There'll be an under-\$500 slate computer by 1995," he says. Based on a pen approach, where you navigate on a flat screen with a stylus and write by hand, these slate computers are "very plausible," says Dougherty. "It's something that you can throw in your purse. Several people in a home will have these, and they'll link them up with the home's multimedia PC."

These three people—and most others who follow home computing—agree on one thing: Home computing in 1995 will be different, very different.

#### Home for Some, Not for All

Optimists like to think of the computer as the VCR of the 1990s, a consumer electronic device that soon will end up in virtually every home. That's clearly not in the cards, not soon anyway. At the current rate of growth, it'll be the turn of the century before even 40 percent of America's homes have a person-

al computer. VCRs blink 12:00 in nearly twice as many homes today.


A home computer is a powerful tool all members of the family can use—if they'll use it. Barely half the adults and a quarter of the kids with a computer in their homes use the machine.

People avoid buying computers because they're still too expensive. People avoid using the computers they have because the machines are still too complex. Lower-priced, simple-to-work computers are the key to any dramatic upswing in home computer ownership.

Some progress glimmers in the distance. Graphical user interfaces make many computing chores easier and cushion new users from the arcane ways of computers. Multimedia—if by that you mean integrating sound, graphics, and text into a coherent whole—may shove ease of use up another notch. And prices are slipping, if not tumbling. Whether you're buying a laser printer, notebook computer, or desktop system, you'll spend less this year than last.

Maybe computers will never occupy space in every home. Maybe they shouldn't. Not in their current form, not in their current roles. But to an increasing number of Americans, today's home computer is as indispensable as the television and the telephone.

America—what a country!





Whirling through the searing desert skies, they swooped down on Soviet-made tanks. In seconds, the Hellfire missiles and 30 mm cannons punched through the hapless units like they were cheap tin cans. Now you can ride the pride of Desert Storm with Gunship 2000, the only multi-helicopter combat simulation. You take total command of a five-copter troop. You pick the combat arenarfrom 3 in the Persian Gulf, 3 in Central Europe. You meet the kind of challenge that could only come your way from MicroProse, the acknowledged leader in air combat simulation. Gunship 2000. With you at the controls, the enemy has nowhere to hide.

HCRO PROSE

For IBM-PC/Tandy/compatibles. For the latest information on release dates and availabilities, call MicroProse Customer Service at 301-771-1151, 9 am to 5 pm EST, weekdays. © 1991 MicroProse Software, Inc., 180 Lakefront Drive, Hunt Valley, MD 21030.

Circle Reader Service Number 157

## **SHAREPAK**

Richard C. Leinecker

## FOUR HITS MADE IN THE U.S.A.

Since this month's editorial theme covers the state of computing in the U.S., we bring you four excellent, state-of-theart shareware products that push the techno envelope.

Straight out of sci-fi flicks, SPEAK will give your computer a voice all its own. With NorthCAD-3D, you can design and view complex 3-D objects. Conquest gives boardgame lovers the chance to conquer the world. And finally, WAXMAN challenges you to a chess game that pits you against the most formidable opponent of all—your computer.

If you're new to COMPUTE and SharePak, you'd probably like to know how we select the programs that appear each month. First, we look for shareware programs that match the theme for this month's issue. Second, we spend time downloading files from the online services, saving you the cost of expensive connect time, which would amount to many times the cost of buying a SharePak disk. Then, we evaluate every program, choosing those we think will interest you the most. Finally, we work with program authors to fix any bugs and change any features that we feel are necessary to make the programs the best they can be.

You'll be glad to know that every program and disk is carefully checked for viruses. Also, we provide technical support during our regular business hours. Finally, we offer a money-back guarantee—if you don't like your *SharePak* disk, just return it for a full refund.

#### **SPEAK**

This program will make your computer "come alive" and speak to you. Use any text editor or word processor to cre-

ate an ASCII file of the text you want your PC to speak. Then, from the DOS prompt, just type SPEAK filename. This creates a self-contained COM file that holds all the speech information. Then to listen, you simply type filename, and your computer does its thing, "speaking" whatever you've typed in the ASCII file.

Although fun to play with, SPEAK is much more than a novelty program. For instance, you can create batch files that speak, and the program is really invaluable for young children or those with reading difficulties and for the visually impaired.

Speak runs on any IBM compatible with 256K of available RAM and any monitor. No special hardware is required for playback.

#### NorthCAD-3D

NorthCAD-3D is a design and modeling program that lets you create, view, and edit 3-D objects and images. The program is completely menudriven, which makes it a snap to learn, and it has a versatile command set that emphasizes conceptual design and illustration.

NorthCAD-3D allows you to create drawings from any view-point, or you can view the same drawing from several simultaneous viewpoints—even while using the drawing functions. Plenty of sample files are included that illustrate just what you can create with the program—and how.

To run NorthCAD-3D, you'll need an IBM compatible with 512K of available RAM and a CGA, EGA, or VGA monitor. Math coprocessors are supported. We suggest one to really speed things up.

#### Conquest

I'd love to count the hours I've spent playing world-conquest board games. Now I might

have to add to that number since I got a copy of *Conquest*. It's a great continuation of the world-conquest board-game tradition. And should some of your opponents happen to be remote, you can play through a modem—which is a real boon to board-game addicts like me.

The game looks terrific with a lot of colorful screens to portray the world and territories. An easy-to-use menudriven interface lets you play with no hassles. Optional mouse support adds a nice, professional touch, too, for those who would rather not fool with a keyboard. If you want to know more, you'll have to get the disk and check out *Conquest* for yourself. You'll love it.

To play Conquest, you'll need an IBM compatible with 256K of free RAM. You'll need a Hercules, CGA, EGA, MCGA, or VGA monitor.

#### WAXMAN

This is a great chess program you'll find hard to beat-in more ways than one. First of all, the game itself is a formidable opponent. Even chess enthusiasts will have a hard time beating WAXMAN. Second, you can run the game as a stand-alone or as a memory-resident program. For example, you can start a game and then work in your word processor for a while. Then, when your intuition kicks in and you know what the next move should be, you just hit the hot key, make your move, see what the computer does in response, and return to your word processing while thinking of the next move.

WAXMAN runs on any IBM compatible computer with at least 65K of available RAM. The program runs in text mode, which means if you're inside a graphics application, WAXMAN won't pop up.

Checkmate

speak. Every

your PC, or let it

month Sharepak

best of shareware.

brings you the

#### With COMPUTE's SharePak, You'll

# SHARE IN THE SAVINGS!

#### SAVE TIME

We carefully select and test all programs for you


#### SAVE MONEY

Each disk includes two to five programs for one low price

#### **SAVE KEYSTROKES**

Our free DOS shell lets you bypass the DOS command line






SPEAK



NorthCAD-3D



Conquest



WAXMAN

compute's **SharePak** disk contains the best of shareware—handpicked and tested by our staff—to complement this month's focus. You'll sample entertainment, learning, and home office software at a great savings. Each **SharePak** disk includes two to five programs plus complete documentation for one low price:

\$5.95 for 51/4-inch disk \$6.95 for 31/2-inch disk

#### For even more savings, Subscribe to SharePak and receive COMPUTE's SuperShell FREE!

For a limited time, you can subscribe to COMPUTE's SharePak and save more than 37% off the regular cost of the disks—plus get COMPUTE's SuperShell FREE. With a one-year paid subscription, you'll get

- A new 3½- or 5¼-inch disk delivered to your home every month
- Savings of over 37% off the regular disk prices
- Advance notices of COMPUTE special offers
- COMPUTE's SuperShell at no additional cost!

Subscribe for a year at the special rates of \$59.95 for 51/4-inch disks and \$64.95 for 31/2-inch disks—and get COMPUTE's SuperShell FREE!

COMPUTE's SuperShell requires DOS 3.0 or higher. Disks available only for IBM PC and compatibles. Offer good while supplies last.

#### For Single Disks

YES! I want to share in the savings. Send me the October 1991 issue of COMPUTE's *SharePak* disk. I pay \$5.95 for each 51/4-inch disk and \$6.95 for each 31/2-inch disk plus \$2.00 shipping and handling per disk.

Please indicate how many disks of each format you would like:

\_\_\_\_\_\_ 5¼-inch at \$5.95 each \_\_\_\_\_\_ 3½-inch at \$6.95 each
\_\_\_\_\_\_ Subtotal
\_\_\_\_\_\_ Sales Tax (Residents of NC and NY, please add appropriate sales tax for your area. Canadian orders, add 7% goods and services tax.)
\_\_\_\_\_\_ Shipping and Handling (\$2.00 U.S. and Canada, \$3.00 surface mail, \$5.00 airmail per disk)
\_\_\_\_\_\_ Total Enclosed

#### Subscriptions

I want to save even more! Start my one-year subscription to COMPUTE's *SharePak* right away. With my paid subscription, I'll get a FREE copy of COMPUTE's *SuperShell* plus all the savings listed above.

Please	indicate	the disk size	desired:
	F1/ inch	at CEO OF	

\_\_\_\_\_ 51/4-inch at \$59.95 per year \_\_\_\_\_\_ 31/2-inch at \$64.95 per year

For delivery outside the U.S. or Canada, add \$10.00 for postage and handling.

Name	
Address	
City	
State/Province	ZIP/Postal Code
Total Enclosed	
Check or Money Order	MasterCard VISA
Credit Card No.	Exp. Date
Signature	(D
Daytime Telephone No.	(Required)

Send your order to COMPUTE's SharePak, 324 West Wendover Avenue, Suite 200, Greensboro, North Carolina 27408.

All orders must be paid in U.S. funds by check drawn on a U.S. bank or by money order. MasterCard or VISA accepted for orders over \$20. This offer will be filled only at the above address and is not made in conjunction with any other magazine or disk subscription offer. Please allow 4–6 weeks for delivery of single issues or for subscription to begin. Sorry, but telephone orders cannot be accepted.

Important Notice: COMPUTE's SharePak is not associated with COMPUTE's PC Disk. Please order SharePak separately.

## TEST LAB

ccess hundreds of megabytes of data. That's the promise of CD-ROM technology, and it's here today, faster and more affordable than ever. This month's Test Lab examines ten capable CD-ROM drives and gives you the information you need to understand the technology and make wise buying decisions. In addition to benchmark test results and instructive sidebars, this month's Test Lab offers hands-on reviews that explore everything from installation and documentation to special features and software bundles. So whether you plan to consult an online encyclopedia, find a business address, play a game, or take advantage of the educational benefits of multimedia CD-ROM software, read on. This month's Test Lab will help you find the CD-ROM drive that's right for you.

than my hard drive, an adequate speed considering the wealth of sounds (on computer CDs—it doesn't play music discs), sights, and data it allowed me to access. To increase the drive's speed, CD Technology uses a 64K memory buffer.

The Porta-Drive itself is remarkably compact, about the size of a hardcover novel, though heavier at 3.8 pounds. Its two controls—an eject button and a volume slide for the headphone jack—make the Porta-Drive by itself much easier to use than an audio CD player. CDs enter and exit the machine in an accompanying CD caddy.

Installing the Porta-Drive takes little technical knowledge or mechanical skill. After removing your PC's cover, you simply plug the card into an expansion slot and then hook up the cable to the card's port. A separate power

**CD TECHNOLOGY** 

(408) 752-8500

766 San Aleso Ave.

Sunnyvale, CA 94086

List Price: \$895

Street Price: \$849\* Warranty: 12 months

(no extended

the company

(shipping the

product as an

authorized return)

Service Plan: through

warranty)

well organized and generally clear, though it lacks both an index and a section of troubleshooting tips. The machine comes with a two-year warranty. Technical support is available either through a 24-hour bulletin board service or by calling the company directly, though neither call is toll-free. As simple to install and operate as the machine is, though, most people will probably have little trouble.

Despite the cost of CD-ROM drives and their inability to accept data from your computer, their storage potential will obviously appeal to a great number of computer enthusiasts. If you're in the market for one of these mass-storage marvels, the Porta-Drive has a lot to offer in a little package.

**EDDIE HUFFMAN** 

Circle Reader Service Number 301

#### **CHINON CDX-431**

A solid performer from setup to shutdown, the Chinon CDX-431 opens the door to laser disc storage at a reasonable price.

This particular Chinon unit comes with the CD-ROM drive housed in a slim case, a CD caddy for loading your discs, a SCSI interface card, an interface cable, and software that includes Microsoft's CD-ROM extensions and the Chinon device driver.

Installation is straightforward and rather simple, provided you're comfortable opening up your computer's case. (If you aren't experienced in this area, ask someone to help you or take your PC to a local technician for assistance.)

Software installation is also easy. You can install either to your hard disk or to a second floppy disk. The setup program will copy the CDX-431 device driver and Microsoft extensions to the directory of your choosing.

box simply plugs into the back of the device. The software driver provided with the Porta-Drive installs itself on a hard drive, automatically altering your AUTOEX-EC.BAT and CONFIG.SYS files so the machine is ready to go every time you boot up. The driver allows you to lock and unlock the player and eject the CD caddy us-

ing only keyboard controls.

If you run into trouble, the user manual for the Porta-Drive provides adequate information. It's

## CD TECHNOLOGY PORTA-DRIVE

CD Technology's Porta-Drive does its job well. Whether you're playing a game with your children, researching a report, or learning about the world around you, this CD-ROM drive takes only a reasonable amount of time and effort to accomplish what you've asked it to do.

I found it to be slightly slower

\*Test Lab street prices are an average of prices advertised in computer magazines and national newspapers during July 1991.



CHINON AMERICA
660 Maple Ave.
Torrance, CA 90503
(800) 441-0222
List Price: \$795.00
Street Price: \$564.33
Warranty: one year
Service Plan: through the company (customer ships)

In addition to its CD-ROM capability, the CDX-431 gives you the ability to play audio CDs by means of its CDPLAY program. After you invoke CDPLAY, you can program the player as you would a CD deck connected to your stereo. The CDX-431 includes audio jacks for connecting speakers (using standard RCA plugs) or for connecting the drive to a stereo system. There is also a headphone jack.

In several months of use, I had virtually no problems running the CDX-431, and those few problems I did encounter turned out to be related to various third-party CD-ROM applications and not to the hardware system.

I used the drive with a variety of text-based and graphics-based CDs. The caddy and loading mechanism worked smoothly and without any noticeable degradation in performance throughout my use of it. I was able to launch applications both from the DOS prompt and from with in GeoWorks Ensemble and Microsoft Windows.

The CDX431 offers
150-kilobytes-persecond continuous
throughput,
which makes
it standard with
what Bill Gates
has defined as
the minimal per-

formance criterion for a multimedia CD device.

The company rates the disc's access time at 350 milliseconds, which is many times slower than that of a hard disk. But keep in mind that the advantage of CD-ROM technology isn't in the speed of the access; it's in the volumes of information available to you at any one time and the potential for providing innovative means for presenting and using that information. This coming year may indeed be the year of the CD, as prices drop and manufacturers like Tandy, Sony, and Magnavox bring CD-ROM drives and CD-ROM-equipped computers to the consumer market.

Whether you want access to extensive databases, the ability to play the latest and most comprehensive entertainment and education programs, or the pleasure of playing audio CDs as you complete your office work, the CDX-431 will meet those needs.

PETER SCISCO

Circle Reader Service Number 302

## **GENESIS GENSTAR** 2000

Setting up the GenSTAR 2000 turned out to be an exercise in plug-and-play simplicity. I just popped the SCSI interface card into an open slot in my PC, connected the cable from the card to the CD-ROM player, and turned the machine on.

To install the software, I ran GenSTAR's setup program, which configured my computer to automatically load two CD-ROM drivers at boot-up. I'm using DOS 5.0, and after a little tweaking, I was able to load both drivers into high memory.

The whole installation process took less than 15 minutes. But I was lucky. The interface's default interrupt, I/O port, and DMA channel didn't conflict with any other hardware devices in my PC. If there had been a conflict, I would've had to know exactly how my current equipment was configured and be able to adjust the SCSI card accordingly. The GenSTAR manual, despite its modest appearance (20 loose-leaf pages stapled together), contained clear instructions and illustrations on reconfiguring the card and would've been an excellent guide had I needed it.

After installing the GenSTAR, I was able to start using it immediately because of its gaggle of bundled CD-ROM software. In-

GENESIS INTEGRATED
SYSTEMS
1000 Shelard Pkwy.,
Ste. 270
Minneapolis, MN
55426
(800) 325-6582
List Price: \$499
Street Price: n/a
Warranty: 12 months
Service Plan: repair
or replacement
through company
within 2 working days

## **TEST LAB**



**OF AMERICA** 600 E. Crescent Ave. Upper Saddle River, NJ 07458 (800) 527-3766 List Price: \$1,295 Street Price: \$1,199 Warranty: one year. including technical support Service Plan: through shipment to Pioneer's service center

cluded are four titles from the Software Toolworks-Reference Library, Illustrated Encyclopedia. U.S. Atlas, and World Atlasplus Mammals from the National Geographic Society and Languages of the World from the Sony CD-ROM series.

I found Reference Library to be extremely useful. It boasts a spelling checker, dictionary, thesaurus, quotation index, general reference, history, listings of business addresses and phone numbers, a legal and corporate handbook, and a concise writing guide. You can run Reference Library either as a stand-alone program or as a TSR. Either way, its easy-to-use interface with pulldown menus and mouse support makes browsing a pleasure.

The other bundled titles were nearly as interesting, useful, and entertaining as Reference Library. And it's comforting to know that if I ever get tired of accessing this huge chunk of the world's accumulated knowledge, I can take advantage of the fact that the GenSTAR is also a functional music CD player by popping in a disc, plugging in my earphones, and tuning in to Mozart. CLIFTON KARNES

Circle Reader Service Number 303

#### PIONEER DRM-600

Pioneer's DRM-600 CD-ROM changer can add volumes of data retrieval power to your system.

The shoebox-size DRM-600 holds up to six discs, inserted together in a special magazine. The configuration software gives each of these discs a drive name. You can switch to these discs, access information, and run programs just as you would from any ordinary disk. The only difference is that you can't write to the read-only CD-ROMs.

Once the interface board is installed inside the PC, the drive itself is connected via the supplied SCSI cable. With only four feet of cable to work with, though, I had difficulty locating a spot to park the rather large DRM-600 while still leaving workspace on my desk.

Installation of the device drivers went smoothly, despite sketchy documentation. The setup program is conscientious about documenting the changes it makes to startup files.

Once you've installed the DRM-600 CD-ROM changer, it's simple to operate. I found that the hardware worked without a hitch. Text searches were fast, and graphics screens drew quickly, though not seamlessly.

In addition to being useful as a computer drive, the Pioneer DRM-600 also plays audio CDs. The music brightened up our office, but the software to control the sound was inconvenient and poorly documented.

The DRM-600 includes a stereo earphone jack as well as RCA jacks so that output can be directed to a stereo amplifier. The drive package includes a set of RCA cables, but again, the short length required me to add my amplifier to an already crowded desk.

Two programs are provided to handle audio CDs. Multi-Play Control allows you to select discs or tracks to play, and once the music is underway, you can execute other programs on your PC. Sadly, I found no way to program more than one musical selection at a time.

The other program, Juke, allows you to create tables of contents for your audio discs and to select a program of music that can include any or all tracks from any or all of the discs in a magazine. But, since Juke isn't a TSR, you can't exit and work with other software while the music plays. The brief documentation for both programs, unfortunately, doesn't fully explain the software.

Being able to insert as many as six discs is convenient, but the magazine that holds them is difficult to manage. The discs must be loaded upside down, which feels awkward and makes it impossible to read the labels.

The Pioneer DRM-600 is a sound piece of hardware. As a SCSI device, it can be daisychained with a second drive or other devices, and it's a good bet to remain compatible as the CD-ROM software and hardware evolve. Its great capacity makes it a candidate for networked environments where volumes of resource material could be made available to many users.

TONY ROBERTS

Circle Reader Service Number 304

## PROCOM MCD-ROM 650/E

The Procom MCD-ROM 650/E drive offers flexibility that makes it a good choice if you've got more than one type of computer.

The drive that I reviewed included software for both the PC and Macintosh, cables for both units, and a SCSI AT-bus interface card for the PC (CC16 Enabler-\$349). The drive itself is housed in a nicely styled, light-gray external case with the power supply beside the drive. This makes the Procom somewhat wider than some other drives, so you may have trouble fitting it next to your PC on a crowded desk. It's actually large enough to place under most monitor stands, but the plastic case seems a little too thin to support a heavy monitor. Small rubber supports allow you to place the case vertically, but in that position it can be difficult to insert and remove discs-the case can slide around when you push the disc in.

If you lack experience installing hardware and software or if you're just intimidated by such installations, you might want to call on an experienced friend for help. Depending on what other cards you have installed in your

PROCOM TECHNOLOGY
200 McCormick
Costa Mesa, CA 92656
(800) 800-8600
List Price: \$895
Street Price: \$747
Warranty: one year
(extended warranty
available)
Service Plan:
through shipment to
the company (repair
and return within 48

hours)

656 656

PC, you may find yourself changing jumpers on the board to alter its IRQ numbers and memory addresses, not an easy task for beginners. I found the software easier to install than the hardware, but because there's no installation program, I had to modify my CONFIG.SYS and AUTOEXEC .BAT files myself.


Procom's software and board also support SCSI hard drives, removable media drives, and two standard PC floppy drives; so this setup is a good choice if you need to attach other SCSI devices to your computer. Procom also includes drivers that allow you to use this CD-ROM drive on a Novell network.

Music lovers will appreciate

PlayCD, an included program that you can use to play regular music CDs through the drive's headphone plug. While you're running PlayCD, you can program tracks in any order. It's even possible to listen to a CD while you're working with another program.

Although the documentation for the Procom MCD-ROM 650/E doesn't mention support for the Amiga, I was able to use the Mac cable and a third-party driver disk to connect the Procom drive to an Amiga and access the Fred Fish collection public domain disc and run a CDTV game. The Procom drive is definitely a good choice if you're a family with more than one kind of computer.

I didn't have any compatibility



#### UNDERSTANDING THE AUTO IMAGE RETRIEVE/ DISPLAY TEST

The Auto Image Retrieve/Display Test uses our *TIME\_IT* program to record the actual elapsed time in minutes, seconds, and hundredths of seconds required to retrieve and display 28 black-and-white clip-art images from an automated display/viewing program. The source CD for these clip-art images is *Dover's Clip Art* from Alde Publishing.

—TOM BENFORD, PRESIDENT COMPUTER PRODUCT TESTING SERVICES



#### COMPATIBILITY GUARANTEE

**BLOWOUT SPECIALS** 

#### MICRON TECHNOLOGY

2-8MB EXPANSION BOARD PS/2 MODEL 50/50Z/55SX/60

W/2MB \$285 W/4MB \$395

#### COMPAQ

2-8MB EXPANSION BOARD FOR COMPAQ DESKPRO 386/16 W/2MB \$295 W/4MB \$405

#### PROCOM PS/2

ZERO SLOT HARD DRIVES

MODELS 50Z, 55SX & 70

60MB 19MS \$625 124MB 19MS \$740 200MB 16MS \$1085

#### NEW!!! PROCOM TECHNOLOGY

CD-ROM FOR PC/AT AND COMPATIBLES 650MB

STEREO OUTPUT AUDIO & DATA WITH OPTIONAL CD PACK

INTERNAL \$499 WIO CD PACK \$420 EXTERNAL \$590 WIO CD PACK \$520

#### ORCHID

TINY TURBO 286
PC/XT ACCELERATOR
\$159

#### CANON BII0E

BUBBLE JET PRINTER \$375

#### ATI

GRAPHICS VANTAGE COMBINED SUPER VGA AND 8514/A GRAPHICS W/512KB \$389 W/I/MB \$429

# UNIVERSAL

MEMORY PRODUCTS

#### **EXPANSION BOARDS**

#### ORCHID TECHNOLOGY

#### RAMQUEST 16/32

2-8MB FOR PS/2 50/55/60/70/80 WITH SER & PAR PORT LIM 4.0 HARDWARE 16 & 32 BIT MC BUS OKB \$269 IMB \$379 4MB \$489 8MB \$699

#### RAMQUEST8/16

UP TO 32MB LIM 4.0 PC/XT/AT USES 256KB, IMB OR 4MB SIMMS OKB \$169 OKB \$279 4MB \$389 8MB \$589

#### BOCA RESEARCH

#### **BOCARAM AT PLUS**

2-8MB LIM 4.0 AT'S OKB \$119 2MB \$227 4MB \$337 8MB \$537

#### BOCARAM AT/IO PLUS

UP TO 4MB W/SER & PAR PORT OKB \$157 2MB \$267 4MB \$377

#### **BOCARAM XT & BOCARAM 30**

UP TO 2MB PC/XT OR PS/2 MODEL 30
OKB \$119 512KB \$155 IMB \$187 2MB \$249

#### AST RESEARCH

#### 6PAK 286

OKB \$119 512KB \$153 2MB \$227 4MB \$335

#### RAMPAGE PLUS 286

UP TO 8MB FOR AT LIM 4.0

OKB \$349 512KB \$414 2MB \$459 4MB \$579

#### RAMVANTAGE

BACKFILLS AT'S TO 640KB UP TO 3MB EXTENDED MEMORY W/128K \$59

#### **EVEREX**

RAM 3000 OKB \$99 512KB \$129 RAM 8000 OKB \$225 2MB \$325

#### INTEL

ABOVE BOARD PLUS 8 W/2MB \$559 ABOVE BOARD PLUS W/512KB \$559

FOR PS/2 MICROCHANNEL ABOVE BOARD 2 PLUS 0KB \$349 ABOVE BOARD MC 32 \$559

#### I/O BOARDS

#### **BOCA RESEARCH**

IO/AT41 / SER & I PAR \$46 IO/AT42 2 SER & I PAR \$49 IO/AT44 2 SER & 2 PAR \$53 IO/XT CLOCK/CAL / SER & I PAR \$49 DUAL GRAPHICS ADAPTER WIPAR \$49

> FOR PS/2 MICROCHANNEL MCA 2 SER & I PAR \$114 MCA PARALLEL I PAR \$79

#### COMPUTER MICE

MICROSOFT SER-PS/2	\$99
MICROSOFT BUS VERSION	\$104
MICROSOFT BALLPOINT	\$129
MICROSOFT SER W/WINDOWS	\$149
LOGITECH C9 SER-PS/2	\$69
LOGITECH MOUSEMAN	\$79
LOGITECH TRACKMAN SER	\$85
DEXXA MOUSE BY LOGITECH	\$38
LOGITECH CORDLESS	\$139

#### LASER PRINTERS

#### **HEWLETT PACKARD**

LASERJET IIP, III, IIID, IIIP

IMB \$88 2MB \$139 4MB \$239

LIFETIME WARRANTY

LASERJET II & IID

1MB \$95 2MB \$149 4MB \$249

#### **PANASONIC**

4420 & 44501 IMB \$109 2MB \$169 4MB \$269 4450 IMB \$179

#### TOSHIBA

PAGE LASER 6 IMB \$129 2MB \$169 4MB \$269

#### **EPSON**

EPL 6000 IMB \$129 2MB \$169 4MB \$269

#### IBM 4019 & 4019E

IMB \$139 2MB \$189 3.5MB \$259

#### CANON

LBP 4

IMB \$189 2MB \$229 4MB \$319

IRP 8

IMB \$119 2MB \$159 4MB \$259

#### OKI

OKILASER 400, 800, 820 2MB \$189 4MB \$289

#### POSTSCRIPT

PACIFIC PAGE FOR HP'S	\$349
ADOBE FOR HP II	\$289
IMAGESCRIPT FOR HP'S	\$281

#### LAPTOP UPGRADES

#### TOSHIBA

T1200XE/SE, T1600, T3100E, T310	
T3200SX, T5100, T5200	2MB \$159
T3200SXC	2MB \$199
T3200SXC	4MB \$399
TI000SE/XE/LE & T2000SX	IMB \$189
T1000SE/XE/LE & T2000SX	2MB \$269
T1000LE & T2000SX	4MB \$695
T3100SX, T3200SX	4MB \$467
T3200	3MB \$279

#### AST

IMB \$91 4MB \$499

#### MEGAHERTZ MODEMS

FOR MOST LAPTOPS
2400BD INTERNAL \$149
FOR TOSHIBA LAPTOPS
2400BD INTERNAL \$149 W/MNP5 \$210

2400/9600 FAX/MODEM \$367 ETHERNET ADAPTER \$295 LAPLAN TWISTED PAIR ETHERNET ADAPTER \$199

REMOTE 5250 EMULATION \$499 REMOTE 3270 EMULATION \$499

#### **MODULES**

#### IBM PS/2 MODULES 6450604 2MB MOD 507 555X 70 \$129 6450608 2MB MOD 70A21 \$139 6450603 IMB PS/2 SIMM \$69 6450372 2MR FOR 6450367 \$249 6450375 IMB MOD 80-041 \$135 6450379 2MB MOD80-111/311 \$209

\$339

\$339

\$139

\$495

#### 6450128 4MB MOD 90 & 95 \$399 PS/2 EXPANSION BOARDS

4MB PS/2 SIMM

4MB PS/2 SIMM

2MB FOR 30-286

4MB MOD80-A21/A31

34F2933

87F9977

30F5360

6451060

6450609	2-8MB MOD 50, 50Z, 60	\$460
6450605	2-8MB MOD 70 & 80	\$460
34F3077	2-14MB MOD 70 & 80 W/2MB	\$485
34F3011	4-16MB MOD 70 & 80 W/4MB	\$690
6450185	I-13MB MOD 50, 55SX, 60 W/1MB	\$425

#### PROCOM PS/2 DRIVES

120MB MDL 50/50Z	\$849
200MB MDL 50/50Z	\$1375
100MB SCSI EXT	\$985
200MB SCSI EXT	\$1457
320MB SCSI EXT	\$2500
1.2MB EXT FDD	\$269
MC SCSI ADAPTER	\$269

#### COMPAQ DESKPRO

DESKPRO 386/33/486/25 SYSTEMPRO 2MB MODULE \$149

1/3 HEIGHT FLOPPY DISK DRIVES 1.44MB \$129 1.2MB \$139

#### COMPAQ LAPTOPS

PORTABLE LTE 286 IMB \$119 2MB \$179 4MB \$559 PORTABLE LTE 386S/20 IMB \$275 4MB \$685

PORTABLE 386/20 IMB UPGRADE KIT \$237 4MB EXPANSION BOARD \$710

4MB EXTENSION BOARD \$710 SLT 286 1MB \$156 4MB \$569

SLT 386 IMB \$156 2MB \$255 4MB \$569

#### HARD DRIVES

#### CONNER

2MB 25MS IDE	\$239
04MB 25MS IDE	\$457
00MB I6MS IDE	\$825
00MB I6MS SCSI	\$889

#### **SEAGATE**

ST-157A 44MB 28MS IDE	\$219
ST-1102A 84MB 19MS IDE	\$367
ST-1144A 125MB 19MS IDE	\$469
ST-1239A 211MB 15MS IDE	\$740

## THE NATIONAL LEADER IN MEMORY EXPANSION

#### **UPGRADE TO YOUR SPECIFICATIONS WITH CONFIDENCE**

8514 ULTRA PS/2 OR ISA BUS 8514 ULTRA PLUS YGA WIIMB YGA WONDER W/MOUSE 51 2KB YGA INTEGRA W/256KB BASIC YGA 640 X 480	\$599 \$239
BOCA RESEARCH	1000
BOCA SUPER VGA BOCA VGA 600 X 800	\$179 \$119
MONITORS	
SIEKO	
CM 1440 MULTISYNC/SUPER VGA 14 INCH TRINITRON/.25DP \$595 CM1450 MULTISYNC/SUPER VGA	
14 INCH TRINITRON NON-INTERLACED.25 \$725	DP
NEC 4 A Park Superior	
MULTISYNC 2A SUPER VGA 14"	\$565
MULTISYNC 3D 14"	\$745
MULTISYNC 4D	\$1195
GOLDSTAR	
1423 VGA 14" .51 DP	\$290
1425 VGA 14" .39 DP 1430 VGA 14" .31 DP	\$349
	\$395
1450 MULTISYNC/SUPER VGA 14".31 DP	\$425
1460 1024 X 768 INTERLACED .28 DP	\$460
MODEMS/FAX CARDS	5
EVEREX	1
EVERFAX 24/96 W/MNP5 INT	\$349
EVERFAX 24/96 W/MNP5 EXT	\$349
EVERCOM 2400BAUD INT	\$89
HAYES	V. (8)
ITFAX 9600/240OBAUD	\$439
PERSONAL MODEM 2400 PLUS	\$169
ZOOM	
EXT 2400 MODEM 9600 SENDFAX	\$119
INT 2400/9600 SEND/REC. FAX/MODEM	\$164
INT 2400 BAUD MODEM	\$89
EXT 2400 BAUD MODEM	\$95
PRACTICAL PERIPHERALS	S
INT 2400 BAUD MODEM W/MNP5	\$169
V.42 BIS	\$199
POCKET 2400	\$109
US ROBOTICS	
COURIER 2400	\$258

**VIDEO GRAPHICS CARDS** ORCHID TECHNOLOGY

ΔTI

PRODESIGNER IIS PRODESIGNER IIMC FOR PS/2

512KB \$299 IMB \$339

IMB \$399

#### **MOTHERBOARDS**

AMI	200
MADE IN THE USA EXCELLENT QUALITY	
486-33 EISA ENTERPRISE 64KB CACHE	\$2990
486-25 EISA ENTERPRISE 64KB CACHE	\$2519
486-33 VOYAGER 128KB CACHE	\$2519
486-25 VOYAGER 128KB CACHE	\$1955
386-33 MARK IV 64KB CACHE	\$1092
386-25 MARK III 64KB CACHE	\$920
386 SX-20 32KB CACHE	\$660
	A Company of the Local Division in Company of the Local Division i

74-10 SEID OIG IL	
MICRONICS	Carlotte Control
MADE IN THE USA	
EXCELLENT QUALITY	

486-33 EISA 64KB CACHE	\$3214
486-25 EISA 64KB CACHE	\$2869
486-33 ISA 64KB CACHE	\$2179
486-25 ISA 64KB CACHE	\$1725
386-33 AT CACHE IDE/2S/IP 64KB CACHE	\$1092
386-25 BCP 64KB CACHE	\$948
386-25 BMP OKB CACHE	\$720

#### FLOPPY DISK DRIVES

IEAC	
5 1/4" 1.2MB HALF HEIGHT	\$7
3 1/2" 1.44MB	\$7
3 1/2" 720K	\$7.
NEW!!!	
3 1/2" 4MB	\$159

#### **SCANNERS PROLAB**

256 COLOR 400 DPI

256 GRAY SCALE 400 DPI	\$299	80387-25
OCR FOR COLOR/GRAY SCANNER	\$39	80387-33
LOGITECH		
SCANMAN 256 400DPI W/OCR	\$385	3C87-16
SCANMAN PLUS	\$149	3C87-20
SCANMAN PLUS FOR PS/2'S	\$215	3C87-25
CATCHWORD OCR	\$115	3C87-33
MARSTEK	100	3C87-16SX

M-6000CG RAINBOW W/OCR	\$59
M-800 W/CAT READER OCR	\$25

#### TAPE BACKUP

COLORADO		
JUMBO 120MB INTERNAL	\$249	
JUMBO 250MB INTERNAL	\$305	
QFA-500 500MB INTERNAL	\$675	

#### **GAME CARDS**

C&F	
2 PORTS AT BUS	\$39
2 PORTS PS/2 BUS	\$59

\$295

\$685

#### **MEMORY CHIPS MODULES**

IXI-70NS	\$5.70	256X1-120NS	\$1.60
IXI-80NS	\$5.50	256X1-150NS	\$1.40
IXI-IOONS	\$5.25	64X4-80NS	\$3.00
256X4-80NS	\$5.50	64X4-100NS	\$2.75
256X4-100NS	\$5.25	64X4-120NS	\$2.50
256X4-120NS	\$5.00	64X1-100NS	\$1.75
256X1-80NS	\$2.05	64X1-120NS	\$1.60
256XI-100NS	\$1.85	64X1-150NS	\$1.35

#### SIMM/SIPP MODULES 4X9-70NS \$247.00 256X9-70NS 256X9-80NS \$19.00 4X9-80NS \$230.00 256X9-100NS \$17.00 1X9-70NS \$59.00 256X9-12QNS \$15.00 1X9-80NS \$53.00 \$51.00 1X9-100NS

SIPPS ADD \$3.00 EACH

#### MATH CO-PROCESSORS

#### ULSI

THE NEW GENERATION !!! 30-DAY MONEY BACK GUARANTEE LIFETIME WARRANTY

\$199 US83C87-33

LISS3CS7\_IASY

80387-16SX

80387-20SX

\$209

\$139

US83C87-16

80387-16

80387-20

\$507

U303C07-20	2177	0303C07-103A	7127
US83C87-25	\$199	US83C87-20SX	\$149
· 查里特用等	CY	RIX	
83D87-16	\$209	83D87-33	\$219
83D87-20	\$209	83587-16	\$159
83D87-25	\$209	83S87-20	\$169
The surge	IN	TEL	

\$249

80387-25	\$249	80287-10	\$139
80387-33	\$249	80287XL	\$169
	7, 51	T	to the second
3C87-16	\$209	3C87-20SX	\$169
3C87-20	\$209	2C87-8	\$79
3C87-25	\$209	2C87-10	\$99
3C87_33	\$200	2087_12	6110

\$159 2C87-20

#### SOMETHING NOT LISTED?

WE HAVE HUNDREDS

OF PRODUCTS IN STOCK.

CALL UNIVERSAL MEMORY

PRODUCTS FOR PRICING

AND AVAILABILITY

REASONS TO BUY FROM

## M F M O R Y P R O D U C T S

WE SUPPLY ONLY NAME **BRANDS FROM PROVEN** INDUSTRY LEADERS.

**OUR CUSTOMER** SERVICE IS UNRIVALED.

ORDERS SHIPPED SAME DAY.

LOWEST PRICING IN THE INDUSTRY, IF YOU FIND A LOWER PRICE, CALL US.

TOLL-FREE TECHNICAL SUPPORT.

100% COMPATIBILITY GUARANTEE.

NO SURCHARGE ON VISA OR MASTERCARD.

FAST CREDIT APPROVAL. FOR NET ORDERS.

APO/FPO & INTERNATIONAL ORDERS WELCOMED.

**FIVE YEAR PRODUCT** WARRANTY GUARANTEE.

#### **UPGRADE TIPS FOR** PERSONAL COMPUTERS

I. Max out your motherboard first. Consult your computer owner's manual to find out which kind of chips your computer takes. If your manual is not available, count the chip or simm sockets and get the part number of the existing chips. Then call us.

2. All LIM 4.0 expansion boards are not created equal. Make sure the board you wish to purchase can run your applications and has the capacity you need.

3. If your short on expansion slots. you should consider a board that has I/O ports to allow future external expansion.

4. If you plan on upgrading to a more powerful computer in the future, you may wish to purchase chips fast enough so they can be used in your new system when you upgrade at a later date.

HOURS MON - FRI 7AM-5PM SAT 8AM-2PM



COURIER 2400 FOR PS/2

**COURIER V.32BIS 14,400BPS...** 

800 678-8648 5 YEAR WARRANTY ON PARTS 714 258-2818 FAX

UNIVERSAL MEMORY PRODUCTS 15411 RED HILL AVENUE SUITE B TUSTIN, CA 92680 714 258-2018



## TEST LAB



problems with the MS-DOS CD-ROM discs that I tried on the Procom. If you're looking for a drive that has software support for the PC and Macintosh, and that can be used with other SCSI computers like the Amiga, the Procom drive is a good choice.

KIM HORN

Circle Reader Service Number 305

#### SONY CDU-7201W

The Sony CDU-7201W CD-ROM drive offers solid performance and some attractive features in a long, slim case less than half the width of most system boxes. And while CD-ROM technology isn't brand new, I couldn't help feeling just a bit like a kid at Christmas as I explored the capabilities of this CD-ROM drive.

The CDU-7201W performed without a hitch, whether the disc contained games, information about the Civil War, sounds, images, or just plain music (you can use it to play your audio CDs). The only problem I experienced-not enough memory for one of the games-was not the fault of the Sony drive at all. I was simply trying to load too many things into memory at once, a problem solved by creating a special boot disk for when I use the CDU-7201W.

On the front of the drive, you'll find a jack for headphones and a

San Jose, CA 95134 (800) 222-0878 List Price: \$800 Street Price: \$699 Warranty: one year, covering parts and labor Service Plan: through calls or shipment to Sony service centers (listed on the warranty card)

volume wheel, as well as an eject button, an emergency eject hole, the caddy insertion slot, and a light to tell you when disc access occurs. I did wish for a light in front to indicate when the drive is on, though. Unless you power on all your computer equipment with an outlet strip, you'll need to check the power switch in back of the box to see if it's on. Behind the box you'll also find stereo phono jacks, DIP switches for assigning a drive number, a ground terminal, and two portsone to connect you to the proprietary controller card and the other to daisychain with as many as three more drives.

Installing the card and the software to run it is fairly straightforward, thanks to good documentation. Sony gives you the option of installing to your hard drive or to a floppy. If you choose the former, the installation program will replace your startup files and rename the old ones, so I recommend installing to a floppy. Once the program is installed and you boot up, the software tells you what drive letter gives you access to the CDU-7201W. In my case, it's drive S (for Sony?).

There's also a fairly straightforward program allowing you to listen to audio CDs (but scant documentation for it). I like being able to listen to my Bach CD in background mode while using an application on one of my other drives. Thanks to the headphone jack, I can listen without disturbing nearby coworkers.

To protect the drive during transportation, Sony employs automatic locking of the optical pickup every time the caddy (the device that holds the disc) is ejected. Also, whenever you load or eject the caddy, the drive automatically cleans the objective lens of the optical pickup. This automatic maintenance proves particularly important when you realize that CD-ROM drives, unlike your stereo turntable and stylus, are not user serviceable. The laser beam used to access disc information could harm your eyes, so Sony cautions you not to open the drive's cabinet.

Sony has established itself as a leader in television and audio technologies. With its CD-ROM drives, Sony is well on the way to making quite a name for itself in computer technologies as well. MIKE HUDNALL

Circle Reader Service Number 306

#### MANAGING YOUR MEMORY

Adding a peripheral such as a CD-ROM player can complicate memory management. If you're using DOS 4.01 and a mouse and if you have SHARE loaded, you'll sometimes have so little memory left after loading your CD-ROM driver that you can't run the CD-ROM applications. My experience has taught me to use a memory management program like 386Max, QEMM-386. or TurboEMS to place device drivers into high memory areas. The Microsoft extensions will allow you to use extended memory, but even that option may not be enough to free your CD-ROM drivers for use. Another solution would be to update your DOS to version 5.0, which includes the capability of placing device drivers into upper memory blocks, leaving low memory free for applications.

-PETER SCISCO



SONY CDU-7211

CD-ROM technology is rapidly entering the world of computing. The drives, or players as they're sometimes called, can access enormous amounts of data from compact discs (CDs). They operate quietly, and though CD-ROM drives are slower than hard drives, their performance is quite acceptable. This is my first time using one, and I'm impressed with what they can do, as well as with what they can offer us in the computing world.

The unit I reviewed is a Sony model CDU-7211 SCSI CD-ROM drive. With it, I received Future Domain's TMC-850 SCSI adapter. Installation is fast and trouble-free.

Plug the SCSI adapter card into a computer slot first. The manual that comes with the adapter clearly explains the setup procedure and provides easy-to-follow diagrams. Next, use the supplied cable to connect the CD-ROM drive to the SCSI adapter, and plug in the power cord.

The last step in the setup procedure is to install the software drivers, which are conveniently provided on both 3½- and 5½-inch disks. To install the drivers, you simply run the SETUP program on the disk. Everything is taken care of for you. All the necessary files are copied, and changes are made to the AUTOEXEC


.BAT and CONFIG.SYS files. When the program is finished, you're ready to go. That's all there is to it.

The CDU-7211 is a half-height drive, so it easily fits almost anywhere on your desktop. It features two SCSI bus connectors which conform to ANSI standards, allowing you to daisychain other SCSI devices. The controller has a 64K buffer memory. You place your disc in a caddy before inserting it in the slot in the front of the drive.

This CD-ROM drive is capable of audio playback and provides audio line outputs on the back and a stereo headphone jack on the front. You also get a program that allows you to play your music CDs on the drive. In addition to being able to eject a caddy with the eject button and an emergency eject hole on the front of the unit, you can also use an eject program to eject the disc using only a software command.

If you're considering a CD-ROM drive, the Sony package is a good choice. It contains everything you need to get started except CDs. It's very easy to install, and since it's a Sony, you can bet that it'll be around for a long time.

Circle Reader Service Number 307



### UNDERSTANDING THE TIMED TEXT DUMP

How quickly can these CD-ROM drives handle text? The Timed Text Dump Test uses our *TIME\_IT* program to show the actual elapsed time in minutes, seconds, and hundredths of seconds required to "type" a huge text file (2,551,206 bytes) from a CD-ROM disc file to the PC screen. The source file is PHRASE.CON from Alde Publishing's *The Amazing Moby Lexicon* CD.

—TOM BENFORD, PRESIDENT COMPUTER PRODUCT TESTING SERVICES

## TEST LAB

#### SUN MOON STAR CD-ROM SET

If you're looking for a capable CD-ROM drive with an impressive bundle of discs, you owe it to yourself to check out Sun Moon Star's CD-ROM Set.

Connecting the drive to the computer was a breeze, but installing the software proved more of a challenge. The installation process alters your CON-FIG.SYS and AUTOEXEC.BAT files, and this seemed to be where my problems were. Luckily, the manual explains what you should find when you examine these files, and I found that the default base address of the controller card was the same as the address for another of my peripherals. To correct the problem, I used one of the card's eight jumper settings for different addresses.

I placed the drive between my system box and the monitor to save space on my crowded desk—a convenient setup. The only other challenge I faced in setting up this drive involved the drive door, which apparently popped out of place during shipping. I managed to fish it out easily, however, and loaded and ejected discs normally without the door.

Once I had the drive up and running, trying out the software bundled with the Sun Moon Star was as exciting as opening packages on Christmas morning.

#### CHOOSING AN INTERFACE

An interface card lets your CD-ROM drive communicate with the host PC, but which kind of card should you choose?

The decision between a SCSI (Small Computer Systems Interface—called scuzzy for short) and a proprietary interface is a personal one, since many manufacturers offer their drives interfaced either way. For example, the Hitachi CDR-3600 comes with a Hitachi proprietary interface, while the Hitachi CDR-3650 (virtually the same drive except for buffer size) is configured for a SCSI interface. Proprietary interfaces are commonly sold separately, adding to the cost of the drive (typically \$100-\$150 more). The SCSI interface allows daisychaining of up to eight SCSI devices, such as additional CD-ROM drives or hard drives, all using the same single interface card. It's not uncommon, however, to have daisychaining capability with many proprietary-interface drives as well. For example, the Sony proprietary bus allows for daisychaining four CD-ROM drives.

Performance differences between the proprietary and SCSI models of the same drive are negligible (if any exist at all), and in some cases, the proprietary interface actually performs better since it is a custom fit rather than a universal solution.

The "mated pair" proprietary approach very often optimizes the features of a particular drive, such as internal buffer size, and extracts the best performance from both the interface card and the CD-ROM drive itself. The installation/setup procedure is often highly automated with proprietary-interface drives as well.

The SCSI interface provides a standard that is ostensibly hardware independent, thus allowing dealers to sell the same CD-ROM drive to a Macintosh owner (since the Mac has its own built-in SCSI port) or to a PC owner with a SCSI interface kit. Several external drives are only available as SCSI models, so that should be taken into consideration when shopping for a drive.

—TOM BENFORD

One disc contains popular games from the Software Toolworks: Black Hole, Life & Death, Bruce Lee Lives, Chessmaster 2000, Gin King/Cribbage King, Hunt for Red October, Bad Street Brawler, Crossword Mania, 221B Baker Street, and Alternate Reality: The City. Also from Toolworks you'll find World Atlas and Illustrated Encyclopedia.

Both are topnotch, fun-to-use reference works.

You also get Microsoft Bookshelf, which includes The American Heritage Dictionary, Roget's II: Electronic Thesaurus, The World Book and Book of Facts, Bartlett's Familiar Quotations, and half a dozen other reference aids to writers. Microsoft's Small Business Consultant & Stat Pack comes with the package, too.

- DO ROM

SUN MOON STAR
Personal Computer Division
1941 Ringwood Ave.
San Jose, CA 95131
(408) 452-7811
List Price: \$995.00
Street Price: \$725.67
Warranty: 18 months mail-in
(extended warranty available)
Service Plan: through tech support,
or shipping a part or the entire
system to the company

These programs provide a library of government publications and statistics, ranging from weekly wage averages in 60 different communities to affirmative action plans, from agricultural commodities to federal regulations, and much more.

Hot Line lets you dial more than 132,000 corporate and government telephone numbers at the touch of a key. And with Hot Line, you can find area codes for more than 3,000 cities worldwide with the electronic phone book and automatic dialer.

Music fans will appreciate *CD Guide*, an up-to-date listing of almost everything that has to do with CD music.

The Sun Moon Star comes with an earphone jack and volume control that make it convenient for listening to your favorite musical disc while working at your computer.

In all, despite its large footprint and somewhat flimsy door, the Sun Moon Star CD-ROM drive works well and faster than I expected. The amount of software that accompanies this drive is truly awesome, making the total value of this package something to consider when shopping for a CD-ROM drive.

TOM NETSEL

Circle Reader Service Number 308

#### UNDERSTANDING THE HI-RES COLOR IMAGE RETRIEVAL TEST

The Hi-Res Color Image Retrieval Test shows the actual elapsed time, in seconds and hundredths of seconds, required to retrieve three high-resolution scanned color images. Each bar represents an average of three image retrieval times. U.S. postage stamps from Nimbus Information Systems' Romware Magazine CD are the source of images used in this test.

—TOM BENFORD, PRESIDENT COMPUTER PRODUCT TESTING SERVICES

RADIO SHACK
A Division of Tandy
Marketing Information
700 One Tandy Center
Fort Worth, TX 76102
(817) 390-3300
List Price: \$399.95
Street Price: n/a
Warranty: one year,
covering parts
and labor
Service Plan:
through retail
outlets

#### TANDY CDR-1000


The Tandy CDR-1000 CD-ROM is easy to install if you have a spare 5½-inch half-height bay in your PC, an empty slot in your expansion bus, a Phillips-head screwdriver, and an adventurous spirit. (If you have all but the screwdriver or the adventurous spirit, your local Radio Shack will install the CD-ROM for you.)


It provides the advantages of CD-ROM for a bargain price of only \$399.95. Tandy isn't known for its price leadership, preferring to make a name for itself providing the widest availability of products and service. Still, the under-\$400.00 price is a breakthrough, particularly when you consider

that this CD drive is one of the few that meet or exceed Microsoft's multimedia standard of 150K per second data transmission.

Though the data transmission is very rapid, the CDR-1000 access time is 800 milliseconds—almost a full second to find a particular piece of data on the CD, which means that if you are using your CD for heavy-duty database access, you should look for a faster (and more expensive) unit. Since the CDR-1000's forte is streaming information quickly to the computer once it is found, it's particularly suited to playing games and other applications where animation is important.

To load a CD, you slide the entire unit forward like a bureau drawer. When it's nearly all the way out of the machine, you can lift a





## TEST LAB

hinged lid to expose the CD area. Unlike many CD-ROMs, the CDR-1000 doesn't use a CD caddy. You simply place the CD in the unit as you would in a portable CD player. One less piece of cyberjunk to clutter your office.

Recognizing that the CDR-1000 will be the first upgrade many users make to their basic machine, Tandy put the manual/ installation guide together with the novice in mind. It covers installation and use of the CD-ROM very gradually in step-by-step procedures.

The CDR-1000 is capable of playing audio CDs as well as reading data CDs. It features a headphone minijack and volume control in the front panel. The back of the expansion card features two female RCA jacks, allowing you to connect the player to your stereo. The audio CD can be controlled from the command line or from the control panel that supports a mouse. It will continue to play when you start up another application, so you won't have to make a choice between playing music and using your computer productively.

The performance, features, and price of Tandy's CDR-1000 are sure to attract attention in today's increasingly important CD-ROM drive market.

ROBERT BIXBY

Circle Reader Service Number 309

TOSHIBA AMERICA
INFORMATION SYSTEMS
Disk Products Division
9740 Irvine Blvd.
Irvine, CA 92718
(714) 583-3000
List Price: \$950.00
Street Price: \$685.67
Warranty: one year
Service Plan: through return
of drive to the company



#### TOSHIBA TXM-3201A1-PCF

Now's a great time to buy a CD-ROM drive. By the time you read this, Microsoft will have released its multimedia extensions for *Windows*, and the number of new CD-ROM titles will be growing exponentially. Manufacturers are falling all over each other as they try to gain the edge on price and features.

If you're the kind of person who buys conservatively—who wants a product to have a proven track record before you'll consider buying it—take a good look at Toshiba's TXM-3201A1-PCF. It's considered by many to be the workhorse of the currently available CD-ROM drives and is one of the first drives that fully meet Microsoft's multimedia specifications.

It's also a highly versatile drive-you can buy an internal version (XM-3201B, \$600) or an external version, and the external version is available with either a PC interface kit (TXM-3201A1-PCF, \$950) or a Mac interface kit (TXM-3201A1-MAC, \$850). The PC kit includes a SCSI card and requires an available slot, but you can also plug the TXM-3201 into a standard parallel port with a MiniSCSI (Trantor Systems, 5415 Randall Place, Fremont, California 94538: 415-770-1400: \$179).

If you're new to CD-ROM drives, you'll appreciate that this one is easy to install. You simply run a setup program that writes the necessary drivers to your hard drive and adds a few lines to your AUTOEXEC.BAT and CON-FIG.SYS files. The PC interface kit is manufactured by Future Domain for Toshiba and includes a half-slot SCSI adapter card and a special SCSI cable. A word of warning—although the Future Domain SCSI cable looks like a standard Macintosh SCSI cable, it isn't wired the same way. If you

All Benchmark/Performance Testing is conducted by Computer Product Testing Services (CPTS), an independent testing and evaluation laboratory based in Manasquan, New Jersey. Every effort has been made to ensure the accuracy and completeness of this data as of the date of testing. Performance may vary among samples.

#### THE HISTORY OF SCSI

SCSI was originally based on the architecture of the block-multiplex channel commonly used on the early IBM mainframe computers. This channel had the ability to communicate with several peripherals simultaneously. The SCSI specification for personal computers was approved in 1986 (ANSI X3.131-1986). After Apple's and Commodore's adoption of SCSI, IBM finally offered a SCSI bus as standard equipment on some PS/2 models in 1989.

The SCSI standard has provided outlines for several commands pertaining to different device types

such as hard drives, printers, and tape backups. It also defined physical characteristics such as pin assignments and cable types. While it all looked good on paper, in reality there were often conflicts when several SCSI-interfaced peripherals were simultaneously accessed. The main problem stemmed from too much flexibility in the specification. The result—some peripherals significantly deviated from what was intended to be a "standard." Device conflicts and compatibility problems cropped up frequently.

-TOM BENFORD

hook the cable to a Mac, you could damage your computer.

The drive worked fine with every CD-ROM disc that I tried—there was never any loss of data, the sound was clear and steady (a stereo headphone jack is located on the front of the unit), and the SCSI software drivers were always able to locate the drive.

It's not covered well in the manual, but you can also play audio CDs on the TXM-3201. In order to do this, you have to set the last DIP switch (in the back of the unit) to the up position. Place an audio-CD disk in the caddy-just as you would a CD-ROM disk. To move to the next audio track, press the Open/Close button for less than a second. Unfortunately, you can't go backwards or move randomly through the tracks. To eject the disk, press the Open/Close button for more than a second.

For a solid and reliable CD-ROM drive that has weathered the test of time, Toshiba's TXM-3201A1-PCF is an excellent choice

DAVID ENGLISH


Circle Reader Service Number 310

#### SCSI-2

SCSI-2 (still a draft as of this writing-not yet an officially adopted standard) seeks to alleviate compatability problems by providing more stringent hardware design guidelines, additional device commands, better error handling and recovery, and enhanced logic for signal routing and device sharing. It should be noted that not all SCSI adapter cards can support newer peripherals built to conform with SCSI-2 protocols, so check the compatibility with your dealer before purchasing to avoid problems and headaches.

If you'd like more information on SCSI and SCSI-2, you can contact ANSI (American National Standards Institute), 1430 Broadway, New York, New York 10018.

-TOM BENFORD



#### UNDERSTANDING THE SPEED TESTS

We ran these and the other tests using a 16-MHz 386 SX with 2MB RAM and a 512K VGA card attached to a high-resolution monitor.

The speed tests provide two kinds of statistically significant data: the actual transfer rate of the CD-ROM system and the elapsed time for a transfer of a CD-ROM file to the


Here's how the tests worked. We transferred the CAPTIONS.NAM file (1,257,344 bytes) on the *Compton's Multimedia Encyclopedia* disc to the screen using our *CD-SPEED* program while at the same time running our *TIME\_IT* program (a stop-

watch program).

The bar graph for actual transfer rates shows the speeds achieved by particular drives as they transferred the CAPTIONS.NAM file to the screen in 16K blocks. The industry standard transfer rate is 150K per second. There are differences in these actual rates because of differences in controller technologies, buffers, and software.

The elapsed time bar graph shows how long it took to make the transfer.

—TOM BENFORD, PRESIDENT COMPUTER PRODUCT TESTING SERVICES



## PRICES ARE FALL-ING AT COMPUTER DIRECT'S HOLIDAY S **SINCE 1979**

DON'T WAIT UNTIL THE HOLIDAYS TO TRY AND FIND THE BEST COMPUTER VALUES -BUY NOW WHEN OUR PRICES ARE AT THEIR LOWEST EVER

A Complete 12MHz 286 Computer Fully AT<sup>®</sup> Compatible For Only!

The BEST VALUE Personal Computer

for Home, School or Business
Includes: 12MHz 80286 Microprocessor • 512K Memory - Expandable to 4MEG • 5.25" 1.2MEG
Ploppy Drive • IDE Drive Controller • 1 Parallel, 2 Serial Ports • 200 Watt Power Supply • 101
Key AT® Style Enhanced Keyboard • ByteSize Software Package • Space Saving & Stylish MiniTower Case (Case subject to availability) 1 YEAR WARRANTY


9999.95 system pictured

#### Compare Our Prices and Features!

12MHz 80286 Computer	Sugg. Retail	\$799	Our Price	\$299.95
Byte Size Easy Start	Sugg. Retail	\$76	Our Price	FREE!
Byte Size Word Processor	Sugg. Retail	\$49	Our Price	FREE!
Byte Size Home Inventory	Sugg. Retail	\$29	Our Price	FREE!
Byte Size Calendar	Sugg. Retail	\$29	Our Price	FREE!
Byte Size Mailing & Phone List	Sugg. Retail	\$29	Our Price	FREE!

TOTALS

\$1011.00 \$299.95!



3.5" Floppy Drive Optional

TOMBRIS THE SAME QUALITY PRODUCT THEY'VE COME TO EXPECT FROM COMPUTER DIRECT AT THIS PRICE?" THE MISWER IS YES! WE HAVE EXUP PED THESE COMPUTERS TO GIVE YOU THE BEST VALUE AVAILABLE, AND WITH OUR 30 DAY NO-RISK TRIAL, IF YOU ARE NOT SATISFIED WITH YOU PURCHASE YOU CAN RETURN IT FOR A FULL REFUND". CALL US NOW AND TRY WHAT I THINK IS THE BEST VALUE IN COMPUTE! TODAY! James M. Scheele - President, Computer Direct, Inc.

286 MINI-TOWER COLOR VGA COMPUTER SYSTEM

Includes - Above Computer & Software Package, Color VGA Monitor & VGA Controller Card, Seagate 45MB Hard Drive, High Resolution Mouse and a 182 cps Printer with Near Letter Quality. A COMPLETE SYSTEM - OUR BEST VALUE!

33MHz 386 Desktop Computer .....

32K RAM Cache • 1 MEG RAM, Expandable to 8 MEG • AMI BIOS • 101 Key Enhanced Keyboard • 200 Watt Power Supply • Equipped with IDE Hard & Floppy Drive Controlle

40MHz 386 Desktop Computer .....

32K RAM Cache • 1 MEG RAM, Expandable to 8 MEG • AMI BIOS • 101 Key Enhanced Keyboard • 200 Watt Power Supply • Equipped with IDE Hard & Floppy Drive Controller

**FAX ORDERING 708-382-7545** 

800-289-9473 Ext. 50 Outside Service Area, Please Call 708-382-5058 COMPUTER DIRECT, INC.

22292 N. Pepper Road Barrington, IL 60010 "We Love Our Customers"

## COMPUTER DIRECT'S UNBEATABLE PRICES LIDAYS **EXCELLENT QUAI**

#### 10 GREAT REASONS TO BUY FROM COMPUTER DIRECT

#1 FREE CATALOGS!

WITH 1000'S OF POPULAR SOFTWARE TITLES, ACCESSORIES & HARDWARE AT UP TO 80% OFF!

#### #2 QUALITY PRODUCTS

OUR PRODUCTS ARE SELECTED BY TRAINED TECHNICIANS TO ASSURE THE BEST QUALITY AVAILABLE.

TRY OUT OUR QUALITY HARDWARE FOR 30 DAYS. IF WITHIN 30 DAYS YOU ARE NOT 100% SATISFIED WITH YOUR PURCHASES, YOU CAN RETURN THEM. HASSLE FREE!

#### **#4 NO CREDIT CARD FEES**

NO EXTRA CARD CHARGES WHEN YOU USE YOUR VISA, MASTERCARD OR DISCOVER CARD.

#### **#5 90 DAY IMMEDIATE REPLACEMENT**

WE WILL DO EVERYTHING POSSIBLE TO HELP YOU IN GET YOUR PURCHASES OPERATIONAL. IF YOUR MERCHANDISE FAILS TO OPERATE WITHIN 90 DAYS, WE WILL IMMEDIATELY REPLACE IT.

#### #6 NEW! FEDERAL EXPRESS® DELIVERY AVAILABLE

YOU ASKED FOR IT - COMPUTER DIRECT GOT IT! FEDERAL EXPRESS OVERNIGHT DELIVERY SERVICE IS NOW AVAILABLE. ASK YOUR SALES REP FOR SHIPPING DETAILS.

#### #7 EXECUTIVE SPEED REPLACEMENT

SHIP US YOUR DEFECTIVE UNIT OVERNIGHT, AND WE'LL RETURN IT TO YOU THE SAME WAY!

#### #8 TECHNICAL ASSISTANCE

YOU'LL NEVER FEEL LOST IN THE WORLD OF COMPUTERS WHEN YOU HAVE OUR TECHNICAL SUPPORT TO BACK YOU UP. OUR TECHNICIANS ARE TRAINED TO HANDLE MOST PROBLEMS OVER THE PHONE! CALL (708)382-2882

#### **#9 CUSTOMER SERVICE**

IF YOU NEED HELP WITH YOUR BILLING OR ADDITIONAL SHIPPING INFORMATION, OUR PROFESSIONAL STAFF IS SPECIALLY TRAINED TO HANDLE YOUR NEEDS. CALL OUR CUSTOMER SATISFACTION EXPERTS (708)382-5332 Hours: 8:30AM TO 4:30PM (CDT) MON.-FRI.

#### #10 24 HOUR BULLETIN BOARD SERVICE

ORDER 24 HOURS A DAY WITH OUR SPECIAL BBS SERVICE! TECHNICAL TIPS, ON-LINE ORDERING, ELECTRONIC MALL AND A WHOLE LOT MORE!

#### HIGH RESOLUTION SERIAL MOUSE

MOUSE FEATURES:

290 - 1450 dpi resolution • pop-up menus for 17 popular applications • Menu maker utility • Easy installation • 3 buttons apto-mechanical

Mfr. Sugg. Retail \$49.00

#### MARS 105 PLUS SCANNER KIT

400 dpi - 64 Gray Scales: With CAT OCR and PC Paintbrush Plus Software. 105 mm scanning width •64 halftone levels • SaanKit utility • EMS support • Quick merge.

Mfr. Sugg. Retail \$349.00



#### 250MB INTERNAL TAPE BACKUP SYSTEM

Backtrax Phontom 250 is a low-cost solution for personal tape backup. The system stores 124MB and comes with easy-to-use data compression software that expands the capacity to 250MB. Full network support, automatic and batch Ne operations and built-in error correction.

Mfr. Sugg. Retail \$379.00

#### SEIKOSHA 192CPS PERFORMANCE PRINTER

Versatile Paper Handling - Compact Design - Excellent Print Quality

Mfr. Sugg. Retail \$299.95



- 192CPS DRAFT 48CPS NIQ
- 10" CARRIAGE
- AUTO LOAD PAPER PARKING
- 2 RESIDENT NLQ FONTS FRONT PANEL CONTROLS
- SLEEK, EUROPEAN DESIGN
- PAPER SAVING PUSH-TRACTOR

#### MODEMS

2400 BAUD INTERNAL MODEM

Superior Hayes Compatibility

Made in the USA! • Full or Hall Duplex

Rockwell Madem Chip Set for Fast, Reliable

Communications • Built to Work with the

deal Computers | Mir. Sugg. Retail \$129.95

#### SEND-FAX INTERNAL MODEM

Modern & FAX All-in-One! FREE PRODIGY Hayes & Group 3 Compatible = Full or Half Duplex = Two Year Warranty = Auto TRIAL OFFER Dial/Answer • Internal Speaker with Saftware Selectable Yolume • 7 Status LED's • Special Combination Saftware

#### LOWEST PRICE IN THE COUNTRY!



5.25" DS/DD Floppy Disks

as low as

100% Certified - Error Free Lifetime Guarantee!

#### 14" VGA COLOR DISPLAY MONITOR



Mfr. Sugg. Retail \$199.95

- 720 x 350, 720 x 400 or 640 x 480 Resolution
- RGB analog input
- 14" anti-glare treated
- 0.52mm dot pitch · Tilt & swivel stand included
- PS/2 compatible

Mfr. Sugg. Retail \$349.95

#### SEAGATE ST157A 44 MB HARD DRIVE

Quality Seagate IDE Hard Drive

- 44.7 Megabytes of storage
- · AT® Interface
- 28ms average access ti

Mfr. Sugg. Retail \$499.00



#### THE NEW PRINTSHOP Prini Shop

OUR BEST SELLING SOFTWARE TITLE! Make banners, signs, newsletters, eeting cards. Easy to use. quality documents and lots of fun!

Mfr. Sugg. Retail \$59.00


WE CARRY A FULL LINE OF COMPUTERS, SOFTWARE & ACCESSORIES! CALL FOR YOUR FREE CATALOG TODAY! 1000'S OF ITEMS IN STOCK


HOURS(CDT): MONDAY - FRIDAY 8AM TO 8PM, SATURDAY 9AM TO NOON

Prices do not include shipping charges. Call to get your lowest delivered cost. We insure all shipments of no extra cost to you! All packages are normally shipped UPS Ground. 2nd day and ownight delivery are available of extra cost. We ship to all points in the US, Canada, Planel Rico, Alaska, Howeili, Virgin Islands and APO-FPO. Monitors only shipped in Continented US. Sincis residents and APO-FPO. Monitors only shipped in Continented US. Sincis residents and 45 September 22292 N. Pepper Road, Barrington, IL 60010 included. Verification required. Pictures for illustration purposes only, actual product may differ. Please see our catalog for specifications.

We Love Our Customers

Circle Reader Service Number 114





It's easy to protect yourself against computer viruses. Here's how.

# COMPUTER NOMATO Z

By Mark Minasi

ou've heard about computer viruses—those mysterious, malevolent programs that enter your computer in the dead of night and zap all of your data. Some virus experts say we'll see thousands of different viruses floating around the computer world in the next few years. Like Chicken Little, these pundits predict the computer sky will fall, ending computing as we know it. Others say that these virus experts *need* users to be afflicted with virus hysteria so they can keep their jobs. What's going on? Here's the who, what, why, where, and how of viruses.

Virus is a term in popular use that refers to any of a group of unwanted programs—the weeds in your computer garden. By the way, the term is a metaphor only—you can't catch a virus from your computer.

Why are there viruses? Simply put, a virus is a form of computer crime, and often it's not even a particularly inspired crime. Microcomputing has grown up in an atmosphere of trust and cooperation, freeing PC operating environments from the clutter of security systems—much like a rural neighborhood that hasn't had to lock its doors for years.

This open environment has left an opportunity for a few cowardly programmers to create these destructive programs. Believe methere's not much to writing a virus that runs on DOS machines. There's no more ingenuity in writing one of these than there would be in robbing houses in the aforementioned neighborhood.

The media-inspired vision of virus authors as a class of super programmers is misinformed. They're just maladjusted twerps looking for some attention in a particularly destructive way.

#### Parts of a Virus

A virus has two parts, which I'll call the infector and the detonator. They have two very different jobs. One of the features of a computer virus that separates it from other kinds of computer programs is that it replicates itself so that it can spread (via floppies transported from computer to computer, or networks) to other computers. That's what the infector does.

After the infector has copied the virus elsewhere, the detonator per-

forms the virus's main work. Generally that work is either damaging data on your disks, altering what you see on your computer display, or doing something else that interferes with the normal use of your computer.

Here's an example of a simple virus, the Lehigh virus. The infector portion of Lehigh replicates by attaching a copy of itself to COMMAND.COM (an important part of DOS), enlarging it by about 1000 bytes.

So let's say you put a floppy containing COMMAND.COM into an infected PC at your office—that is, a PC that is running the Lehigh program. The infector portion of Lehigh looks over DOS's shoulder, monitoring all floppy accesses. The first time you tell the infected PC to access your floppy drive, the Lehigh infector notices the copy of COMMAND.COM on the floppy and adds a copy of itself to that file.

Then you take the floppy home to your PC and boot from the floppy. (In this case, you've got to boot from the floppy in order for the virus to take effect, since you may have many copies of COMMAND.COM on your hard and floppy disks, but DOS only uses the COMMAND.COM located on the boot drive.)

Now the virus has silently and instantly been installed in your PC's memory. Every time you access a hard disk subdirectory or a floppy disk containing COMMAND.COM, the virus sees that file and infects it, in the hopes that this particular COMMAND.COM will be used on a boot disk on some computer someday.

Meanwhile, Lehigh keeps a count of infections. Once it's infected four copies of COMMAND.COM, the detonator is triggered. The detonator in Lehigh is a simple one. It erases a vital part of your hard disk, making the files on that part of the disk no longer accessible. You grumble and set about rebuilding your work, unaware that Lehigh is waiting to infect other unsuspecting computers if you boot from one of those four infected floppies!

#### The Worm That Turned

The term for any program that replicates itself, like the infector part of a virus, is a worm. Some viruses are pure worms, like the much-publicized Internet worm. This worm ran on minicomputers linked on the Internet network. It made multiple copies of itself in a minicomputer, forcing the computer to waste time executing the worms, slowing down response time for legitimate users. It also copied itself to other computers on Internet, spreading so quickly that it brought the entire network to a half

Such a program will not affect PC users, since there are no PC-based networks that can call your computer up and dump messages on it automatically. The kinds of worms found in viruses generally work by injecting copies of themselves into executable programs.

This one fact simplifies the task of antivirus programs. A virus can only infect either an executable program—ones with a COM, EXE, SYS, BIN, or OVL extension—or the area of a disk called the boot sector. We can then talk about two kinds of viruses: program infectors and boot sector infectors.

#### **DOS Boot**

A boot sector is a program and data area on a disk that contains a small program that is essential to the initial boot-up process. The unusual thing about the boot sector is that it is not a file. In fact, it lies completely outside the part of the disk that contains files.

The only way to become infected from a boot sector infector virus is to boot from an infected floppy. Think about that for a moment. The only disk you should ever boot from anyway is the original DOS floppy, and that's write-protected, so it couldn't contain a virus unless the Microsoft original was infected. You really never have to boot from any other floppies except for a few old games, so being careful not to boot from floppies is one simple way to avoid virus infections.

That simple advice is quite powerful. More than 70 percent of the viruses out there are boot sector infectors rather than program infectors. Of the five most common viruses found in the U.S., three are boot sector infectors.

Merely making a habit of keeping the floppy drive door open when you boot will instantly make you invulnerable to more than half the viruses out there. (What should you do about the other kind, the program infectors? They're a bit tougher, so hang on for a few more column inches, and I'll get to them.)

Whether a boot sector or program infector, all infectors' modi operandi are similar. When you turn your computer on, the virus is not active until the infected portion is loaded. In the case of a boot sector infector, that's immediately upon boot-up, since that's when the boot sector is executed.

For a program infector, the virus becomes active when you run the infected program. For example, if 1-2-3 were the only infected program on your PC, the virus would only be active from the time you ran 1-2-3 until you turned the PC off.

Once active, the virus looks for pro-

grams or boot sectors to infect. While your hard disk has only one boot sector, a program infector may slowly infect every program on your hard disk. Boot sector infectors will infect boot sectors on floppies inserted in your floppy drives, and program infectors will infect any programs on those floppies. The infection process—a sort of COPY command—is very quick, and it generally won't be noticed by the PC's operator.

Note that because viruses can only be spread by booting from floppies with infected boot sectors or by running infected programs, you cannot become infected by a data file—that is, a 1-2-3 spreadsheet, a WordPerfect document, or a dBASE database cannot spread viruses.

#### Tick, Tick, Tick

The detonator is usually called a time bomb or logic bomb. It's a piece of code embedded in a program or the operating system itself that waits for a particular event to occur. When that event occurs, the bomb goes off, doing some kind of damage.

Logic bombs have been around nearly since the beginning of computing. An early one showed up in a mainframe payroll program. The program's creator had inserted a clause in the payroll program that said, in effect, "If you find I'm not on the payroll, erase all payroll files."

A time bomb is based on a related idea, but it detonates according to the clock. For example, the detonator portion of the most common virus in the U.S., one called Jerusalem-B, goes off every Friday the 13th. Whenever you try to run a program, it erases the program instead. On other days, it only does minor annoying things to your screen. The detonator program in the Lehigh example is a logic bomb. It says, "Once you've made four copies, do the damage."

Many detonators are fairly harmless, although an annoying intrusion on the use of your PC. The Cascade virus causes letters on your screen to fall to the bottom of the screen. No data's been damaged, but it does make using the computer difficult.

The New Zealand virus, also known as Stoned or Marijuana, occasionally keeps your computer from booting, displaying the message *Your PC is now Stoned*. (There's also a message in the virus saying, *Legalize Marijuana*, but due to a bug in the virus, this message never gets displayed.)

The Fu Manchu virus makes childish, obscene comments whenever you type Reagan, Thatcher, or Botha.

Yankee Doodle, from Bulgaria, plays "Yankee Doodle" on the PC

## FREE\*

COMPUTE HOT DISK

COMPUTE CELEBRATES ITS 12TH ANNIVERSARY WITH A SPECIAL DISK OFFER FOR ALL OF YOU.

#### 6 Fun and Helpful Programs

- JIGSAW-Create your own jigsaw puzzle; then solve it!
- WRIMAGE-Race the clock in this fast-paced word game.
- POWER POKER-A new twist to an age-old classic.
- EquipList-Check your computer's configuration in a flash.
- DOS Help-Quick, easy-to-use DOS term reference guide.
- COMPUTECalc-Handy alternative to a desk calculator.



#### Plus A Special Program

that lets you

- ... Read and Print Documentation
- . . . Use Icons to Select Programs
- ... Click on Pulldown menus

#### And . . .

COMPUTE HOT DISK runs on any system with 256K of free RAM and any monitor. EquipList and COMPUTECalc requires DOS 3.3 or higher, and the others need DOS 2.1 or highter. All documentation is included on the disk...

Available for IBM PCs and compatibles only.

#### Best of All . . .

IT'S FREE for a modest postage and handling fee\*. ORDER YOUR COMPUTE HOT DISK TODAY and join COMPUTE in celebrating its 12th anniversary.

P.S. COMPUTE HOT DISK makes a great gift. Pick up several for Birthdays, Stocking Stuffers, or any occasion.

ORDER
YOUR
COMPUTE
HOT
DISK
TODAY!

my IB	S! Send me COMPUTE'S 12th M PC or compatible. I pay onless to receive this FREE offer.	
Please in	dicate how many disks of each format you  5 1/4-inch Disk(s)  3 1/2-inch Disk(s)  Total Disks  \$\$\x\$2.95 Shipping & Handling PER D	
S	Order Total	
\$	Sales Tax (Residents of NC and NY, pl for your area. Canadian orders, add 7 TOTAL ENCLOSED	
3	_ TOTAL ENCLOSED	
NAME		
ADDRI	ESS	
CITY_	STATE/PROVID	NCEZIP/POSTAL CODE
COMPL	upon (or replica) with payment to JTE'S HOT DISK Wendover Ave., Ste. 200	Payment must be in U.S. dollars by a check drawn on a U.S. bank or by money order. For delivery outside the U.S. or Canada, add \$1.00 for surface mail or \$3.00 for airmail. Please allow 4-6 weeks

Greensboro, NC 27408

speaker at 5:00 p.m.—freeing the workers, as it were.

Bouncing Ball or Italian causes a character to dislodge itself from its original location on the screen and bounce around the screen, *Pongstyle*. A few viruses have no apparent detonators at all, making them pure worms

Other detonators are quite destructive. Erasing the FAT is a popular virus pastime. Additionally, the extra time required by the infection process when performing disk reads or writes may cause some PCs to erroneously report a timeout error on the floppy drive.

If you'd like to see what some of the flashier viruses look like, get a copy of VIRSIMUL.ZIP, a harmless simulation of several viruses. You can find it on the bulletin board of the National Computer Security Association (NCSA). NCSA's BBS number is (202) 364-1304; its voice number is (202) 364-8252. NCSA also sells books on viruses and computer security.

#### **Vectors of Infection**

First of all, don't worry too much about viruses. You may never see one. There are just a few ways to become infected that you should be aware of. The sources seem to be service peo-

ple, pirated games, putting floppies in publicly available PCs without writeprotect tabs, commercial software (rarely), and software distributed over computer bulletin board systems (also quite rarely, despite media misinformation).

Call up computer repairpersons, and what's the first thing they'll probably do? Boot your system from a diagnostic disk. I've seen three cases in the past year of clients being infected by third-party service people with diagnostic disks that were infected. Of course, the serviceperson didn't know the disks were infected. But be sure to ask that any service personnel run their diagnostic disks through a virus checker like VIRUSCAN (I'll discuss virus checkers in a minute) before putting them in your machine.

Many viruses have spread through pirated—illegally copied or broken—games. This is easy to avoid. Pay for your games, fair and square. I've toured many software companies, and believe me—these are not large faceless corporations. Most are small operations with fewer than thirty employees.

If you use a shared PC or a PC that has public access, such as one in a college PC lab or a library, be very careful about putting floppies into that PC's drives without a write-protect tab. Carry a virus-checking program and scan the PC before letting it write data onto your floppies.


Despite all the media hype, computer BBS systems are usually free of viruses. To be really sure, you could download files only from big services like BIX, GEnie, or CompuServe.

Now and then you'll see viruses accidentally included with shrink-wrapped software. Scary as that sounds, it's not really something to worry about—the number of cases of that in the PC world can be counted on one hand, with fingers left over.

#### Search and Destroy

Despite the low incidence of actual viruses, it can't hurt to run a virus checking program now and then. There are actually two kinds of antivirus programs: virus shields, which detect viruses as they are infecting your PC, and virus scanners, which detect viruses once they've infected you.

Virus shields sound attractive—keeping the virus from infecting your PC in the first place—but they suffer from a major flaw that makes them useless in many cases. There's no real way to detect virus behavior; a shield can only detect viruslike behavior, such as soft-



EXPRESS PUBLISHER DOS

amalgam outlawed. There have even been demonstrations and marches promoting such a ban. In this country there are presently 14 states that have had,

Winter 1991

## How Dr. Jeff Ausen keeps his patients smiling between fillings.

He uses Express Publisher 2.0 to create this clever and professional newsletter. It's a painless way for Dr. Jeff to "flossophize" and keep in touch with his patients.

The leading DOS desktop publisher for under \$160. Express Publisher won *Compute* Magazine's 1991 Choice Award for ease of use and publishing power. It comes complete with eight fonts you can instantly size, and over 100 clip art images. Only Express Publisher gives you

TextEffects<sup>™</sup>, which let you curve, rotate and shadow text for eye-catching logos, headlines, bursts and more.

Express Publisher lets business publishers like you easily create professional-looking newsletters – without taking a bite out of your time or your wallet.

SPECIAL OFFER: If you already own any other desktop publisher, trade up to Express Publisher for just \$49.95!\*

To order, or for more information, call 1-800-851-2917, Ext. M132 7 a.m. - 5 p.m. PST

\*Send the title page of your current desktop publisher, this ad and a check for \$49.95 plus \$4.95 shipping & hardling payable to Power Up Software. Residents of CA, CT, IL, MA, NY, TX, PA, WA: add applicable sales tax. Please specify 35 for 5.25 disks. System requirements: 4640K RAM, Hard Disk, CGAPGGAVGA, Mouse. Offer expires 12/31/91. Express Publisher and TextEffects are trademarks and Power Up 15 are peistered trademark of Power Up Software Corp., 2929 Campus Drive, P.O. Box 7600, San Mateo, CA 94403-7600.

ware that directly controls your disk hardware. Unfortunately, there is a lot of legitimate software that directly controls disk hardware, leading to many annoying false alarms. After a while, you'll get tired of the false alarms, and you'll get rid of the software.

Virus scanners, however, are much more convenient. You just run them now and then, and they detect any viruses that your disks are harboring. There are two potential problems with scanners, but both are surmountable.

The first is the sheer number of viruses out there-more than 500, at last count. A virus scanner must be able to detect any of these monsters, a process that makes scanners big, slow, and potentially expensive. At minimum, it means that you'll be buying updates to your virus scanner program a few times per year.

This issue of COMPUTE's PC Disk contains a terrific scanner from McAfee Associates, a California firm specializing in antivirus information, software, and consulting. Its program is called VIRUSCAN, and it's now at version 77. You can be sure that the McAfee folks stay on top of this market!

For more information on PC Disk, see "On Disk" elsewhere in this issue. McAfee requests a \$25 registration fee

for the use of VIRUSCAN if you're a household or home office businessnot an unreasonable price for a little computer peace of mind.

Larger businesses and government agencies must get in touch with McAfee to negotiate a registration fee. You can reach McAfee at (408) 988-3832 (voice), or you can get VIRUSCAN directly from its BBS at (408) 988-4004.

The second potential problem for virus scanners comes from a class of viruses called stealth viruses. In order for a virus to exist on a PC, it must reside somewhere, generally in the boot sector or a program file on the PC's hard disk. So virus scanners look in those areas for distinctive signatures that characterize particular viruses.

But stealth viruses foil scanners. They monitor attempts to read the part of the disk that the virus lives in. They then intercept the read attempt and hand the scanner program the image of the disk as it would be if it weren't infected. "Nobody here but us chickens," the stealth virus says.

How do you get around stealth? Simple. Stealth only works if the virus is active-if it's been loaded from the infected hard disk. Just cold-boot from a write-protected floppy before running any virus scanner, and you're safe


from stealth. Ensure that the boot floppy was made with DISKCOPY using your original write-protected DOS startup disk after cold-booting from that original startup disk.

What do you do if you find that you are infected? If a program file is infected, simply erase it from your hard disk and restore a clean copy from your backups. If you have an infected boot sector, most virus scanners will create a clean, uninfected boot sector, eliminating the virus; if worst comes to worst, you could remove an infected boot sector by backing up your disk, then low-level formatting, partitioning, and high-level formatting the disk, although measures that shouldn't be necessary.

Viruses are something to worry about, but not a lot. A little common sense and the occasional virus scan will keep you virus-free. Remember

these four points:

- Viruses can't infect a data or text file.
- Before running an antivirus program, be sure to cold-boot from a write-protected floppy.
- Don't boot from floppies except reliable DOS disks or your original production disks.
- Stay away from pirated software.



CALENDAR CREATOR PLUS

# How pilot Mike O'Neal keeps on schedule between flights.

Before he takes off, Mike uses his PC and Calendar Creator Plus\* to merge his busy flight and ground schedules into one great-looking calendar. So he and his friends and associates always know what he's up to.

Time management is a breeze. Schedule personal appointments, departmental meetings and the office

conference room in minutes. Plan trade shows and keep track of a traveling sales staff. Merge any combination of individual schedules on your PC or LAN to print one master calendar. All this in nine calendar formats, including pages for Day-Timers® and other organizers. Put your organization on auto pilot. With Calendar Creator Plus 4.0.

SPECIAL OFFER: Order now and get the best of T/Maker® ClickArt® FREE - a \$59.95 value!\*\*

To order, or for the dealer nearest you, call 1-800-851-2917 Ext. M306 7 a.m. - 5 p.m. PST

\*\*To receive your free ClickArt, purchase Calendar Creator Plus directly from Power Up or from you software retailer. Send this ad, along with your dated sales receipt and customer registration card to Software, Free ClickArt Offer, P.O. Box 7600, San Mateo, CA 94403-7600. Offer expires 1/31/92. Cal Creator Plus is a trademark and Power Up is a registered trademark of Power Up is a registered trademark of Power Up is a Creator Plus is a trademark and Power Up is a registered trademark of Power Up Software Company. \*Also available for Macintosh (features var

## **ON DISK**

Tony Roberts

# DEBUG YOUR COMPUTER WITH VIRUSCAN

This issue's edition of COM-PUTE's PC Disk includes a variety of programs that nearly everyone will find useful. These programs were selected from among hundreds we downloaded from bulletin boards and online services.

You can get all the programs on this month's disk or subscribe to a year's worth of COMPUTE's PC Disk (which in-

COMPUTE'S PC Disk (which in-

11 T / B

0 d d d

10 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J S

0 J

The wide
open spaces are
yours with
Big Desk. It turns
your Windows
desktop into a huge
virtual workspace that's eight
screens wide by
eight screens high.

cludes a subscription to COM-PUTE) by sending in the coupon you'll find on the second page of this column.

Please note that the shareware programs featured on our disks are yours to test and evaluate, but if you find the programs useful, you should send the registration fee to the author.

Registering shareware has several benefits. First, registered owners receive notification of program updates and often are entitled to free upgrades. Also, many shareware authors send additional programs as a bonus when you register. Finally, by supporting shareware authors, you encourage them to continue making high-quality, low-cost, try-before-you-buy software available for PC users everywhere.

#### VIRIISCAN

In every facet of our lives these days, we're forced to be more security conscious. Computers are no exception, especially if they hold thousands of dollars' worth of data or hundreds of hours' worth of your work.

You can read all about computer security in this issue's feature called "Viruses From A to Z" by Mark Minasi on page 44. With VIRUSCAN you can take the first steps to protect yourself against possible disaster.

VIRUSCAN, from McAfee

Associates, is one of the most widely respected virus detection utilities available today. This program checks your disks for the presence of more than 243 known computer viruses. McAfee works hard to continually up-

date the software to identify newly discovered viruses.

With options for checking files, disks, or memory for viruses, VIRUSCAN also sets exit codes, so you can run it from batch files, and its reports can be directed to data files for later reference.

Registration for home use of VIRUSCAN is \$25 and includes free downloads of updated versions from McAfee Associates' BBS for one year. In addition, McAfee offers registered home users free information on removing viruses.

If you trade disks with your friends or associates, or download files from bulletin boards, you increase the risk of introducing a virus into your system. Running VIRUS-CAN regularly can eliminate your fears that a hidden virus

may lurk within your PC. The small registration fee is well worth that peace of mind.

#### Useful Notes

Here's an information manager that can help you organize the scraps of paper that accumulate on your desk and in your pockets.

Useful Notes, which can run as a stand-alone program or as a memory-resident utility, could be described as a freeform database of computerized Post-it Notes. Notes can range in size from a word or two to thousands of characters.

Need to remember a phone number? Create a note and jot it down. Keep doing this, and soon you'll have a pile of notes that you can sort, edit, and organize. If *Useful Notes* is running memory resident, you can pop it up with a keystroke, locate that phone number, and pop back to your main application in a flash.

Useful Notes allows you to create as many piles of notes as you like, so you can separate business notes from home notes; or if you share your computer, you can separate Mary's notes from Tom's.

Michael Gardi's Useful Notes is shareware and carries a \$20 registration fee. Registered users receive an update with the most recent version of the program, plus a version of Useful Notes that includes EMS support.

#### Mr. Filter

This is a program for the toolbox. You won't need *Mr. Filter* every day, but you'll be glad it's there when you do need it. Programmer Jim Gillespie describes *Mr. Filter* as "the first line of defense in dealing with corrupted text files." His goal was to create a quick and easy way to fix files that won't print or can't be called up in your word processor.

Mr. Filter removes false end-of-file markers, deletes extraneous control characters, and wraps lines longer than 80 characters. There are also options to remove extended ASCII characters and to strip high bits.

Mr. Filter works by reading



Mr. Filter

an input file, scanning every byte, making its adjustments, and writing a new output file,

Directory Size

leaving the original unchanged. The program also contains a report-only option



Useful Notes

that scans a file and reports on problems it finds.

If you use *Mr. Filter*, you can register your copy with the author for \$12. Next time you have a problem text file, you could grit your teeth, load a disk editor, and manually search for the problems, or you could just run the file through *Mr. Filter*.

#### **Directory Size**

This utility is so simple and so useful you'll wonder why it isn't part of DOS.

Directory Size paints a quick picture of your disk, letting you know the number of files stored in each subdirectory and the amount of disk space those files occupy.

When you're facing one of those "I've gotta make some room on this hard disk" sessions, *Directory Size* shows you where the fat is. It's like nutrition analysis for your PC.

Virginia programmer Keith Ledbetter, who has a large number of utility programs to his credit, offers *Directory Size* as a free program.

#### **Big Desk**

Here's a program that will help cure those overlapping windows blues for users of Windows 3.0. Big Desk creates a virtual desktop that allows you to spread out your applications neatly and hop from one to another.

Big Desk, written by Ian Heath of Southampton, England, permits you to configure a desktop that's as large as eight screens wide by eight screens high.

The program's icon shows a minimap of your virtual desktop, and with a click of the right mouse button, you can move from application to application effortlessly.

Big Desk is a shareware program. Your donation will help to fund programmer Heath's graduate studies at the University of Southampton.

If you find the program useful, please register it. The registration fee is 20 pounds sterling or about \$35. Simon Phips, a colleague of Heath's, says not to be intimidated by currency exchanges—pay by credit card and let the people at VISA or MasterCard take care of the monetary details.

#### FOR SINGLE DISKS

YESII want to power up my PC. Send me the October 1991 COMPUTE's PC Disk. I'll pay \$9.95 for each 51/4-inch or 31/2-inch disk plus \$2.00 shipping and handling per disk.

Please indicate how many disks of each format you'd like:

.95 each

\_\_\_\_ 31/2-inch disks at \$9.95 each

#### \_\_\_\_ Subtotal

Sales tax (Residents of NC and NY please add appropriate sales tax for your area. Canadian orders, add 7% goods and services tax.)

Shipping and handling (\$2.00 U.S. and Canada, \$3.00 surface mail, \$5.00 airmail per disk.)

\_\_\_\_ Total enclosed

Send your order to

COMPUTE's PC Disk W. Wendover Ave., Ste. 200 Greensboro, NC 27408

#### SUBSCRIPTIONS

I want to save even more! Start my one-year magazine and disk subscription to COMPUTE's PC Diskright away.

\_\_\_\_\_ 51/4-inch \$49.95 per year

\_\_\_\_\_ 31/2-inch \$49.95 per year

For delivery outside the U.S. or Canada, add \$10.00 for postage and handling.

Name \_\_\_\_\_

City \_\_\_\_\_

State/Province —

ZIP/Postal Code

Zii // Ostal Oode

Total Enclosed \_\_\_\_\_

Checkor money order\_\_\_\_\_

Credit Card No.

Expiration Date \_\_\_\_\_

Signature \_\_\_\_

(Required)

Daytime Telephone No.

Send your order to

COMPUTE's PC Disk P.O. Box3244 Harlan, IA51539-2424

All orders must be paid in U.S. funds by check drawn on a U.S. bank or by money order. MasterCard or VISA accepted for orders over \$20. This offer will be filled only at the above address and is not made in conjunction with any other magazine or disk subscription offer. Please allow 4 to 6 weeks for delivery of single issues or for subscription to begin. Sorry, but telephone orders cannot be accepted.

Disks available only for IBM PC and compatible computers.

Offer good while supplies last.

## **POINT & CLICK**

Clifton Karnes

#### NEW ENSEMBLE, HOT NEW DOS

There's good news this month for *GeoWorks Ensemble* users. GeoWorks has released an update that adds features many of us have been waiting for (GeoWorks, 2150 Shattuck Avenue, Berkeley, California 94704; 415-644-0883).

The biggest story with Ensemble 1.2 is that GeoWrite, the program's word processor, has been transformed from a desk accessory into a full-fledged writing tool that comes with a search-and-replace engine and a 100,000-word spelling checker.

Both writers and designers

more of *Ensemble* in the future. GeoWorks has announced deals with Laser Computer, Philips, Samsung, Everex, and others to bundle the package with these companies' PCs. Added up, this will mean more than 600,000 additional copies of *Ensemble* in circulation. More *Ensemble* users mean more incentive for publishers to develop programs for the environment.

#### DOS 5.0

Windows, Ensemble, and DESQView have one thing in common: If you look below the fancy windows and dialog boxes, you'll find DOS. These environments sit on top of DOS and use DOS servic-

es, and so in a sense, they're DOS enhancements. That's why they're called interfaces or environments rather than operating systems.

Does it matter which version of DOS you're using with your GUI?

If you're running DOS programs, it matters a great deal. That's why Microsoft's release last June of DOS 5.0 (Microsoft, One Microsoft Way, Redmond, Washington 98052; 206-882-8080; \$99.95) isn't just important news for command line addicts; it's significant for GUI aficionados, too.

From the first, you'll sense that this version of DOS is different. DOS 5.0 comes with the best installation program I've seen. It walks you through each step of setup and even saves information about your previous DOS configuration so you can *uninstall* 5.0 and return to your older version if you want.

You won't want to go back,

though. Just a few minutes with 5.0 will convince you it's the wave of the future. Here's a rundown of what's new.

First, 5.0 has impressive memory management facilities that allow you to load DOS itself into high memory on 286 and 386 machines and load device drivers and TSRs into high memory on 386 computers. When you're running a DOS app from Windows or Ensemble, you'll have much more room for your programs. After installing 5.0, I have about 615K free left over in Windows that I can use to run my DOS programs.


Programmers will be glad to find that an interpreter-only version of *Microsoft QuickBA-SIC* has replaced GW-BASIC. And everyone will be glad to see EDLIN finally made obsolete by EDIT, an excellent text editor with pull-down menus and full mouse support.

DOS 5.0's DIR command is actually useful. Instead of the bleak display option served up by previous versions, this DIR comes with a ton of switches that allow you to display directory information in almost any shape or form. There's even an option that displays files in all of a directory's subdirectories. Plus, you can set these switches as an environment variable so you don't have to type them each time you issue the command.

Last, there's DOSKEY, a new command line retriever. It stores your most recently used commands in a buffer for quick recall. This kind of program is necessary for extensive command line work, and it's great that DOS finally has this type of command.

All in all, DOS 5.0 is *very* impressive. No matter which GUI you're running, 5.0 will give it more elbow room and make the time you spend at the command line more productive and enjoyable.

GeoWorks shouts out one message loud and clear: Upgrade now!



will be glad to hear that printer support has been beefed up for this new release, too, with drivers for more than 300 additional printers.

Topping the list of other enhancements are an *Ensemble* version of the Russian game *Tetris*, more than 50 added icons for the DOS room, and more screen savers.

All this certainly sounds good, but here's the best news: This upgrade is being sent free to registered users of Ensemble. Now that's class! If you're a first-time buyer, the updated retail version, which lists for \$199.99, should be available in stores by the time you read this.

We're going to be seeing

## Take your choice of these popular F children's computer software programs worth up to \$59.95

Plus shipping and handling, with membership.



- Mavis Beacon Teaches Typing:
- Regular Price: \$49.95
  Best Home Learning Award! Fun typing skills for all Available for IBM and Apple II, ITEM NUMBER 5



Where in the U.S.A. is Carmen San Diego?: Regu'ar Price: \$49.95 Won Outstanding Software Award! Learn hundreds of U.S.A. facts. Available for IBM and Apple II, ITEM NUMBER 1



The New Print Shop Regular Price: \$59.95
The most popular graphics software in history. Print your own cards, banners and signs. Printer required. Available for IBM and Apple II, ITEM NUMBER 7



Where in Time is Carmen San Diego?: Regular Price: \$49.95 Travel through Time to capture the villain and her Available for IBM and Apple II, ITEM NUMBER 2



Regular Price: \$39.95 Help Mother Goose find the missing pieces to her rhymes Available for IBM and Apple II, ITEM NUMBER 8



- New Math Blaster Plus:
- Regular Price: \$49.95 World's best-selling math program has fun 'Blasternaut" game New Version Now Available for IBM. Apple II version's MBP. ITEM NUMBER 3



Super Solvers Outnumbered Regular Price: \$49.95 A highly-recommended program that develops math, problem-solving and other skills. Available for IBM and **ITEM NUMBER 4** 



#### SOFTWARE SELECTION GUIDE

#### **Key to Colors:**

- Ages 3-7
- Ages 7-10
- Ages 10-13+

Stepping Stones I & II: Regular Price: \$49.95
From early reading to addition, spelling and vocabulary. Colorful graphics. Available for IBM (enhanced version) and Apple II, ITEM NUMBER 9



#### **Watch your children laugh and learn...** with software that's fun!

You've got the children. You've got the computer. Now you can bring the two together and turn leisure time into learning time with software that's fun!

The Oregon Trail

Regular Price: \$49.95

Travel with a pioneer family across the 19th century

wilderness, learning how to

Apple II, ITEM NUMBER 6

Available for IBM and

The Learning Adventure Computer Club takes the work out of software selection for you. We review hundreds of computer programs for youngsters - invite children like yours to test them - then select only the ones that combine active fun with measurable learning in:

- \* MATH \* SOCIAL SCIENCE AND GEOGRAPHY \* SCIENCE
- \* LANGUAGE ARTS AND READING \* CRITICAL THINKING SKILLS ....AND MORE IMPORTANT SKILLS!

#### Software Geared to Your Child's Age and Interests

To find out which programs are best for your child, check the colored square by each program: they're keyed in three age groups.

Blue programs introduce your 3-7 year-olds to the computer with activities that arouse their curiosity...capture their imagination...and instill a lifelong love of learning. Red programs turn the Three R's into rip-roaring adventures for 7-10 yearolds with programs developed to supplement their education and turn their weaknesses into strengths. Green programs stretch the minds of 10-13+ year-olds with sophisticated software that make academic challenges fun and rewarding!

#### How the Club Operates:

Try your first computer program FREE for 15 days at no risk or obligation. Just select the software package of your choice, fill out the coupon and mail it today.

We'll send you the program you select. If you are pleased with the program, you'll pay for it at the Charter Members' price of just \$9.95 plus shipping and handling, a savings of up to \$50.00 off the retail price.

Then about every four weeks (13 times a year) you'll receive a new Parents Newsletter with details about the next selection for your child. To receive the main selection, you need do nothing — it will be sent automatically. If you wish to order an alternate selection, or wish no selection at all, simply return the card we provide to tell us your choice. You will always have at least 10 days to decide.

#### Enjoy a 15-Day Free Trial

What's more, you will always have 15 days to preview each shipment and return any program you don't want. Your only commitment is to purchase three additional selections in the next year at regular club prices. You may cancel your membership anytime thereafter. You have absolutely nothing to lose, and a whole new world of fun and learning to gain for your children. So don't wait: return the coupon today!

Circle Reader Service Number 118

Charter members receive the Learning Adventure Computer Club Parents Newsletter FREE. Featuring a host of recommended software for children 3-13+!

#### Mail to: Learning Adventure™ Computer Club 925 Oak Street, Scranton, PA 18515 Dept. TARAA1

	days at no risk or obligation. I may return the program after 15 days and have no further obligation. If I am pleased with the program, I'll pay for it at the special new member price of only \$9.95 plus \$2.95 shipping and handling, and enroll as a new member under the terms outlined on this page. As a new member, I need to buy just 3 more selections at regular club prices in the next year and may cancel any time thereafter.					
i	Name					
i	Address					

City		State	Zip
Telephone (	)		
	ne item number number of program		
2. AGE of child (	check one):		

	_ 3-/	7-10	10-13+		
3.	Compute	er you own	and size of dis	sk required (che	ck one)
				b E 1/4" diali dei	

IBM/Tandy & Compatibles with 5 1/4" disk drive IBM/Tandy & Compatibles with 3 1/2" disk drive

Apple II Family & Compatibles with 5 1/4" disk drive 4. Child's name\_

Child's birthdate: Month\_ Day Year 5. Please check below if you have a:

Printer ■ Modem ■ Color Monitor

6. Parent's Signature We reserve the right to request additional information or reject any application or cancel any membership. Limited to new members in the continental USA only excluding AK. Sales tax will be added in PA. We'll send you details of the clubs operation with your enrollment shipment, and you have a 15-day no-obligation privilege to decide if you wish to continue as a member.

## BUYER'S GUIDE TO VIRUS PROTECTION SOFTWARE



BY
CHANTELLE OLIGSCHLAEGER
AND
ERIN RICHTER

# PC Productivity Manager

Work at your peak potential! **Break free of cumbersome MS-DOS** restrictions and limitations! Single keypresses or mouse clicks do it all for you with COMPUTE's super new PC Productivity Manager.

**新自己的第三人称单数形式** 


Packed with 38 PC batch-file extensions and power utilities, this easy-to-use disk includes individual help menus for every program. You don't have to be a computer maven—just press F1 for Help anytime!


The power utilities alone are worth many times the cost of this disk. Imagine! Programs to speed up your keyboard, edit disk files, edit and search memory, find a specific text string in disk files—plus memory-resident programs such as a popup calculator, a programmer's reference tool, an editable macro key program, and a graphic screen-capture utility, and more all included on this jam-packed disk.


Our batch-file extensions add new commands to standard batch-file language. Now you can easily create menus, draw boxes, and write strings in your choice of colors anywhere on the screen-all with simple, easy-to-use commands. Then, add some zest to your batch files with a command that lets you play a series of notes!

Plus handy system tools let you delete an entire subdirectory with one command, find out if the system has enough memory for an application before it runs, cause the computer to remember the current directory so that you can come back to it later. and much, much, more.

ORDER YOUR PC PRODUCTIVITY







☐ YES! Please send me \_\_ 5¼ inch disk(s) (\$14.95 each) \_\_ 3½ inch disk(s) (\$15.95 each).

Sales Tax (Residents of NC and NY please add appropriate sales tax for your area. Canadian orders, add 7% goods and services tax. ) Shipping and Handling (\$2.00 U.S. and Canada, \$3.00 surface mail, \$5.00 airmail per disk.) Total Enclosed \_\_ Check or Money Order \_\_ MasterCard \_\_ VISA

(MasterCard and Visa accepted on orders with subtotal over \$20.)

Credit Card No. Signature Daytime Telephone No. Send your order to COMPUTE's PC Productivity Manager. 324 W. Wendover Ave., Suite 200, Greensboro, NC 27408. Although your chances of encountering a computer virus are slim, protecting yourself with the right software can give you peace of mind. You may opt to use a resident program that continually monitors your system; you may want to scan new software before you install it. No matter what level of virus protection you're after, you'll find the software you need in this buyer's guide.

#### Anti-Virus 1.0

Requirements: DOS 3.0 or higher, 512K. *Windows* supported.

Spectrum of viruses: Protects against 400 viruses.

Defense: Memory-resident program removes 95 percent of viruses that it recognizes from infected files, boot sector, or memory. Also immunizes files, giving them their own antivirus capabilities to notify user of any changes and to "heal" themselves.

Network support: Yes.

Customer support: Central Point Software offers a 24-hour virus hotline, quarterly mailings on new virus signatures and upgrade offers, online support on BBS and CompuServe (GOCENTRAL), and a free virus-protection software update coupon.

Comments: Virus Update command allows users to enter newly discovered virus signatures into *Anti-Virus*.

CENTRAL POINT SOFTWARE 15220 NW Greenbrier Pkwy., Ste. 200 Beaverton, OR 97006 (800) 445-4208—customer service (503) 690-8080—technical support

\$129

#### **AntiVirusPlus**

Requirements: DOS 3.0 or higher,

Spectrum of viruses: Not applicable. Defense: Memory-resident program prevents any penetration of viruses into files and disks. It does not detect individual virus signatures, but it does send a warning if there is hostile activity. *AntiVirusPlus* also monitors DOS function calls, allowing the user to run an infected program without activating the virus. It scans and removes the virus code from the infected files as it reconstructs the original data.

Network support: Yes.

Customer support: Telephone, fax, and BBS.

Comments: Site licenses available.

TECHMAR COMPUTER PRODUCTS 97-77 Queens Blvd., Ste. 812 Rego Park, NY 11374 (800) 922-0015 (718) 997-6666 \$99.95 (Network prices differ.)

#### Certus 2.1

Requirements: DOS 3.1 or higher, floppy drive and 128K needed for installation, 3K to 10K needed when resident. Compatible with *Windows* 3.0.

Spectrum of viruses: Protects against more than 300 viruses and variants.

Defense: Memory-resident program detects, identifies, and removes viruses and variants in the computer's memory, boot tracks, and files. Can be configured to prevent infected files from running or to prevent infected files from being copied to or from a system.

Network support: Yes.

Customer support: Toll-free telephone and BBS support. Free quarterly upgrades included with purchase of maintenance program (cost depends on purchase price). Otherwise, upgrades cost \$25 each.

Comments: Corporate licensing is available.

CERTUS INTERNATIONAL 13110 Shaker Sq. Cleveland, OH 44120 (800) 722-8737 \$189 (LAN version for \$1,399.)

#### **CLEAN-UP**

Requirements: DOS 2.0 or higher,

Spectrum of viruses: Protects against 62 viruses as of June 20, 1991.

Defense: Stand-alone program disinfects by removing the viral code and rewriting the cleaned program.

Network support: Yes.
Customer support: Telephone.

Comments: CLEAN-UP is shareware.

MCAFEE ASSOCIATES 4423 Cheeney St. Santa Clara, CA 95054-0253 (408) 988-3832 \$35

#### Dr. Solomon's Anti-Virus Toolkit

Requirements: DOS 2.0 or higher, 512K. Supports *Windows* and OS/2 by booting from DOS.

Spectrum of viruses: Detects more than 450 viruses and variants.

Defense: Stand-alone program guards against duplicate infections, protects from outside infections, and inoculates against specific viruses. Checks all the executable files, boot sector, and hard disk partitions. Looks for the patterns that viruses create, enabling it to check for unknown viruses.

Network support: Yes.

Customer support: Telephone and fax support. Includes first year of quarterly upgrades.

Comments: Site licensing available. Software supplied on read-only disks. ONTRACK COMPUTER SYSTEMS 6321 Bury Dr.

Eden Prairie, MN 55346

(800) 752-1333

\$279.95 for one year, Virus Immunization Program available for an additional \$395.00 per year.

#### Flu-Shot+ 1.82

Requirements: 256K. Compatible with *Windows*.

Spectrum of viruses: Protects against more than 500 viruses.

Defense: Memory-resident and standalone programs monitor system and stop operation if anything suspicious occurs. Does not disinfect.

Network support: Yes.

Customer Support: Free support is available by telephone, BBS, and CompuServe E-mail. Discounts on upgraded software are available for registered users.

SOFTWARE CONCEPTS DESIGN 594 Third Ave. New York, NY 10016 (212) 889-6431 \$19 (Includes shipping and handling.)

#### **HardDrive Overlord!**

Requirements: DOS 3.0 or higher, 275K. Compatible with *Windows* 3.0. Spectrum of viruses: Not applicable. Defense: Memory-resident program detects viruses on disks and hard drives by monitoring activity and notifying the user if any problems occur that could be virus related. Authenticators validate programs to ensure that they have not been damaged by a virus. They also check a program's footprint to ensure that it matches the one on file.

Network support: Yes. Customer support: Telephone. Comments: Site licenses available.

POP COMPUTER PRODUCTS P.O. Box 1389 Evergreen, CO 80439 (303) 674-0200 \$99.95

#### PC/Assure 3.5

Requirements: DOS 3.0 to 4.0, 640K. Compatible with *Windows* 3.0. Spectrum of viruses: Not applicable.

Defense: Memory-resident program protects files from any unauthorized changes and keeps unauthorized files from running on computer.

Network support: NetAssure is available for each workstation; NetServer is available for the file server.

Customer support: Toll-free telephone. Comments: *PC/Assure* offers security features in addition to virus protection.

# **Enhance Your Tandy** \*

Hard Cards For 1000, A, SX, TX, SL, TL, SL/2, TL/2, TL/3, IBM & Compatibles 21 Meg 40 MS \$229 \$239 32 Meg 40 MS \$299 42 Meg 28 MS 68 Meg 23 MS \$359 85 Meg 16 MS \$399 105 Meg 20 MS \$469 120 Meg 19 MS \$499 \$689 210 Meg 15 MS 15 Month Warranty, 30 Day Money Back Guarantee. TOLL FREE Help Line.

#### 1000 EX/HX

#### **External Hard Drives**

Complete With Controller 21 Meg 40MS \$349 32 Meg 40MS \$359 42 Meg 28MS \$399 68 Meg 23MS \$429 85 Meg 16MS \$449 105 Meg 20MS \$489 120 Meg 19MS \$529 210 Meg 15MS \$699 1000 HX

#### **Internal Hard Drives**

Complete with controller. Replace a Floppy 42 Meg 28 MS \$299

85 Meg 16 MS \$389 120 Meg 19 MS \$489

130 Meg 15 MS \$539

IDE 'SmartDrive' For built in Controller of TL/2, TL/3, RL, RLX

42 Meg 28 MS \$289


CD ROM For 1000's and SLOT BOX

Internal, complete with software \$349

#### SLOT BOX Seven full length

slots, two 5.25" drive bays, one 3.5" drive bay. Power and hard drive lights. 200 Watt Power supply, cooling fan. Attaches to EX, HX, 1000, A, SX, TX, SL, TL, SL/2, TL/2,

\$279.00 RL, TL/3, and RLX



#### Floppy Drive Solutions

360K	\$ 99	\$199			
1.2 Meg	\$189*	\$259*			
720K	\$109	\$199			
1.44 Meg	\$189*	\$259*			
* For all excep	For all except 1000, A, EX, HX, SX				
720K or 360K External for E		\$129			

#### Memory

1000, A to 640 K W/Clock, Ser.	\$229
256K EX or HX to 640K	\$189
256K 1200 or IBM to 640K	\$189
384K SX, EX, HX, SL to 640K	\$49
TX,TL, TL/2, TL/3 to 768K	\$49
3000NL from 512K to 640K	\$49
1000RL to 768K	\$39
1000RLX to One Meg	\$39



**Upgrading Your Tandy** ®

215 information packed pages on performance enhancing upgrades and installation. Covers the 1000, A, EX, HX, SX, TX, SL, TL, SL/2, TL/2, RL, and the new TL/3 \$19.95 Plus \$5.00 S&H

#### VGA Combinations

For SX, TX, SL, TL, SL/2, TL/2, RL, TL/3, 3000's, IBM, Compatibles

#### Combo \$489

Monitor: 14" CTX .28 Dot Pitch Card: Paradise 256K 640 X 480, 256 Colors

#### Super Combo \$589

Monitor: 14" CTX .28 Dot Pitch Card: Trident 1 Meg 1024 X 768, 256 Colors

#### Memory Above 640K

#### MicroMainframe 5150T EMS Board

More Space for Spreadsheets, Windows, and more

For 1000, A, SX, TX, SL, TL, SL/2, TL/2, RL, TL/3, RLX

1 Meg \$229 2 Meg

1 Meg for 1500 or 2810 Laptops, also for Panasonic CF-170, 270, 370

#### Modems and Faxes

Hayes Compatible, Includes Software

2400 Baud Internal \$79 2400 Baud External \$99 9600 Baud Internal \$349 Fax/Modem Internal \$159 9600 Baud Fax, 2400 Baud Modem

360dpi Mouse W/Software \$49 Serial Card All Except HX/EX \$29

Serial Card EX/HX \$49

Windows, are registered Trademarks, Prices Subject to change without notice.

(614) - 592-4239 Foreign (614) - 592-1527 FAX (614) - 594-4180 Local

#### Math Coprocessors

For TX, TL, TL/2, TL/3, 80286's up to 12Mhz. SALE Priced at \$139.00

Math Sprint Socket

makes 80287 up to 200% faster \$59.00

#### Speed up Chips

50% Faster

For Tandy 1000, A, SX, and IBM XT For 1000SL, SL/2, and AT&T

PC Sprint \$75

100% Faster. For 1000,A, IBM XT

CS Industries Tandy, Hayes, IBM, AT & T,

5265 Hebbardsville Rd Athens, Ohio 45701

U.S. and Canada

C.O.D.









\$289

\$29

\$39

Circle Reader Service Number 120

CENTEL FEDERAL SYSTEMS & SERVICES
Information Security Division 11400 Commerce Park Dr. Reston, VA 22091-1506 (703) 758-7000 \$399

#### PC-cillin 3.0

Requirements: DOS 2.1 or higher, 6K, one 25-pin parallel port.

Spectrum of viruses: Four-stage program detects and prevents all known and future viruses, quarantines viruses coming from external sources. Hardware Immunizer provides automatic boot-sector damage recovery. Supplies option to remove infected file but does not repair it. Hardware Immunizer contains 1Kb of nonvolatile EPROM memory.

Defense: Device driver and memoryresident program check files, file allocation tables, and the system RAM. Allows a choice of three virus detection sensitivity levels, user definable virus warning messages, and automatic online scan for boot sector viruses. Contains built-in self-check.

Network Support: Yes.

Customer support: Toll-free telephone, fax, and BBS support. Updates free for first year through BBS. At the end of first year, upgrades will cost 15 percent of the list price.

Comments: One-year warranty. Site licensing available. Fully compatible with newly developed or upgraded memory management systems, including *QEMM*, 386Max, and DR DOS 5.0.

TREND MICRO DEVICES
2421 W. 205th St., Ste. D-100
Torrance, CA 90501
(800) 228-5651
\$139 (PC Rx, a software-only version of PC-cillin, is available for \$69. Package

includes discount coupon to upgrade with hardware.)

min narawaro.

#### SENTRY

Requirements: DOS 2.0 or higher, 256K.

Spectrum of viruses: Not applicable. Defense: Stand-alone program creates a log file of system and compares it to the computer's current state. It displays a warning if there's a discrepancy.

Network support: No.

Customer support: Telephone.

Comments: This is a shareware program.

MCAFEE ASSOCIATES 4423 Cheeney St. Santa Clara, CA 95054-0253 (408) 988-3832 \$25

#### Vaccine Toolkit 4.0

Requirements: DOS 2.0 or higher, 256K. Compatible with *Windows* 3.0. Spectrum of viruses: Scans for and detects more than 400 viruses. When a virus is detected, it offers options to delete the file, leave the file as is, or provide description of the virus for reference.

Defense: Combined memory-resident and stand-alone programs check boot sector files, executable-type files, and overlays. The software utilizes a listing of virus signatures to detect the presence of known viruses and warns user of potential virus activity through creation of executable file checksum. To avoid false alarms, the software can be "taught" which programs on the system are safe.

Network support: VacNet is similar to Vaccine Toolkit but specifically designed for networks. Retail price \$99.95.

Customer support: Toll-free telephone, fax, and BBS support. Updates released approximately monthly on BBS. Comments: Site licensing and volume discounts available.

WORLDWIDE SOFTWARE 20 Exchange Pl., 27th Floor New York, NY 10005 (212) 422-4100 \$99.95

#### Virex-PC

Requirements: DOS 2.1 or higher, 512K. Compatible with *Windows* 3.0 and Novell networks.

Spectrum of viruses: Detects more than 70 viruses.

Defense: Memory-resident program repairs files damaged by the most common viruses. Once a system is disinfected, the program monitors it to prevent any other virus attacks. The program creates a signature for each file and notifies the user if any changes have been made.

Network support: Yes.

Customer support: Microcom offers virus upgrades on a quarterly basis. Users can subscribe for \$75 or buy each update for \$25. Microcom can be accessed through America Online; it also offers a free file analysis through that network.

Comments: Site-license discounts available; Virex-PC also detects any activities of the Trojan Horse program. Virex is also available for Macintosh computers.

MICROCOM 3700-B Lyckan Pkwy. Durham, NC 27707 (919) 490-1277 \$129.95

#### Virucide 2.2

Requirements: DOS 2.11 or higher, two floppy disk drives or a hard disk drive, any monitor or printer, 256K.

Spectrum of viruses: Detects and destroys all currently known viruses as of May 1991, a total of 490 boot, file, and stealth viruses, including those that reside in memory.

Defense: Stand-alone program scans floppy, hard disk, and network drives. Restores affected files to normal whenever possible. Provides descriptions of all known viruses. Able to run unattended. Lets users add to default extensions for scanning overlays.

Network support: Yes.

Customer support: Telephone and fax support. Includes an online reference file containing detailed descriptions of all known viruses. Includes the availability of upgrades (approximately quarterly) as new strains develop. If an upgrade is released within 60 days after purchase, the upgrade is free. After that it costs \$12.

Comments: Site licensing available. Runs in less than a minute under most circumstances. Menu-driven format.

PARSONS TECHNOLOGY 375 Collins Rd. NE Cedar Rapids, IA 52402 (800) 223-6925—direct sales (800) 369-5000—dealer sales \$49

#### Virusafe 4.02

Requirements: DOS 3.0 or higher, 512K. Compatible with *Windows* and *DESQView.* 

Spectrum of viruses: Recognizes over 260 known viruses, removes over 160. Updated regularly.

Defense: Memory-resident program seeks, identifies, and removes known viruses in programs. Also checks programs for virus-related changes and guards against new virus attacks.

Network support: Yes. A special feature notifies users of virus in any part of the network.

Customer support: Telephone and fax. Comments: Site licenses are available for *Virusafe. Multisafe*, which gives the user control over who uses the computer, is also available for \$180.

XTREE 4330 Sante Fe Rd. San Luis Obispo, CA 93401 (805) 541-0604 \$99

#### VIRUSCAN

Requirements: DOS 2.0 or higher,

Spectrum of viruses: Detects 760 viruses as of June 20, 1991.

Defense: Stand-alone program scans all drives for known viruses. It identifies and locates the virus on the system.

Network support: NETSCAN is the network file-server version of VIRUSCAN. It checks the file server only, while individual stations require VIRUSCAN. Its price depends upon the number of units using this program.

Customer support: Telephone.

Comments: VIRUSCAN is shareware.

MCAFEE ASSOCIATES 4423 Cheeney St. Santa Clara, CA 95054-0253 (408) 988-3832 \$25

#### Virus Checker

Requirements: IBM PC or compatible. Spectrum of viruses: Approximately one-third of all viruses.

Defense: Stand-alone program checks disks to see if they have been infected. If it finds a virus, it will alert the user of the infection. It can only detect viruses in EXE files.

Network support: No.

Customer support: Telephone and mail.

Comments: This is a freeware program that can be backed up with Super Virus Checker for \$25. Super Virus Checker uses six programs that more thoroughly detect or remove 99 percent of known viruses.

LEITHAUSER RESEARCH 4649 Van Kleeck Dr. New Smyrna Beach, FL 32169 (904) 423-0705 Free

#### VirusCure Plus

Requirements: DOS 2.1 or higher, 256K.

Spectrum of viruses: Detects more than 500 viruses and removes more than 240.

Defense: Memory-resident program scans memory and prevents viruses from entering the system. If a virus is detected, the program will destroy it before it infects any files. It also repairs and restores damaged files.

Network support: Yes.

Customer support: Telephone, BBS, 24-hour Virus Helpline. Registered users may have free upgrades for two years after purchase. Afterwards, users can buy four upgrades for \$30.

Comments: Site licenses available.

INTERNATIONAL MICROCOMPUTER SOFTWARE 1938 Fourth St. San Rafael, CA 94901 (800) 833-4674 \$99.95

#### Virus Prevention Plus

Requirements: DOS 3.1 or higher, 512K

Spectrum of viruses: Detects more than 400 viruses.

Defense: Stand-alone program prevents unauthorized use of the PC, "fingerprints" all approved programs to tell if program has changed, prevents unapproved programs from running, prevents writing to the boot and partition sectors, detects viruses, scans new and existing programs, and removes viruses.

Network support: Yes.

Customer support: One hour of free telephone support, upgrades for six

months after purchase.

Comments: This program uses McAfee Associates' VIRUSCAN for detection of viruses. It can also be used with McAfee's NETSCAN.

PC GUARDIAN 118 Alto St. San Rafael, CA 94901 (800) 288-8126 (415) 459-0190—inside CA \$124.95 (With *VIRUSCAN*, add \$25.00.)

#### **VIRUS-PRO**

Requirements: 512K.

Spectrum of viruses: Not applicable. Defense: Stand-alone program detects any changes to installed software, It also maintains records and checks new scan files against old scan files.

Network support: Yes.
Customer support: Telephone.

Comments: Corporate VIRUS-PRO assigns an identifier to each PC and also has a Baseline to compare software with the corporate standard.

INTERNATIONAL SECURITY TECHNOLOGY

515 Madison Ave., Ste. 3200 New York, NY 10022

(212) 288-3101

\$49.95 per copy, single-PC version. Volume discounts available. *Corporate VI-RUS-PRO* costs between \$5 and \$15 per PC depending on the number of PCs using the program.

#### Virus Secure

Requirements: DOS 3.0 or higher, Windows 3.0, 1MB.

Spectrum of viruses: Guards against more than 300 varieties of known computer viruses as well as unknown ones, expandable to over 500 through free BBS.

Defense: Stand-alone program scans every file, selected file types, specific directories, or any combination for changes in files. Drives may be included or excluded from disk scans. Network support: No.

Customer support: Telephone and BBS support. Updates will be available through data information networks, as well as other more traditional means. Comments: Site licensing available.

ABACUS 5370 52nd St. SE Grand Rapids, MI 49512 (616) 698-0330 \$95

Virus Stopper 2.01

Requirements: IBM PC or compatible. Spectrum of viruses: 99 percent of all viruses.

Defense: Memory-resident program helps prevent the spread of viruses from one disk to another. The program also prevents any damage to the system by displaying a warning to the user so that action can be taken.

Network support: No.

Customer support: Telephone and mail.

Comments: This is a shareware program.

LEITHAUSER RESEARCH 4649 Van Kleeck Dr. New Smyrna Beach, FL 32169 (904) 423-0705 \$10

Vi-Spy 6.0

Requirements: DOS 2.0 to 4.0, 128K. Spectrum of viruses: Identifies 20 known viruses.

Defense: Memory-resident program checks for known and unknown viruses by showing a map of the system's memory and checking each area for any differences that could be viruses. It also checks disks when they are first entered into the drive.

Network support: Yes.

Customer support: Telephone. Registered users are notified of any updated information; emergency support is available using an ASCII text file.

Comments: Site licenses available. Version 7.0 will soon be available, but the price was not known at press time.

RG SOFTWARE SYSTEMS 6900 E. Camelback Rd., Ste. 630 Scottsdale, AZ 85251 (602) 423-8000 \$250


#### **VSHIELD**

Requirements: IBM PC or compatible, DOS 2.0 or higher, 256K.

Spectrum of viruses: Protects against 760 viruses as of June 20, 1991.

Defense: Memory-resident program scans for known viruses and then monitors all program load requests.

OCTOBER 1991 COMPUTE



A comprehensive memory and reference guide for the IBM PC, this programmer's handbook includes programming tips and techniques, examples, and detailed explanations. In addition to comprehensive memory and port maps, the book provides in-depth discussions of the keyboard, video, and sound; cross-references the IBM documentation; and includes a complete list of BASIC tokens. For IBM PC, XT, XT/370, PCjr, Portable PC, or 3270PC. 336pp

Explore Quattro Pro's numerous features in this comprehensive guide that's perfect for both new and experienced users. In this interactive tutorial, you'll learn how to design, create, and get the most from your own spreadsheets. This reference and guidebook will help you master the power of Borland's Quattro. 544pp

\$24.95 \$12.00

Order your copy today. Send the appropriate amount plus \$2 for shipping and handling for each book (\$4 to Canada, \$6 foreign) and applicable sales tax (if you live in NC, NJ, or NY) or GIS tax (if you live in Canada) to COMPUTE Books, c/o CCC, 2500 McClellan Avenue, Pennsauken, NJ 08109.

Please allow 4-6 weeks for delivery. Offer good while supplies last.

Wectin.

"Your computer will see you now..."

VSHIELD prevents infected programs from being loaded and infecting the system.

Network support: It does support workstations, but not file servers.

Customer support: Telephone.

Comments: This is a shareware

program.

MCAFEE ASSOCIATES 4423 Cheeney St. Santa Clara, CA 95054-0253 (408) 988-3832 \$25

**WATCHDOG PC Data Security** 

Requirements: IBM PC, PS/2, or compatibles with a hard disk drive and one floppy disk drive. DOS 2.1 or higher or IBM OS/2 1.1 Standard and 1.1 Extended required. Also compatible with Windows 3.0; 17K required for Basic Security; OK to 50K required for Maximum Security depending on EMS memory available.

Spectrum of viruses: Detects, thwarts, and reports common computer viruses. Defense: The program (device driver in CONFIG.SYS) prevents a virus from altering or destroying any DOS system file, including the files used to boot the PC from the hard disk and the files used to operate the PC. Protects disk drives, directories, program and data files, and utilities by placing them within the security environment.

Network support: Yes.

Customer support: Toll-free telephone support. One major upgrade per year with other upgrades released when necessary. Upgrades are free with membership (\$35 per year) in the maintenance program. Otherwise, upgrades are \$50 each.

Comments: Site licensing available. (Virus protection is one part of overall security software that features ID and password control, multiple user permission levels, automatic file encryption, and audit trails.)

FISCHER INTERNATIONAL SYSTEMS 4073 Merchantile Ave.
Naples, FL 33942 (800) 237-4510 \$295 (Standard retail; ½ card option, called WATCHDOG Armor, \$445.)

Chantelle Oligschlaeger and Erin Richter worked with *COMPUTE* this past summer as participants in the American Society of Magazine Editors 1991 Magazine Internship Program. Chantelle is a rising senior at the University of Missouri in Columbia. Erin was recently graduated from the University of Texas in Austin. The entire staff wishes them the best of luck.

# INTRODOS

Tony Roberts

#### **KEYBOARD** RESHUFFLE

How would you like to have your own set of DOS function keys? Using the ANSI.SYS device driver, which extends the keyboard and screen functions of DOS, you can establish your own personal set of

keyboard macros.

If ANSI.SYS, which is part of the DOS package, isn't installed on your system, add the line DEVICE=ANSI.SYS to your CONFIG.SYS startup file. (If ANSI.SYS is stored in a directory other than your root directory, be sure to include the complete path so DOS can locate the file.)

ANSI.SYS allows you to redefine keys through ANSI escape sequences. The general format for an escape sequence is the combination of the Escape character (ASCII 27), the Left Bracket character ([), one or more decimal numbers or strings separated by semicolons, and a Command character.

To create an escape sequence for key redefinition, load the word processor or text editor you use to modify your AUTOEXEC.BAT and CON-FIG.SYS files. Make certain your editor can save unformatted ASCII files or text files.

These commands can't be entered directly from DOS because the commands must contain the Escape character. As you may know, pressing the Esc key in DOS clears the command line-not the effect we're trying to achieve.

Enter the lines below, substituting the Escape character for the letters ESC at the beginning of each line. (In many word processors, you can simply press the Esc key to generate the Escape character.)

ESC[0;67;"DIR A:"P ESC[0;68;"DIR A:"13P

The numbers 0;67 and 0;68 are the extended character codes for the F9 and F10 keys respectively. The first of the two lines above assigns the string DIR A: to the F9 key. The second line adds a carriage return (ASCII 13) to the same command and assigns the string to F10.

Save the file under the name KEYS.ANS; then go to DOS and execute the command TYPE KEYS.ANS to install the new key definitions. Press the F9 and F10 keys to see how the two versions of the command behave.

Using this procedure, you can assign strings to function keys to run favorite programs with a single keystroke or to simplify data entry chores.

For example, if you're entering name and address information into a label program and you're working on a local list where nearly everyone lives in your hometown, you can save time by putting the string HOMETOWN, STATE ZIP on a function key.

Here in Greensboro, North Carolina, we have several ZIP codes, but they all begin with 274. I define my function keys to include GREENS-BORO, NC 274. I simply press the assigned key, enter the last two digits of the ZIP code, and quickly move to the next record.

There are a few things to keep in mind when using AN-SI key redefinitions. First, you can't redefine too many keys. The ANSI.SYS driver only allows about 200 characters of redefinitions.

Second, many programs redefine the function keys for their own purposes. When you use those programs, your key definitions will be suspended until you return to DOS.

Third, DOS itself uses a few of the function keys. You're free to redefine them, but you'll overwrite the DOS defaults. DOS uses keys F1-F6 as command line editing keys.

Lastly, the keys are redefined using your environment space. Make sure you have enough allocated in your CON-FIG.SYS file. Here's a line from a CONFIG.SYS file that gives the environment 512 bytes.

#### SHELL=COMMAND.COM /P/E:512

Redefined keys stay in force until you change them or reboot. If you develop a set of redefinitions that you use regularly, you may want to place them in your AUTOEX-EC.BAT file, so they take effect each time you boot up.

To do this, either have your AUTOEXEC.BAT execute the command TYPE kevfile. where keyfile is the name of the file that stores your redefinitions, or add the ECHO command to each of your key redefinitions and include the redefinitions right in the AU-TOEXEC.BAT file.

example. **ECHO** ESC[0;66;"CHKDSK";13P reprograms the F8 key to run the CHKDSK program on the default disk.

If you're ready to begin setting up your own personal macros, you'll need the extended character codes for the function keys. They are 0;59-0;68 for F1-F10, 0;84-0;93 for Shift-F1-Shift-F10, 0;94-0;103 for Ctrl-F1-Ctrl-F10, and 0;104-0:113 for Alt-F1-Alt-F10.

The 0 that precedes each of these code numbers tells AN-SI.SYS that the following value is an extended character code. If you leave off the 0, AN-SI.SYS treats the number you supply as an ASCII value.

You could, if you wanted, redefine the lowercase a (ASCII 97) to be an uppercase A (AS-CII 65) with the command ESC[97;65P. To return a, changed key back to normal, assign it to itself as in ESC[97:97P.

Create your own set of keyboard macros with a DOS program that you already have.

# PROGRAMMING POWER

Tom Campbell

# ASSEMBLY MEANS SPEED

This issue's program is a good example of both the benefits and the perils of programming in assembly. It's tiny, but its 100 lines would only require 10 or 12 lines in a higher-level

language.

FMFD.COM is a utility that does nothing more than send a form feed to the specified printer. Some text editors and other text-processing tools (such as DOS's COPY command with LPT as the destination) don't offer the courtesy of forcing a page break when a partial page of text is printed. While it's true that you can reach over and push the form feed button on your printer, you may need to perform this operation from a batch file.

The syntax of FMFD is FMFD port, where port is an optional parallel port number from 1 to 4. If you omit the number, port 1 is assumed. Here are some examples: FMFD, FMFD 1, FMFD 3. The first two examples send a page break to LPT1. The third example sends it to LPT3. If you use a serial port for your printer, you're out of luck.

The first section FMFD.ASM consists equates. Like the #define in C, they serve as a single-object text-replacement facility. Assemblers make a secret first pass at your code so they can collect equates and macros (we'll get to macros shortly); then they expand them into a temporary file, which is actually the file that gets assembled. In MASM and TASM, the /L option creates a file with an LST extension exposing the inner workings of macros and equates. The line FormFeed EQU 12 means that we can later use FormFeed instead of a literal form feed character source file) or the number 12 and that the assembler will replace it with 12 internally. You can also use the equal sign for equates.

The PrintMsg macro looks like a subroutine, but it isn't. Macros, like equates, work via text replacement, but they allow parameters and aren't restricted to a single line. So instead of *PrintMsg BadChar*, the assembler will see, on its second pass, this code:

mov dx, es mov ds, dx mov dx, offset BadChar mov ah, 9 int 21h

The .Model directive, pioneered by Microsoft in *MASM* 5, is new to assemblers. Its purpose is to make multilanguage programming easier by automatically supplying different default values for procedure calls and data (near versus far in both cases).

No doubt Microsoft's own programmers got tired of writing similar but not identical runtime libraries for all their languages. Ironically, the Tiny model won't work with MASM 5.1, but it will work with 6.0 and QuickAssembler, the one you're more likely to own. Many of QuickAssembler's features couldn't be found in 5.1 but were debuting in 6.0. Tiny will work fine with Borland's Turbo Assembler.

The .Code directive means executable code will follow. You can alternate several .Code, .Data, and .Stack directives in each file, but few do. It's considered good form to collect each element into one location. The .Code directive stands in for the more archaic \_TEXT SEGMENT WORD PUBLIC 'CODE'.

EQU 12 means that we can later use FormFeed instead of a literal form feed character (which would corrupt the literal form feed character). It's said that .Code is a simplified segment directive because of this, and that's absolutely true. The old way was

more flexible but is virtually never needed now, except perhaps for writing device drivers. The old segment directives are barbaric and unreadable, and you should be ashamed to use them.

ORG 100h forces execution to start at address 100 hex, or 256 decimal. All COM files do this. While Microsoft tried to prohibit the practice some years ago, even to the point of dropping COM support from every single one of its language products, popular sentiment was overwhelminaly for COM files. The EXE format lets DOS move the program anywhere it needs to (EXE files, in fact, are not completely linked until just before execution starts), but COM files are always at least 512 bytes smaller. This matters if you're using a laptop or a RAM disk. Plus, there's a vast body of source code for COM files free for the asking.

At this point, not a single line of executable code has appeared. That will change. About half of FMFD's 102 bytes are used in parsing the text of the command line. which is located at offset 81h in the PSP. The PSP, or Program Segment Prefix, is a data structure that DOS loads right before your program and which contains lots of useful values. It so happens that in a COM file the segment registers all point to the PSP, so all we have to do to point DS:SI at the command line is write the value 81h to SI.

The LODSB instruction is a nifty little dude that does several things at once. It copies the byte pointed to by DS:SI into AL; then it increments SI to point to the next byte. (The STD instruction can be used to bump SI backward instead.) The command line is terminated by a carriage return (ASCII 13—see the equates), so we simply loop

When speed is essential, assembly language is your ticket for a ride on the lightning bolt express.

until a nonblank character or CR is encountered. Lines like this aren't all that hard to comprehend.

#### cmp al, CR; Reached end yet? je @@Finished; Yes.

The value contained in AL is compared to 13. If they're equal, control passes (via jump if equal) to the code labeled @@Finished. Note that Turbo Assembler treats any labels starting with two @ signs as local to that procedure, so you can reuse generic labels like @@TryNext or @@Exit as often as you want.

CX was set to 0 before starting and is set to 1 if a valid digit is found. If not, CX is still 0, and the default value of 1 is inserted. INT 17h, subfunction 0 writes a byte to the specified printer port whose number is written to DX. Port 1 is 0, Port 2 is 1, and so on. The instruction SUB AL, '1' normalizes the ASCII digit by subtracting the value 49 from whatever's in AL, leaving the correct binary value.

While I would normally suggest that you use DOS to open the printer as a file and write to it, using INT 17h has the welcome side effect of omitting nasty messages such as Abort, Retry, Fail? if the printer device isn't connected properly or is otherwise engaged. It just waits awhile and then quits. There are times when having only a hundred lines is a virtue!

Finally, instead of the usual RET instruction, the more formal technique of exiting with DOS function 21h, subfunction 4Ch is employed. A RET works in COM files but not EXE files, so I avoid it. While it would save a couple of bytes, FMFD.COM still won't occupy even the smallest possible disk sector. After all, this isn't C or Pascal. We can afford the extra two bytes.

Begin

END

```
: FMFD.ASM -- Complete program to send a form feed to any printer
   To assemble using Turbo Assembler:
        TASM FMFD
         TLINK /T FMFD
: Equates -- these are text replacements, similar to #defines in C.
                                                                       ; ASCII carriage return.
; ASCII form feed character.
; ASCII linefeed.
                                EQU 13
EQU 12
FormFeed
                                EOU 10
Tab
                                EQU 9
                                                                       : ASCII tab.
                                                                                         A macro, like an equate, is a
text-replacement facility.
This loads the correct data
segment and uses DOS function
9 to print a '$'-terminated
PrintMsg
                                macro Message
                                mov dx, es
mov dx, dx
mov dx, offset Message
mov ah, 9
int 21h
                                                                                      : message.
; The Tiny model allows you to create .COM files. It's identical to ; Small model except that 1) Small requires a .Stack directive, and ; 2) Tiny employs the ORG 100h to start execution at address 256 decimal, ; not changeable as in an .EXE file.
                                Model Tiny
   The .Code directive indicates that the code segment starts. It lasts until the next .Data or .Stack directive. The code segment is where executable instructions go.
; .COM files start at a fixed location--256 bytes above the PSP, which ; contains information used by many programs. The starting address of an ; .EXE file is not known until runtime. ORG sets the program counter to ; 100 hex, or 256 decimal.
                                ORG 100h
                                                                            ; Leave this in as boilerplate.
Begin:
                                                                             ; A PROC is exactly analogous to ; a PROCEDURE in Pascal or BASIC.
                                Main proc
                                mov si. 81h
                                                                             : Start at cmd line. Add 1 to
                                                                              ; skip the length byte. ; 0 until a digit is found.
                                mov cx. 0
GetNeytChar.
                                    LODSB fetches the next SI.
AL and then increments SI.
odsb ; Copy next char into AL.
; Reached end yet?
                                  ; LODSB fetches the next char pointed to by DS:SI into
                                 lodsb
                                cmp al, CR
je @@Finished
                                                                                  Yes.
Blank?
                                cmp al, ' '
je GetNextChar
                                                                                  Yes. Keep parsing.
                                 cmp al, Tab
je GetNextChar
                                                                                  Blank?
                                                                                Blank?
Yes.
Nonblank char. Is
it in range 'l'-4'?
LPT4 is the farthest
I've ever seen.
Flag that a digit was found.
                                cmp al, '1'
jl @@BadChar
                                cmp al, '4'
jg @@BadChar
mov cx, 1
aarinished:
                                                                              ; Was a digit found?
; Yes. Do nothing.
; No. Default to LPT1.
                                cmp cx, 0
jne @@Convert
                                mov ax, '1'
@@Convert:
                                                                             ; Convert to binary and subtract 1.; Convert AL to a word in AX.; Copy to DX for int 17h call.; BIOS int 17h function 0: Write char; to printer. Char is in AL.; Send char to printer.
                                sub al, '1'
                                mov dx, ax
mov ah, 0
mov al, FormFeed
int 17h
                                mov al, 0
mov ah, 4Ch
int 21h
                                                                             ; Set ERRORLEVEL to 0.
; Return to DOS using
; the preferred function call.
aanosexit.
                                endp
@@BadChar:
                                PrintMsg BadChar ; Load the message's offset address, jmp short 00DOSExit ; display it to stdout, and quit.
; The .Data directive is where program text and other data values
; The .Data directive is where program text and other data values; appear. The 'db' directive means that everything that follows will; be written unchanged to the data segment. Messages like the one; below can use either single or double quotes as delimiters. The values; CR and LF were defined above, and their literal values will be written; in as ASCII codes. Don't forget the '$' sign, because DOS function 9; needs it to end any message it prints.
                                .Data
db 'Invalid character. Must be 1-4.',CR,LF,'$'
BadChar
```

# Learn to troubleshoot and service today's computer systems as you build a 386sx/20 MHz mini tower

386sx/20 MHz

**Mini Tower** 

Computer

Computer!

Train the NRI way—and learn to service today's computers as you build your own 386sx computer system, now

with 1 meg RAM, 40 meg IDE hard drive, and exciting new diagnostic

hardware and software!

Jobs for computer service technicians will almost double in the next 10 years according to Department of Labor statistics, making computer service one of the top growth fields in the nation.

Now you can cash in on this exciting opportunity—either as a full-time industry technician or in a money-making computer service business of your own—once you've mastered electronics and computers the NRI way.

NRI's practical combination of "reason-why" theory and hands-on building skills starts you with the fundamentals of electronics, then guides you through more sophisticated circuitry all the way up to the latest advances in computer technology.

# Train with and keep a powerful 386sx/20 MHz computer system plus popular Microsoft® Works software!

Only NRI gives you hands-on training with the finest example of state-of-the-art technology: the powerful new West Coast 386sx/20 MHz mini tower computer. As you assemble this 1 meg RAM, 32-bit CPU computer from the keyboard up, you actually see for yourself how each section of your computer works.

You assemble and test your computer's "intelligent" keyboard, install the power supply and 1.2 meg, high-density floppy disk drive, then interface the high-resolution monitor.

Your hands-on training continues as you install a powerful new 40 meg IDE hard disk drive—now included in your course to dramatically increase the data storage capacity of your computer while giving you lightning-quick data access.

Plus you now go on to work with today's most popular integrated software package, Microsoft Works, learning to use its word processing, spreadsheet, database, and communications utilities for your own personal and professional applications. But that's not all.



Only NRI gives you hands-on training with the remarkable R.A.C.E.R. plugin diagnostic card and QuickTech diagnostic software from Ultra-X professional, state-of-the-art diagnostic tools that make computer troubleshooting fast and accurate.

testing • Hand-held digital multimeter with "talk-you-through" instructions on audio cassette • Digital logic probe that lets you visually examine computer circuits • The new West Coast 386sx/20 MHz computer system, featuring a high-speed 80386sx CPU, 1 meg RAM, 101-key "intelligent" keyboard, 1.2 meg high-density floppy drive, and high-resolution monitor • 40 meg IDE hard drive • MS-DOS, GW-BASIC, and Microsoft Works software • R.A.C.E.R. plug-in diagnostic card and QuickTech menudriven diagnostic software • Reference manuals with guidelines and schematics printer ports, serial communications ports, video display memory, floppy drives, and hard disk drives. Only NRI gives you such confidence-building, real-world experience. Only NRI gives you both the knowledge and the professional tools to succeed as today's in-demand computer service technician. No experience needed ... NRI builds it in NRI training gives you practical, hands-on experience that makes you uniquely prepared to take advantage of today's opportunities in computer service. You learn at your own convenience in your own home. No classroom pressures, no night school, no need to guit your present job until you're ready to make your move. NRI starts you with the basics, building on that foundation step by step until you have the knowledge and skills you need for success. And all throughout your training you've got the full support of your personal NRI instructor and the entire NRI technical staff, always ready to answer your questions and help you achieve your training goals. FREE catalog tells more. Send today! Send today for NRI's big, free catalog that describes every aspect of NRI's innovative computer training, as well as hands-on training in other growing high-tech career fields. If the coupon is missing, write to: NRI School of Electronics, McGraw-Hill NOW! Training now includes Ultra-X Continuing Education Center, 4401 Connecticut Avenue, NW, Washington, DC 20008. diagnostic hardware and software for quick, accurate troubleshooting! IBM is a registered trademark of International Business Machines Corp. R.A.C.E.R. and QuickTech are registered trademarks of Ultra-X, Inc. Now you train with and keep the latest in diagnostic hardware and software: the SEND TODAY FOR FREE CATALOG extraordinary R.A.C.E.R. plug-in diagnostic card and QuickTech diagnostic software, McGraw-Hill Continuing Education Center both from Ultra-X. Using these state-of-the-Schools Washington, DC 20008 art tools, you learn to quickly identify and For career courses service virtually approved under GI Bill any computer Check one FREE catalog only check for details. problem on XT, MICROCOMPUTER SERVICING AT 80286/80386. TV/Video/Audio Servicing Computer Programming Telecommunications and compatible PC Software Engineering Using C Industrial Electronics Desktop Publishing machines. Security Electronics Word Processing Home Business Electronic Music Technology Paralegal You discover how Building Construction Bookkeeping & Accounting Basic Electronics to use the R.A.C.E.R. Automotive Servicing diagnostic card to identify individual defective RAM chips, locate interfacing Name (please print) Age problems, and pinpoint defective support Address chips. Plus you learn to use your QuickTech

City/State/Zip

Circle Reader Service Number 122

Accredited Member, National Home Study Council

198-101

diagnostic software to test the system RAM

and such peripheral adapters as parallel

Your NRI computer training includes all this: • NRI's unique Discovery Lab® for circuit design and

# TIPS & TOOLS

**Filed Floppies** 

Here's a tip for those who have so many floppy disks they can't find anything fast.

Begin by labeling all of your disks and putting numbers on them. Be sure to put the disks in a box in order, where you can easily see the numbers. Then, create a text file with a text editor or word processor in ASCII mode. Make a chart with the disk number, filename, description, and other useful information. Make sure that you don't use any capital letters (or if

#### Closer Paths

When programs are in your path, it's easy to run them from any directory on your hard drive. But if your path is fairly long and each included directory has a lot of files, you might have a long wait for DOS to find the program. For programs that you run often, there's a way to cut to a small fraction the time it takes DOS to find programs.

Run a text editor and load in your AUTOEXEC.BAT file. Find the PATH statement and notice the order in which the It took 16 times longer than the first test. My computer is a 386DX that runs at 25MHz. Slower computers compound the delay.

RICHARD C. LEINECKER REIDSVILLE, NC

**Batch File Keys** 

If you ever write a batch file and try to create even a simple menu, you'll be stuck, since you can't get a keypress from the user and then jump to the appropriate section in the batch file. Here's a way to create a COM file that will wait for a keypress and return it to your batch file as an ERRORLEV-EL. The code that is returned is the ASCII code for the key that is pressed.

Make sure that the DOS program called DEBUG is in your path. Enter the following. The computer's prompts are in italic; you type the charac-

ters in plain text.

C>DEBUG GETKEY.COM
File not found
-E 100 2A E4 CD 16 B4 4C
CD 21
-RCX
CX 0000
:8
-W
writing 0008 bytes

This creates a program file called GETKEY.COM.

The following program returns all alpha characters in capitalized form.

C>DEBUG ALLCAPS.COM
File not found
-E 100 2A E4 CD 16 3C 61
72 06 3C 7A 77
02 24 DF B4
-E 110 CD 21
-RCX
CX 0000
:8
-W
writing 0011 bytes

Keep track of floppies, speed up DOS, capture keypresses in batch files, conserve your handles, and operate QuickBASIC rodent-free.

#	Name	Description	Туре
1	pkzip.exe	archiving utility	program
2	chapter 1.doc	the first chapter of my book	text document
3	cheeta.gif	gif picture of a cheetah	gif picture

operate QuickBASIC you do, make sure that you enter the search string exactly as it appears in the text file). I've written a sample that I named LIST.TXT.

Next, create a batch file as follows (I call it F.BAT, but you can call it anything you want). Make sure the batch file and the DOS FIND program are both in your path or in the current directory. The F.BAT file will only have one line and look like this.

#### FIND "%1" LIST.TXT

You can name your text file anything you want. Just make sure you change the string LIST.TXT to match whatever your filename will be.

To find a program, type F chapter1.doc, and you'll see the line on which the entry appears. It makes finding floppies easy, and you don't have to run a database program to do it. As long as the batch file and FIND are in the path, you can do a search from any directory.

ROY RAZON MEITAR, ISRAEL specified directories appear. DOS will search them in that order to find files that you type from the command line. Directories that contain programs that are used often should be first. That way, DOS will find them right away instead of searching most of the other directories first.

How much time can you save? I wrote a COM program that was three bytes long to reduce the loading time. I then disabled my cache program so I could accurately time disk operations. Next, a batch file was created that ran the small program 50 times (making sure ECHO was off so that screen I/O wasn't a factor, either.)

For the first test I placed the small program in my DOS directory, made the DOS directory the first one in my PATH statement, and rebooted. The batch file ran in about four seconds. I then made the DOS directory the very last entry in my PATH statement and rebooted. The elapsed time for the batch file execution was one minute and four seconds.

Here's a sample batch file that uses the GETKEY.COM program.

ECHO OFF :BEGIN CLS ECHO 1.Run QuickBASIC ECHO 2.Run XvWrite **ECHO 3.Run Windows** ECHO 4. Quit Batch File :GETTHEKEY **GETKEY** IF ERRORLEVEL 52 GOTO END IF ERRORLEVEL 51 GOTO WINDOWS IF ERRORLEVEL 50 GOTO XYWRITE IF ERRORLEVEL 49 GOTO BASIC **GOTO GETTHEKEY** :BASIC **QB45 GOTO BEGIN** :XYWRITE **EDITOR GOTO BEGIN** :WINDOWS WIN **GOTO BEGIN** :END CLS

RICHARD C. LEINECKER REIDSVILLE, NC

#### WordPerfect Paging

In many programs, pressing PageUp or PageDown will move to the previous or next screen of data. In WordPerfect pressing those keys will literally move you to the previous or next page. This is especially frustrating when you want to go to the latter part of a page but don't want to scroll through the page line by line. I have found that pressing - or + on the numeric keypad with NumLock off will allow you to move through data screen by screen with the - key moving you to the previous screen and the + key moving you to the next screen. JIMMY QUACH

PACIFICA, CA

#### More Efficient Paths

The search path I use is rather long, and it eats up a lot of environment space. Here's the PATH statement.

PATH=C:\BATCH:C:\UTILITY: C:\DOS:C:\NORTON: C:\WORDSTAR:C:\DBASE: C:\GRAMMATIK:C:\

I save a considerable number of bytes by using the DOS SUBST command in my AUTOEXEC.BAT file. Here's what I've done.

\DOS\SUBST F: C:\BATCH \DOS\SUBST G: C:\UTILITY \DOS\SUBST H: C:\DOS \DOS\SUBST I: C:\NORTON \DOS\SUBST J: C:\WORDSTAR \DOS\SUBST K: C:\DBASE \DOS\SUBST L: C:\GRAMATIK

Next, I define my path. D: is my secondary partition and I define E: as a virtual disk. Add a line to your CON-FIG.SYS file like this:

#### LASTDRIVE=x

where x is the last valid virtual drive to be recognized by DOS (in my case, L:). ROBERT R. DWELLEY ROCHESTER, NY

Tips for Tips

The PC Hot Tip in the January 1991 issue of COMPUTE to swap the contents of two files can be improved upon. Here's the example from the January issue.

ECHO OFF CTTY NUL COPY %1 TEMP.DOC COPY %2 %1 COPY TEMP. DOC %1 **DEL TEMP.DOC** CTTY CON

For some reason DOS uses two file handles to perform a CTTY NUL, yet it only frees one for a CTTY CON. If the batch file above is run very many times, you could wind up with a Too Many Files Open error. Here's my solutionto this rather vexing problem.

ECHO OFF COPY %1 TMP.DOC>NUL **COPY %2 %1>NUL** COPY TEMP. DOC %1>NUL DEL TEMP.DOC

BRIAN WREN SEATTLE, WA

#### Mouseless QuickBASIC

Help screens. In QuickBASIC I discovered by accident that pressing the first letter of any hypertext link jumps the cursor to that topic. If several topics share a first letter, the cursor will cycle among them until you press Enter. And when looking at a QuickHelp or Details screen, Q and D toggle between those links.

Zoom. You can zoom any window using Ctrl-F10, which I often find more comfortable than clicking the zoom icon.

Opening files. Make short shrift of the Open dialog with Tab and the space bar. Press Tab to move to the file list and press the space bar to select a file. The space bar often works where Enter does in the QuickBASIC and Windows environments, especially for clicking push buttons. TOM CAMPBELL IRVINE, CA

If you have an interesting tip that you think would help other PC users, send it along with your name, address, and Social Security number to COMPUTE's Tips & Tools, 324 West Wendover Avenue, Suite 200, Greensboro, North Carolina 27408. For each tip we publish, we'll pay you \$25-\$50 and send you a COM-PUTE's PC clock radio while supplies last.

# HARDWARE CLINIC

Mark Minasi

# TAKING A HARD DRIVE THROUGH ALPHABET SOUP

Growing out of your 40-megabyte hard drive? You're in good company—plenty of us are looking to upgrade. Up above 80MB, however, there's more to worry about than how big it is.

Computer sellers refer to ESDI, SCSI, and IDE drive types. Some experts even debate the merits, fighting tooth and nail about which is better—ESDI versus SCSI. Here's what all the fuss is about and how to choose the hard drive that's right for you.

First things first: ESDI, SCSI, and IDE are all drive interfaces. No, wait—don't turn the page yet! Give me a minute. To understand what a drive interface is, consider this: You've got a hard drive, and it's attached (inside your computer, of course) to a circuit board called a hard disk controller.

How do they talk to each other? The hard drive and controller must agree on a language—how fast they should communicate with each other, what kind of commands they can pass back and forth, what level of voltage they should use to send information, and other odds and ends. Together, that's what defines the drive interface.

#### Old Reliable

Currently, you've probably got a drive and controller whose interface is the most common and basic one, called ST506. Having a nice reliable standard like ST506 has served the industry well for the past few years. Because all the hardware vendors understand ST506, you can buy a hard disk from vendor X, connect it to a hard disk con-

troller from vendor Y, and be 99-percent sure they'll work together the first time.

The ST506 interface is good because it's standard, but it's bad because it has limitations that are beginning to chafe. ST506 both limits the disk's data transfer speed and requires too much of the CPU's attention, rendering it less suitable for multitasking environments such as Windows.

ST506's maximum data transfer rate of 750,000 bytes per second (750 KBps) must have seemed plenty of room to its designers in the late 1970s.

Even now, most XTs read data from their disks at a maximum speed of 167 KBps, and most AT clones clock in at 250 KBps to 510 KBps. But there are drives available today that could zap out data at 2500 KBps, if their interfaces could handle it.

I know you're thinking, "Only power users need that kind of speed—I don't, not for the things I do." Well, consider this—your computer becomes hundreds of times slower every time it reads or writes to the hard disk. Even the slowest XT has to wait around for its hard disk.

A 16-MHz 386SX's microprocessor could, in theory, benefit from a hard disk that transfers data at a speed of up to 8000 KBps. You'd see an immediate benefit from a faster hard disk interface even if you're already running flat-out at 510 KBps; essentially, it would balance your system's power better.

#### Adding Some ESDI Smarts

ESDI (Enhanced Small Device Interface) was designed basically as an improved ST506. It's designed to handle a maximum transfer rate of 3000 KBps. It does this partly by moving some of the elec-

tronics from the controller to the drive; it costs a bit more but makes for greater speeds than are possible with an ST506.

The other big difference between ST506 and ESDI is in the basic intelligence in the interface. Under ST506, the microprocessor can't tell the hard disk controller to go to location X on the hard disk and start reading the data that's there.

Instead, the CPU must do most of the work, telling the drive (through the controller) exactly how to move the disk's read head to the location of the data: "Move the disk head a little more . . . now just a little more . . . now just a bit more . . ."

With ESDI, on the other hand, the CPU just says, "Go to location X and read the data there," and then the CPU waits for the controller to do it. It's the difference between being able to tell someone "Go to the living room" and having to say "Take one step forward, then another, and another, and another, then turn left, then . . ." You see ESDI on larger (300MB+) drives.

#### IDE: A Poor Man's ESDI

It's reasonable to ask, "Why didn't they put some of these nifty ESDI features on ST506 in the first place and save us a lot of trouble?" Mainly because those ESDI features would have cost an arm and a leg back in the late 1970s. But nowadays they're much more affordable. That's why most drive vendors are now offering a low-cost alternative to ST506 drives called IDE-Imbedded Drive Electronics (or Intelligent Drive Electronics, depending on whom you

Like ESDI, IDE puts most of the controller electronics on the drive itself. The data

You've decided to buy a new hard drive. Which kind should you choose—ESDI, SCSI, or IDE?

# YOUR COMMODORE OWNER'S MANUAL IS WORTH UP TO \$300 OFF AN AMIGA COMPUTER.

system guide

he Commodore Power Up™ program is the easiest way to buy an already affordable Amiga® 500 computer for even

less.

If you own a Commodore® 16, 64, or 128; or a Pet, Plus 4 or VIC 20, write the serial number on the cover of the original owner's manual (no photocopies) and take it to your authorized Commodore-Amiga dealer. You can save \$300 on an Amiga 500P (off the MSRP of \$799). And \$200 on an Amiga 500S (off the MSRP of \$599).

The Amiga 500P includes

THE AMIGA POWER UP PROGRAM

The powerful Amiga 500S

hooks up to your TV.\* It has in-

credible graphics - with more

word processing, and three

exciting games.

than 4.000 colors. Built-in sound.

one MB of RAM, a word processor, a clock/calendar, paint and music programs, and a challenging graphics-oriented game.

And behind every Amiga is a 24-hour toll-free hotline. Plus a one-year limited warranty with free pick-up and delivery.

Graduating high school or current college students and educators can also qualify for this offer. See your authorized Commodore dealer for details before Oct. 31st, 1991. Or call 1-800-66-AMIGA.

\* With optional A520 RF modulator

Subject to dealer participation. See authorized dealer for details Not valid with any other offer or special pricing program. Offer ends 10/31/91. Commodore ViC 20, 64, 128, Plus 4 and Pet are registered trademarks of Commodore Electronics Ltd. Amiga 500 series is a registered trademark of Commodore-Amiga, Inc. Car Commodore AMIGA

#### HARDWARE CLINIC

is then pumped directly to the CPU at up to 1000 KBps—not as good as ESDI, but better than ST506.

Putting the controller and drive physically together makes IDEs easier to build, which is why IDEs are faster, cheaper, physically smaller, less powerhungry, and more reliable than corresponding ST506s.

There is, of course, one hitch. Many data recovery techniques that are available on ST506 systems can't be used on IDEs. In the words of the chief engineer of a major drive maker, IDEs are disposable. They're great drives, but if anything goes wrong, you throw them—and your data—away. I avoid them at the moment and would recommend that you do the same, but IDE manufacturers claim that they're working on models that are more fixable. When that happens, IDE will hound ST506 out of existence in short order.

#### SCSI Raises the Ante

While some designers were seeking greater speed (the main goal, recall, of ESDI), others were looking ahead to more sophisticated operating systems. They sought to design an interface that could serve more than just hard disks. This new interface could be used for tape drives, floppies, and optical drives of various kinds, to name but a few.


So computer manufacturers have developed another peripheral interface called Small Computer Systems Interface (which is abbreviated SCSI and pronounced scuzzy—an unfortunate acronym, if there ever was one).

Why have SCSI in addition to ESDI? It's simple: SCSI doesn't do what ESDI does. SCSI is a bus manager, not a drive manager. It lets you put up to eight different drives—optical, floppy, whatever—on a single SCSI host

adapter (you don't call them controllers, for reasons that will be clear later in this article).

That assumes, of course, that all of these drives are equipped with a SCSI interface, and it also assumes that SCSI is a solid standard. It actually isn't yet, so in reality your SCSI floppy, hard disk, and tape drives probably couldn't run off the same SCSI host adapter. Things are getting better, however, so in a year or two this scenario will be more likely to come true.

Suppose, then, that you wanted to back up your hard disk to tape and you had both a hard disk and tape that ran off the same SCSI interface. Under the normal ST506, IDE, or ESDI arrangement, the microprocessor would have to do a fair amount of work. It would have to issue commands to first read the data from the



40MB HARD DRIVE AND 14"

**COLOR VGA MONITOR** 



#### THE "GREAT DEAL" CATALOG 1-800-729-9000

ORDER TODAY!

#### ☐ Bondwell SUPERSLIM 286 LAPTOP W/40MB HARD DRIVE

- · 80286 microprocessor operating at 12MHz.
- · Landmark speed test 16MHz. • 1MB RAM expandable
- to 2MB . 40MB Conner hard drive with super fast 1:1 interleave factor.
- 1.44MB 3.5" floppy disk drive. • 10.5 super twist nonglare LCD screen.
- Removable rechargeable NiCad battery pack
- · Zero wait state.
- 81 key keyboard. · Real time calendar/ clock with battery
- back-up. · Built-in rechargeable

Centronics parallel port · RGB video port.

- Included software:
- MS-DOS 3.3, GW-BASIC 3.22.
- Dim.: 13"W x 12.2"D x 2.2"H.
- · Weight: 7.6 lbs.
- One Year Limited
- · Factory New!

Mfr. Sugg. Retail: \$1,795.00

DAMARK \$90 Item No. B-3528-168232 S/H \$19.00

Two RS232 serial ports.



386™ -SX 16MHZ

**COMPUTER WITH** 

40MB hard drive. • 1MB RAM. • 5 expansion sockets . One 3.5" 1.44MB floppy disk drive & one 5.25" 1.2MB floppy disk drive.

Protek

Intel 386-SX

wait state

Selectable

turbo/normal

- IBM compatible. · 14" VGA color monitor, res: 640x480, .41mm
- dot pitch. 5 expansion sockets
- 1 parallel and 2 serial ports. AT turbo baby case.
- Clock/ calendar

101-key keyboard.
16-bit VGA display

- adapter with 800x600 resolution.
- 80387 math coprocessor slot
- Includes DR-DOS 5.0. Spinnaker Eight-in-One software.
- · U.L. listed
- · One Year Mfr. Warranty!
- · Factory New!

Mfr. Sugg. Retail: \$3,469.00

DAMARK \$999 99

Item No. B-3528-189036 S/H \$49.00

#### Bondwell SUPERSLIM LAPTOP COMPUTER

- 80C88 8MHz microprocessor • 640K RAM.
- IBM compatible Two 720K 3.5" floppy disk
- drives · Slim size, 1"H. • 10.5" supertwist nonglare
- LCD screen, resolution: 640x200.
- . Wt . 8 lbs
- Removable rechargeable Ni-Cd battery pack
- Centronics parallel and one RS232 serial port
- · One RGBI port.
- Includes DR-DOS One Year Distr.
- Warranty! Factory New!
- Carrying Case: DAMARK \$3999

Mfr. Sugg. Retail: \$1,295.00

Item No. B-3528-175897 S/H \$19.00

PRICE \$39

Item No. B-3528-175911 S/H \$4.00 Extra Battery:

PRICE \$29 99

Item No. B-3528-175904 S/H \$4.00

#### **TOSHIBA**

#### **EXPRESS WRITER 440 WIDE CARRIAGE 24-PIN PRINTER**

- · Letter quality 24-pin wide carriage dot matrix printer. · IBM
- compatible. · High speed
- printing: letter quality-80cps, draft-300cps. Paper handling:
- bi-directional push tractor, fanfold bypass with paper park, tear bar & single sheet guide.
- · Graphics: 180x360 dpi.
- · Emulations: IBM Proprinter XL24E and Epson LQ 1050 28K buffer.
- Centronics Parallel interface.
- · Fonts: Courier, Prestige

Elite, High Speed Draft, 15 cpi Script & Helvet. Also accents downloadable fonts on disk.

- Includes one snap-in black fabric ribbon cartridge and AC power cord.
- . Dim . 22 5"W x 5.1"H x 12.4"D
- 1 Year Mfr. Warranty!
- · Factory New!

Mfr. Sugg. Retail: \$699.00

DAMARK \$90

Item No. B-3528-188168 S/H \$19.00



#### 386SX NOTEBOOK **COMPUTER WITH 42MB** HARD DRIVE

- Intel 803865X microprocessor operating at 16MHz.
- · 42MB hard drive.
- · 2MB RAM on motherboard, expandable to 4MB.
- 1.44MB 3.5" floppy disk drive, includes connector for external floppy disk drive. . VGA backlit screen, 256K video RAM card with 32 shades of gray, 640x480 resolution. Includes connector for
- external monitor · 2 serial ports, 1 parallel port. • 80-key tactile keyboard.
- Includes 2.25 hour replaceable, rechargeable • Factory New! battery and AC adapter. Includes
- MS-DOS 4.01.
- software, and cable for desktop PC. • Dim.: 11"W x 8.66"D x 2"H. · Weight: 6.5 lbs. w/

installed file transfer

- battery. Model #: 2800. • 6 Month On-Site Service Warranty and 6 Month Additional Depot

Mfr. Sugg. Retail: \$4,789.00

Item No. B-3528-183037 S/H \$12.50

#### SYMANTEC. · Disk Monitor performs

#### NORTON UTILITIES VERSION 5.0

maintenance on computer hard drives.

- File Fix fixes Lotus 1-2-3 spreadsheets and datahases
- Recovers lost data with Unerase and Unformat.
- Norton Disk Doctor II Repairs damaged disks
- Diskreet stores data in encrypted form, WipeInfo meets Pentagon's standards for data deletion ('90).
- Norton Cache accelerates software
- Speed Disk effectively tunes disks for highe performance.

Calibrat interleave onti-

mizer.

- Compatible with networks. • Includes both 5-1/4" and 3-1/2" floppy diskettes.
- · Requires: DOS 2.0 or higher, IBM PC, XT, AT, PS/2 and compatibles, 512K memory
- 90 Day Manufacturer's Warranty!
- · Factory New!

Mfr. Sugg. Retail: \$179.00

DAMARK \$499

Item No. B-3528-189337 S/H \$5.00



NAME

CITY -

PHONE

Check/Money Order \_\_\_\_\_ Visa\_

\_Discover \_\_

FOR FASTEST SERVICE CALL TOLL FREE

CUSTOMER SERVICE: 1-800-733-9070

STATE

TOTAL S/H QTY DESCRIPTION ITEM# S/H PRICE

ADDRESS \_

\_ CARD NO. -

VISA



DELIVERY TO 48 U.S. CONTINENTAL STATES ONLY



Total S/H

In MN add 6.5% Sales Tax

**GRAND TOTAL** 

Subtotal

\_EXP. DATE\_ SIGNATURE B-3528

SEND TO: DAMARK INTERNATIONAL, INC., 7101 Winnetka Ave. N., P.O. Box 29900, Mpls., MN 55429-0900 Copyright 1991 DAMARK INTERNATIONAL, INC. All rights reserved.

# What Your Computer Was Really

**EXPANDING HORIZONS** 

There's a vast world of information and services out there. A world that's current, vital, and constantly updated. DELPHI, your complete online personal resource, brings that world a little closer. With your modem, you can join special interest groups, download software, meet new friends or tap into the world's most comprehensive databases to expand the horizons of your computer.

#### EXTENSIVE SERVICES

With a simple phone call from your home or office, you get the latest *news* from the major wire services, discounts on *travel reservations*, complete business and financial services, *stock quotes*, online *shopping*, sophisticated *electronic mail*, *telex*, *fax*, conferencing, interactive games, special interest groups and even a complete encyclopedia.

#### PARTICIPATE

Chat with other members and computer experts in Conference, and post or respond to messages in Forum. Win great prizes when you jump into a worldwide trivia tournament and play computer games!



#### WALLET-FRIENDLY You can reach DELPHI with

a local phone call from almost anywhere. There is NO premium for access at 1200 or 2400 bps, and standard connect rates are only \$6/hour. The basic fee of \$5.95 per month includes your first hour of usage. For even lower rates, join DELPHI's new 20/20 Advantage Plan and enjoy 20 hours of usage per month for only \$20!

FREE MEMBERSHIP

For a limited time you can join DELPHI for free!

#### NO RISK

With DELPHI there is no risk. If for any reason you aren't satisfied, cancel your membership and we'll refunc your first monthly fee.

#### Join now online for FREE:

Dial 1-800-365-4636 (by modem) At *Username*: enter JOINDELPHI At *Password*: enter PC33

Questions? Call 1-800-695-4005 (voice)



The World's Premier Online Service

Circle Reader Service Number 180

hard disk, then copy it to the tape drive, read some more, and so on.

A Different Story

With a SCSI interface, however, the story's different. The CPU just says, "SCSI bus, get data X, Y, and Z from the hard disk, and copy that data over to the tape drive. Let me know when you're done."

And in the meantime, the CPU can be busy paying attention to something else, like running another program in some multitasking environment.

Under normal DOS, of course, the microprocessor will just twiddle its

thumbs until the SCSI bus reports success, since DOS is a single-tasking, do-only-one-thing-at-a-time operating system.

The way that the SCSI interface can support so many kinds of storage devices lies in its manner of addressing these devices.

As far as it's concerned, your hard disk isn't a hard disk—it's just a storage peripheral with storage areas called sectors numbered from 0 to some large value. The same is true for floppies, tapes, or optical devices.

Which leads to an interesting question. The hard disk doesn't see itself as a mere collection of sectors—it uses a more complex addressing terminology. So who does the translation from SCSI sector addresses to physical hard disk addresses?

The answer is that every SCSI drive has a controller built right onto it, kind of like IDE. That controller talks both to the drive in whatever language the drive prefers and then to the SCSI adapter in SCSI language.

So here's the punch line: SCSI drives are really drive-and-controller combinations, and those drive-and-controller combinations can use any interface—IDE, ST506, or ESDI, although ESDI is the only one I've seen used. ESDI is used most often because of the raw speed that it offers.

#### No Guarantees

You can see now that SCSI, in and of itself, is no guarantee of a fast drive, although most drives chosen for SCSI are, in fact, fairly quick. SCSI really has nothing to do with speed, but rather with multitasking.

Remember that ESDI is basically just a souped-up version of ST506. Drive management is handled mainly by the CPU, and that's not a problem for single-user systems.

But what about a local area network server that must manage six or seven ESDI drives and multiple requests from different workstations for data on those drives? Because that's a lot of work for the CPU, it could benefit from distributed intelligence. SCSI provides that distributed intelligence.

In fact, the SCSI host adapter is a CPU all in itself. All the PC's microprocessor would have to do in the six-drive scenario is just to issue six data requests rapid-fire to the SCSI host adapter and then sit back and wait for the data to come in. (Actually, it wouldn't sit back and wait—a good multitasking system would do something else while waiting for the responses to come in.)

In general, you can count on an ST506 interface to transfer data at the rate of 250K–750K per second (using MFM or RLL encoding), an IDE interface to transfer data at the rate of 1MB per second (using ARLL encoding), an ESDI interface to transfer data at the rate of 1MB–3MB per second (using RLL encoding), and a SCSI interface to transfer data at the rate of 1MB–3MB per second (using RLL encoding).

So what's my advice on which kind of drive you should buy today? If you're buying a large drive for personal use, go with an ESDI drive. For a LAN server or a machine that may become a LAN server, buy SCSI for a slightly more efficient drive.

## **ONLINE**

Denny Atkin

#### REACH OUT AND PLAY WITH SOMEONE

You sigh with frustration. "Honey, Stephanie is still tying up the phone. Won't she ever tell her friends good-bye and come down and visit the rest of the family?"

"You're right. She should hang up and come down here and watch Married with Children with the rest of us. It's important that she spend time doing wholesome, family things like this," your wife responds. "Stephanie Ann! Get off the phone and get down here right now!"

"But moth-er!" she cries.
"Only a few more minutes!
Dave and I have three orcs cornered, and we're only two dungeon levels away from finding the Great Ark!"

"She's playing Dungeon Monger again with that boy from North Dakota. Why can't she just talk to her local friends like I did when I was a teenager?"

That's right, folks. A new excuse for your teenagers to tie up the phone—online games. The biggest inconvenience might not be the important business calls you miss, but the fact that while they're tying up the phone line and the computer, you can't get online and play the games yourself!

Online gaming has really taken off in the past couple of years. In the early eighties, online gamers on networks such as CompuServe and the Source could play versions of original mainframe games, including such venerable titles as Colossal Cave Adventure and Star Trek. While these games were fun, they were generally single-player games, and the only real advantage in playing them online, rather than playing a version on I

your personal computer, was that the games were larger in scope than the common 64K machines could handle.

As personal computers became more powerful and the IBM PC replaced CP/M computers and C64s as the de facto BBS platform, online games grew in sophistication. Instead of calling up a national network to play Adventure all by yourself, you could just dial your local BBS and challenge a number of other players to games like TradeWars, a multiplayer space game. Most of these boards still only supported one user at a time, so players would have to take turns making their moves. Still, it was much nicer to have a human opponent.

The late 1980s saw an online gaming renaissance. The biggest networks. CompuServe and GEnie, began to expand their online gaming areas. As the old singleplayer adventure games dropped in popularity, the networks began to implement multiplayer games that took advantage of the unique features of online services. You could log on and explore dungeons or destroy space armadas with people from around the country. And unlike most of the BBS games, you could interact with several different players at the same time.

The games became more sophisticated. The text-based games grew—GEnie's *Gemstone III* adventure game is larger in scope and more complex than any of the disk-based text adventures. Perhaps the biggest groundbreaker was *Air Warrior*, a multiplayer World War II air combat game. No longer were online games trapped in the realm of text-based interfaces.

Even when you're not online, Air Warrior is a superb flight simulator, with speedy polygon graphics and a real-

istic flight model. But when you log on, the real fun begins. You're suddenly a WWII pilot fighting for one of three countries, in your choice of aircraft. There may be up to 50 other players from around the country sharing the sky with you-or trying to knock you out of it. The newest version adds both European and Pacific theaters of operation, as well as WWI and Korean-era aircraft. Air Warrior is a far cry from the early BASIC games that used to be popular on BBS systems.

The newest entry into the online gaming fraternity is the Sierra Network (TSN). At the moment it's a fairly limited service, offering games such as backgammon, cribbage. checkers, and bridge. But this flat-rate service, currently available in California, plans to expand to offer more sophisticated games in the coming SierraLand and adult-oriented LarryLand extensions. New games should come online as the service moves to national availability.

Interestingly, TSN is a combination of the mainframe and BBS gaming techniques. When you call TSN, you're actually calling the host computer closest to your geographic area. If you want to play a game with someone across the country, you can, as TSN computers are networked using the same Tymnet network used by major online services. Your local TSN computer simply hooks up with your friend's local node, and you can still play across the country without incurring long-distance charges. TSN is still in its infancy, but it may portend what we can expect from online gaming in the future.

What are your favorite online games? Drop me an Email note at 75500,3602 on CIS, DENNYA on BIX and GEnie, or DENNY on Plink. The late 1980s saw an online gaming renaissance. Since then, games have become multiplayer, graphical, and more personal, even on the big networks.

# **HOME OFFICE**

COMPUTE CHOICE. To get your PC housekeeping chores under control, no other toolkit does the job like this longtime favorite.

Tony Roberts

#### PC TOOLS 7.0

A few versions back, *PC Tools* was a compact set of utilities—an easy-to-handle tool belt of programs to make computing smoother. Today it would take a pickup truck to hold everything that's packed into robust *PC Tools* 7.0.

If you've been computing for any length of time, you've no doubt assembled a collection of programs that do many of the things PC Tools does. If you're in the market for any one utility-say a backup program, a disk cache, a DOS shell, hard disk diagnostics, a disk optimizer, or a virus detector-you can get that and a whole lot more in PC Tools. While an impressive collection of utilities, PC Tools 7.0 falls a bit short of perfection. There are some apparent incompatibilities between elements of this software and some memory managers, some versions of DOS, some hardware, and some other software. Part of this problem, though, stems from the fact that much of this software must be or can be run memory resident, and memory-resident software causes conflicts by its very nature. Some users will have difficulty installing and using PC Tools. With so many TSRs running loose, there's a good probability of conflict. It will take experimentation and monitoring to set up a PC Tools system that's stable and safe.

The difficulty starts during the *PC Tools* installation process. Although it's possible to install individual elements of *PC Tools*, the tendency to want to install it all—all 7.2 megabytes of it—to see what everything does will override most users' intentions to save hard drive space.



baby organize your button box. Suddenly, your carefully tuned system is choking on a plethora of new TSRs; you're fiddling with command line switches and kicking the dog as crash follows lockup and you don't know what to blame. You can't learn how to run 15 or 20 programs at once, so when you install *PC Tools*, proceed methodically.

PC Tools comes packed with seven books of documentation, each dedicated to a different facet of the software. Despite this segregation, finding information is sometimes difficult because some programs are covered in more than one manual and the indices are not cross-referenced.

The hypertext-style, online help files provide excellent guidance while you're learning the programs, but since the help files occupy 1.2MB, they didn't last long on my overcrowded hard disk.

PC Tools' installation and configuration programs help set things up for you, and they will take care of rewriting your CONFIG.SYS and AUTOEXEC.

if you like. This is fine with plain vanilla setup files, but PC Tools unraveled my AUTOEX-EC.BAT, which includes several questions and ERRORLEV-EL tests regarding the software I want to load. Still, I put these inconveniences out of mind once I got a handle on what this most recent version of PC Tools offers. PC Tools 7.0 provides a backup program, an undelete utility, and a program launcher that are bona fide Windows applications. The Windows backup can run in the background and can be scheduled to perform unattended backups at a specified time, if you have a tape drive. The rest of the package, including PC Shell, can be run under Windows as DOS applications.

Central Point Backup—a solid disk-backup utility that is also sold as a stand-alone program—is aging nicely. This incarnation comes with a DOS version and a Windows version that are compatible. You can make a backup in Windows and restore it in DOS. Configuration options

are myriad. You can save named setup files so it's easy to do a full backup one day, an incremental backup another day, and a backup of only PageMaker documents on a third day.

Like Central Point Backup, Commute is also offered as a stand-alone program and is just as welcome in this bundle of utilities. A remote computing utility, Commute permits connection of two systems across a network, via modem, or by direct link. With this software you can control your computer at work from your laptop or home computer; you can transfer files and run applications from afar.


Don't dread the day your PC contracts a virus any longer. VDefend, PC Tools' memory-resident virus detection utility, scans for hundreds of known viruses. However, running VDefend slows performance noticeably, and VDefend can only detect, not eradicate, viruses. Central Point Anti-Virus (sold separately) takes care of that chore. PC Tools' DiskFix and Backup programs scan for viruses while they work, so you'll have some measure of protection even if you ignore VDefend.

Enhancements made to the DiskFix utility include interleave tuning and low-level reformatting for those hard drive controllers that will permit it. During repair, you're allowed to save crucial disk information to a floppy so you can undo the repair if you want. Unformat will help recover an accidentally formatted disk. Compress, the defragmenter and disk organizer, has some useful new options for compression technique and file sorting.

PC Tools 7.0's FileFix pro-

gram adds the ability to repair damaged dBASE, Lotus, or Symphony files. Undelete allows recovery of files that been accidentally erased. This program works similarly to DOS 5.0's Undelete command. In fact, Central Point Software licensed versions of its Mirror and Undelete utilities to Microsoft for use in DOS 5.0. An added feature of the PC Tools version, however, is Delete Sentry. Delete Sentry works by moving deleted files to a hidden subdirectory on your disk rather than actually erasing them. The system then can be set to purge erased files after a specified number of days. All of the memory-resident parts of the PC Tools package can be loaded into high memory, if available on your system, leaving acres of conventional memory available for application programs. In addition, much of the software in this package has been made compatible with Netware networks.

PC Tools 7.0 also includes a new Windows-like graphical interface for all its components. A new Application Menu System lets you run PC Tools utilities and other DOS applications from a configurable cascading menu. PC Shell, a DOS-based file management system, now permits viewing of files in more than 35 different formats. Desktop Manager offers a suite of functions including appointment scheduling, telecommunications and fax board support, notepad, outliner, autodialer, dBASE-compatible database, calculators, and macro editor. The many options offered by PC Tools mean flexibility for you. If you like working from a shell, you can use PC Shell



as your base and launch programs from there. On the other hand, if the command line suits you, you can execute any program from the DOS prompt. Although few will use every program in this package, I can't imagine anyone who couldn't find almost daily use for some of this software.

While I encountered no major problems with *PC Tools*, I did manage to lock the system up several times. I found that the Find Duplicates portion of the *Find File* program hung up every time under DR DOS 5.0, but it works fine under MS-DOS.

You could buy several products to handle the chores *PC Tools* handles, or you could just buy *PC Tools*. No other package bundles so much in one box. Despite the minor problems mentioned here, *PC Tools* never comes up short in the usefulness department.

IBM PC and compatibles, 640K RAM, hard disk (Windows applications require Microsoft Windows 3.0 and 2MB RAM); supports mouse, Netware 2.15 and above, and Netware 386—\$179

CENTRAL POINT SOFTWARE 15220 NW Greenbrier Pkwy. Beaverton, OR 97006 (503) 690-8090

# WORKPLACE

Daniel Janal

#### **YOU CAN GO HOME AGAIN**

How would you like to escape the perilous drive to work and still not miss the excitement and intrigue of office politics? Why not convince your boss to let you do some work at home? After all, the commute is about 30 seconds, and you get to see your kids grow up.

These days, over 5 million workers telecommute, according to Link Resources, a New York-based think tank. Not to be confused with the self-employed, telecommuters make arrangements with their employers to divide work time between office and home. Arrangements can vary from working mostly at the office to working mostly at home-or somewhere in between.

Telecommuters can be as much as 20 percent more productive than full-time office workers, according to a study conducted by the state of California, which has its own telecommuting policies. Brad Schepp, who has documented the phenomenon in his book. The Telecommuter's Handbook (Pharos Books, \$9.95), says telecommuting can not only enhance the quality of your life, it can also ben-

efit your employer.



Look homeward.

where you may

best employees.

boss. That's

find your

ple Computer, AT&T, and JC Penney offer telecommuting as an option for certain employees. Their efforts have paved the way for other companies to formalize policies. "Everything in the program is clearly spelled out," Schepp says, "who can telecommute, how they stay in touch with coworkers and supervisors, and how the company applies workmen's compensation laws."

Such companies aren't the norm, however. Some 90 percent of companies that offer telecommuting do so informally. Mid-level managers don't want to involve top management and the inherent red tape that follows. Telecommuting goes against the grain. MBA programs don't condone it, and employers are only beginning to understand the unique problems of twoincome households. You might have to shop around to find a company that's interested in having employees telecommute. That type of company will make it worthwhile.

Other issues that make companies reluctant to offer telecommuting are providing workmen's compensation for accidents at home, managing numerous off-site employees, and determining the best candidates to work at home.

The best telecommuters tend to be those employees who have good working relationships with their supervisors, have been with the company for a long time, can work independently, are good communicators, and are proven performers. And some positions are better suited than others to telecommuting. Computer programmers, writers, translators, sales reps, stockbrokers, and attorneys, to name a few, fall into that category.

Schepp says the best telecommuters are "information specialists" in jobs that involve three basic stages: research.

execution, and presentation. For instance, an architect meets with a client to discuss house plans, goes home to sketch out the blueprints, and then meets with the client again for a presentation.

Schepp says that it's in the second stage, when the work is produced, that telecommuting can be most effective. "That's where you need solitude. You need space and peace to do the best possible

iob." he says.

Because interaction is limited, the person must become adept at communicating with coworkers and supervisors and work harder to stay in touch via fax, E-mail, and the phone. "You've got to do what you can to ward off feelings of isolation," Schepp says.


Successful telecommuting programs aren't made in heaven, however; they're written on paper, with the guidelines spelled out and paths and tasks clearly defined. Schepp advises companies to hire specialists to set up programs for telecommuting. "They can help you avoid the mistakes other companies made," he says, "and they can hold your hand through the entire process.'

That workstyle isn't for everyone, however. Some 20 percent of telecommuters eventually return to the office for various reasons, often because of an inability to concentrate.

If telecommuting sounds like your answer, Schepp advises you to start slowly. "You'll find it's a learning process. You may find you aren't as productive at first-you have to get used to distractions or not having a support staff or a copy machine. You have to get used to other ways of communicating with people. And you show up at the office fairly often."

Showing up is fine-as 

# COMPUTE



COMPUTE RoundTable

Welcome to Compute/NET Hosted by Rick Leinecker with assistants Tom Campbell Stephen Levy Peer Plaut

#### **GEnie**

- 1. COMPUTE Bulletin Board
- 2. COMPUTE Realtime Conference
- 3. COMPUTE Software Libraries
- 4. About the RoundTable
- 5. RoundTable News (910702)
- 6. About COMPUTE and the COMPUTE Editors
- 7. Feedback to the Sysops
- 8. RoundTable and Library Help
- 9. COMPUTE Products
- 10. Coming Soon in COMPUTE
- 11. COMPUTE Back Issue Database
- 12. COMPUTE Test Lab
  13. Software Publishers' Catalogs
- 14. COMPUTE Online Game

Welcome to the grand opening of COMPUTE/Net. A wealth of information awaits you. Back issues of COMPUTE, hard-to-find computer books, super software, dazzling pictures, challenging games, prizes, a complete bulletin board, and much more are here. You can even talk to the editors and authors of the magazine. Lots of surprises are planned, so keep your eyes on us.

Make sure that you try the computer trivia game found in the COMPUTE Games section. It's not

#### FIND US ON GENIE



# You Get So Much For So Little.

Now enjoy unlimited nonprime time usage of over 100 popular GEnie Service features. For just \$4.95 a month.\* You get everything from electronic mail to exciting games and bulletin boards. Nobody else gives you so much for so little.

Plus enjoy access to software libraries, computer bulletin boards, multiplayer games and more for just \$6.00 per nonprime hour for all baud rates up to 2400. And with GEnie there's no sign-up fee.

#### Just Follow These Simple Steps.


- 1. Set your communications software for half duplex (local echo), up to 2400 baud.
- 2. Dial toll-free 1-800-638-8369. Upon connection, enter HHH.
- 3. At the U#=prompt, enter XTX99411, COMPUTE. Then press Return.
- 4. Have a major credit card or your checking account number ready.


For more information in the U.S. or Canada, call 1-800-638-9636.



# \*Applies only in U.S. Mon.-Fri., 6PM-8AM local time and all day Sat., Sun., and select holidays. Prime time hourly rate \$18 up to 2400 baud. Some refine time hourly fate 313 up to 2400 battle. Some features subject to surcharge and may not be available outside U.S. Prices and products listed as of Oct. 1, 1990 subject to change. Telecommunications surcharges may apply. Guarantee limited to one per customer and applies only to first month

# SIGN UP TODAY





MORE AND MORE
EMPLOYEES
ARE WORKING FROM THEIR
HOME OFFICES.
HOW CAN YOU GET INTO
TELECOMMUTING?
READ ON.

# REMOTE POSSIBILITIES

BY ROSALIND RESNICK

sk most people to describe their dream job, and they'll start talking about great pay, top benefits, flexible hours, a short commute, and loads of quality time to spend with the family.

Mention the word telecommuting, though, and you'll get a blank stare.

Telecommuting—commonly defined as working from the home or a remote location via personal computer, phone, fax, and modem—has been around for years, but it's only now beginning to catch on in a big way. Link Resources, a New York research firm, estimates that nearly 4 million U.S. employees telecommute on at least a part-time basis with more than half a million telecommuting full-time. Just five years ago, there were fewer than 100,000 telecommuters nationwide.

#### Who Needs It?

"Telecommuting is like a lot of other new ideas," says Gil Gordon, a Monmouth Junction, New Jersey, consultant and publisher of "The Telecommuting Review," a newsletter for employers. "I always like to remind the skeptics that when the Xerox machine first came out, people said, "Why do you need that? We have carbon paper." Telecommuting is one of those rare things that works out well for both employee and employer."

In other words, what's good for the worker has suddenly become good for corporate America. With the recession forcing companies to pinch every penny, more and more managers recognize that there are sizable bottom-line benefits to letting employees work from home. Not only are telecommuters happier and more productive, studies show, but having fewer workers at the

office or production plant means reduced expenses and overhead. Telecommuting also lets employers attract and retain topnotch employees who live far from the office, suffer from a disability, or need to stay home to care for a young child or an elderly relative.

Companies and government agencies that offer telecommuting include IBM, American Express, J.C. Penney, General Electric, Los Angeles County, and the Washington State Energy Office. Apple Computer, whose San Fran-

cisco Bay area employees face an arduous commute choked with traffic and pollution, has started giving workers a \$1 credit in the company store every time they work from home.

#### **Productivity and Price**

Many bosses say they've been pleasantly surprised by how well their companies' telecommuting programs have worked out. National studies show that productivity can jump by as much as 20 percent when employees are allowed to work from home.

"I was apprehensive at first," says Marti Nurse, director of appeals and state hearings for the Los Angeles County Department of Public Services, who counts 35 telecommuters among the 103 staffers she supervises. "But as our caseloads have gone up, the people who are telecommuting are doing more work, and they're doing it better."

For Los Angeles County, which boasts one of the nation's largest telecommuting programs, employer altruism is a matter of dollars and cents. According to Nancy Apeles, the program's assistant manager,

clerks who work from home for the county assessor's office work 64 percent faster than their counterparts in the office and save the county \$30,000 a month. Of the 80,000 people who work for the county, more than 1200 now are telecommuters, up from 78 when the program was launched three years ago. "It's a win-win situation," says Apeles.

#### Who's Who

Who are America's telecommuters? Many are mothers with young children. Computer programmers tend to gravitate to telecommuting, while other telecommuters are technical writers, telephone operators, and data-entry clerks.

Los Angeles County, which numbers more than 1,200 telecommuters among its 80,000 employees, boasts 200 different telecommuting job classifications ranging from clerks and social workers to auditors and department heads.

Jim Mitchell, 50, chief of contract monitoring for the Los Angeles County Health Department and a self-described modem junkie, set up an electronic bulletin board for his 14 telecommuting em-

ployees to swap messages. He himself works from home 41/2 days a week.

"I do my real thinking at home," says Mitchell, who still comes to the office for a weekly staff meeting. "I think that companies that do not offer this option are going to find themselves behind the curve when it comes to recruiting."

More typical of the telecommuting population are people like Lisa Kilmain, 28, a senior associate programmer at IBM in Irving, Texas. Kilmain wasn't ready to go back to the office full-time when her daughter, Caitlin, was born two years ago. But part-time work

didn't pay enough to justify what she was spending on day care. Thanks to IBM's Work-at-Home pilot program, Kilmain spent six months as a telecommuter, tapping away at her PS/2 Model 70 while Caitlin napped.

"I got a lot done at home while she was sleeping," Kilman says. "People couldn't walk into my office and say, 'Hey, what did you do last night?' "

"Being a parent myself, I knew the importance of the mother's being present," says Ed Denson, Kilmain's boss. "It was

good for the company, too. Lisa was able to accomplish more in her 20 hours at home than she would have in the office."

Though Kilmain is now back at the office, she says she's planning to have more children and hoping to repeat her telecommuting experience.

Chris Stroud, vice president of Financial Data Planning (FDP), a Miami software company, tells a similar story about Laura Falco, 28. Falco, a programmer who also fields phone calls from customers, cares for two young children at home while telecommuting 35 hours a week. Though FDP has no formal telecommuting program, the company has allowed Falco to work from home for the last 21/2 years because she's a talented self-starter. FDP also picks up the tab for a second phone line.

"After my daughter was three months old, I didn't want to go back to work," Falco says. "I wanted to take care of her. The company said it was willing to try [letting me telecommute] for three months. Now, it's been two-and-a-half years."

Some of her colleagues

are even a little envious. "There have been other people who have pointed to Laura and said, 'She's doing it. Why can't we?'" Stroud says. "But Laura's job is very suited to working from home, and she's an extremely productive person."

#### Out of Sight

As Falco's story shows, telecommuting is still a privilege, not a right, even at the companies that do allow it. The reason: Many managers worry that home-based employees will be tempted to sleep late, watch television, raid the

# Try it, For just \$4.95.\* Plug your computer into a world of information.

The easy, cost-effective information system from National Videotex, using AT&T's state-of-the-art digital network.

\*For a flat fee of \$4.95 per month, you get unlimited access to National Videotex Network, the user-friendly information exchange. This includes free access to six services provided by USA Today Decisionline, "write-your-own" classified ads, and unlimited usage of the gateway functions.

National Videotex Network users may also access the expanding number of pay-as-you-go interactive and transactional services, directories, games, stock exchanges, environmental services and more. NVTEL multi-protocol communication software available at \$14.95.





To register call 800-348-0069

refrigerator, or take their kids to the park rather than do their jobs.

Likewise, many employees fear that, once out of sight, they'll be out of mind—passed over for raises and promotions.

If you're willing to take that risk and you want to persuade your employer to let you telecommute, the experts suggest you try the following approaches:

- Put yourself in your boss's shoes. Show your boss that telecommuting can save the company money by shrinking overhead. Point out that employees who work from home are often more productive and can keep working in spite of minor illnesses and family emergencies. Explain that telecommuting helps boost morale and keep good workers.
- Show initiative. Prove that you've got what it takes to work from home—selfdiscipline, organization, and the ability to handle tasks and meet deadlines without direct supervision. Demonstrate these qualities at the on-site job you have now.
- Start small. If your boss won't let you telecommute full-time, ask to try telecommuting one day a month. Once your employer feels comfortable with the idea, you can start lobbying for one day a week, two days, or more.
- Work hard. Even if your boss gives you the green light to telecommute, that doesn't mean you can't be hauled back

to the office if your performance falls short. Telecommuters are expected to meet the same productivity standards as staffers who work in the office.

• Be flexible. If your boss wants you to report to the office once a week for a staff meeting, don't fight it.

#### **Trends and Anomies**

Telecommuting experts believe that working from home is an emerging trend in the workplace of the 1990s, not just a flash in the pan. With advances in computer and telecommunications technology, people can perform more and more jobs from home.

"It's not just women with kids sitting behind the keyboard," says Gordon, the telecommuting guru. "Many more men are becoming interested in it, too."


But not even telecommuting's staunchest backers envision a future littered with empty office buildings and urban ghost towns. The reason? A basic human need to talk, meet, and gossip with fellow workers face to face. Gordon predicts that no more than 5 to 10 percent of the nation's work force will telecommute at any one time.

"Telecommuting is not about working at home," Gordon says. "It's about decentralizing the workplace. For the right people and the right reasons, it has tremendous value."

#### **BOOKS ON TELECOMMUTING**

There are several publications on telecommuting, including *Telecommuting: How to Make It Work for You and Your Company*, by Gil Gordon and Marcia Kelly (ISBN 013902339-9, Prentice-Hall). To order a copy, contact Gordon at 10 Donner Court, Monmouth Junction, New Jersey 08852; (908) 329-2266. The price is \$15.95 for U.S. orders and \$25.95 for foreign orders. Price includes shipping. Gordon also edits "The Telecommuting Review," a monthly newsletter geared toward employers. A subscription costs \$157.00 per year. The address and telephone number are the same.

Other books include The One-Minute Commuter by Lis Fleming (ISBN 1-877887-14-5; Acacia Books, 1309 Redwood Lane, Davis, California 95616; 916-753-1519; \$9.95 plus \$2.00 postage and handling; California residents should add \$0.75 sales tax), The Telecommuter's Handbook by Brad Schepp (ISBN 0-88687-571-4; Pharos Books, World Almanac Education, 1278 West 9th Street, Cleveland, Ohio 44113; 800-521-6600; \$9.95 plus \$1.50 postage and handling), and Working from Home: Everything You Need to Know About Living and Working Under the Same Roof by Paul and Sarah Edwards (ISBN 0-87477-582-5; Jeremy P. Tharcher, 5858 Wilshire Boulevard, Suite 200, Los Angeles, California 90036; 213-935- 9980; \$14.95).



# THE SISTER OF THE POWER DISK

Start getting the absolute most from your PC and COMPUTE! Subscribe to COMPUTE's PC Disk today!

Every other month—six times a year—you'll receive COMPUTE's PC Disk chockfull of ready-to-run programs, including the very best dazzling applications, powerful utilities, and eye-popping graphics. And each disk contains special programs that tie in with the Tech Support section of the magazine. You'll get a direct connection to commercial-quality, free programs and the very best in shareware, all painstakingly debugged and fine-tuned by our experts.

Here's a list of the must-have programs coming on the October PC Disk.
□ Big Desk—Make your Windows desktop eight times larger! □ Directory Size—Help for an overweight hard disk. □ Useful Notes—Kiss that paper notepad good-bye! □ VIRUSCAN—Protect your PC from viruses. □ Mr. Filter—Salvage damaged text files.
☐ Directory Size—Help for an overweight hard disk.
☐ Useful Notes—Kiss that paper notepad good-bye!
☐ VIRUSCAN—Protect your PC from viruses.
Mr. Filter—Salvage damaged text files.
31/2 interest of and ad interest of a state of a state of interest of a state of a s
Disk distress to his
□ Useful Notes—Kiss that paper notepad good-bye! □ VIRUSCAN—Protect your PC from viruses. □ Mr. Filter—Salvage damaged text files.  SUPER BONUS!  And that's not all. To make PC Disk as easy to use as possible, each issue contains CMOS—COMPUTE's Menu Operating System—a special menuing program that allows you to fly through installation, run programs, view and print documentation, get special tips on program requirements, and more.  So don't delay! Subscribe now!  Super programs and our special menuing be paid in US. Turks by check drawn on a US. bank or by money order. Material or VISA accepted for orders over \$200.0 This often wind by the filed at the above address and is not make in conjunction with a conjunction with your offen make orders and the accepted for orders over \$200.0 This often wind by the filed at the above address are is not make in conjunction with your offen make the delay! Subscribe now!  All orders must be paid in US. Turks by check drawn on a US. bank or by money order. Material or VISA accepted for orders over \$200.0 This often wind by the filed at the above address are is not make in conjunction with your offen wind by the filed at the above address are is not make in conjunction with the filed by
And that's not all. To make PC Disk as easy to use as
possible, each issue contains CMOS—COMPUTE's Menu Operating System—a special menuing program that
allows you to fly through installation, run programs,
view and print documentation, get special
So don't delay! Subscribe now! Super programs and our special
menu can be yours.
All orders must be paid in U.S. funds by check drawn on a child thing lights a be delighted the control of the child thing lights a be delighted to the child thing is the child thin child thin child thing is the child thin child thing is the child thing is the
U.S. bank or by money order. MasterCard or VISA accepted for orders over \$20.00. This offer will only be filled at the above address and is not made in conjunction with
any other magazine or disk-subscription offer.  Please allow 4-6 weeks for delivery of single
issues or for subscription to begin. Sorry, but telephone orders cannot be accepted.
Disks available only for IBM PC and compatible computers.
view and print documentation, get special tips on program requirements, and more.  So don't delay! Subscribe now! Super programs and our special menu can be yours.  All orders must be paid in U.S. funds by check drawn on a U.S. bank or by money order. MasterCard or VISA accepted for orders over \$20.00. This offer will only be filled at the above address and is not made in conjunction with any other magazine or disk-subscription offer. Please allow 4-6 weeks for delivery of single issues or for subscription to begin. Sorry, but telephone orders cannot be accepted.  Disks available only for IBM PC and compatible computers.  Current subscribers to COMPUTE or COMPUTE's PC Magazine will have their subscriptions extended accordingly.
or COMPUTE'S PC Magazine will have their subscriptions extended accordingly.  South Country Co
The Hess

# **ARTS & LETTERS**

Robert Bixby

# TAKING THE VENTURE OUT OF A PUBLISHER

You can't use Ventura Publisher for very long without grudgingly admitting that it has a few flaws. It lacks two-up printing, for example, and a few other little things that would be nice to have. Fortunately, Ventura is popular enough to make it profitable for small programming companies to create utilities to fill in the gaps.

EDCO (EDCO Services, 12410 North Dale Mabry Highway, Tampa, Florida 33618; 813-960-2356) is such a company. EDCO provides simple solutions to two *Ventura* deficiencies most vexatious to typesetters: hyphenation and kerning.

The hyphenation problem involves words improperly hyphenated according to the standard dictionary. This shows up when a word containing a syllable of a single character appears at the end of a line—Ventura often breaks

words incorrectly. The EDCO Hyphenation Dictionary is free of these errors, and it allows you to enter new words in the dictionary, complete with specified hyphenations to prevent errors from occurring. You can even specify how many letters should appear before and after a hyphen to prevent short words from breaking at all and long words from breaking before or after single letters.

LetrTuck is an interactive kerning engine that allows you to adjust the kerning of letter pairs in the 24 most popular PostScript fonts: roman, bold, italic, and bold italic forms of Avant Garde, Bookman, New Century Schoolbook, Palatino, Helvetica, and Times. You can specify a change of as little as 1/1000 of an em space. You can even enter letters not ordinarily kerned and specify a kerning value. LetrTuck and the EDCO Hyphenation Dictionary are available for \$99 each or \$148 for both.

2Up Publisher (Laser Age Software, 3231 Ocean Park Boulevard, Santa Monica, California 90405; 213-470-1397; \$159) is another interesting package designed to make up for what I consider a glaring inadequacy in Ventura: the lack of two-up printing. Two-up means setting up your pages so the resulting printout can be folded into booklet form.

With Ventura you can create landscape pages with two frames side by side, but then there's the problem of pagination. Laying out a booklet unassisted is both a nightmare and a headache rolled into one. To create a 32-page booklet, you could spend hours cutting and pasting text to get it in the right positions, and page numbers have to be entered by hand. That's a lot of work you shouldn't have to do.

It seems that *Ventura* is designed to frustrate creation of border on perfection.

a simple saddle-stitched booklet, but thankfully, 2Up Publisher is designed to take care of that problem. You simply create pages in Ventura Publisher using a special format described in the 2Up Publisher manual and then print them to a file. 2Up Publisher then extracts the pages from the file and rearranges them so they can be saddle-stitched.


2Up Publisher only prints to a PCL printer, meaning it uses only PCL font files. If you're used to printing from Ventura for Windows to a PostScript device, the result is an unacceptable change of available fonts. Nonetheless, once you've set up Ventura to print in the appropriate format and made the necessary adjustments, 2Up Publisher will generate perfect pages as advertised.

As I've mentioned before. I'm a man on a quest; I'm looking for the perfect pointing device to replace the mouse. The news from Quixoteland is that I may have found my true love-a device that makes pointing easier and allows me to draw with a natural motion. The creature's name is MousePen (Appoint Systems, 1332 Vendels Circle, Paso Robles, California 93446; 800-448-1184; \$109), and though it's a little fat around the middle, it works like a real pen.


You can hold it like a pen, draw on your mouse pad as if it were a sketch pad, and even draw with it on other surfaces, provided they aren't too slick. The mouse ball is a bead with a smooth finish rather than the rubber-coated ball bearing found in most mice.

Although I have several standard mice standing by to take the MousePen's place, I haven't rushed back to them yet. If the MousePen barrel can be made thinner, this sharp new input device will border on perfection.

Ventura
Publisher seems
designed to
frustrate the simple
creation of a
saddle-stitched
booklet.



# The man with the hat is back.



This time he's in over his head.



COMING THIS FALL
TO A SOFTWARE STORE NEAR YOU.

LucasArts

Lucasfilm Games

# **DISCOVERY**

COMPUTE CHOICE. With you on the job, even Carmen Sandiego can't toy with the great American past.

Clayton Walnum

# WHERE IN AMERICA'S PAST IS CARMEN SANDIEGO?

Ever since the indomitable Carmen Sandiego began her capers back in 1985, computerists the world over have been trying to track her down. But whenever she's busted, Ms. Sandiego gets back on the streets faster than a jail door swings. You just can't keep a bad woman down. After wreaking havoc in Where in the World Is Carmen Sandiego?, Where in the U.S.A. Is Carmen Sandiego?, Where in Europe Is Carmen Sandiego?. and Where in Time Is Carmen Sandiego?, she's back with her trusty time machine, causing trouble across the length, breadth, and history of the United States of America.

In Where in America's Past Is Carmen Sandiego?, you hop in your Chronoskimmer 450SL and follow the Sandiego gang as they leap from time to time, starting prior to 1800 and going all the way up to the present day. (Well, up to 1988, anyway.) Although your goal may be a good arrest, along the way you'll learn much about important times in America's history, from the discoveries of the first explorers to the inventions of Thomas Edison to the introduction of rap music.

A typical game begins when ACME headquarters briefs you on the most current V.I.L.E. (Villains' International League of Evil) caper and issues you a Chronoskimmer for a specific period of time. At



the start of a case, you know only the crime and the criminal's gender. To complete your mission, you must identify, locate, and arrest the criminal before your time expires. The execution of most commands consumes time, so you must examine clues carefully and avoid taking unnecessary trips or requesting redundant information.

Because Brøderbund's America is divided into five geographic regions, each of which can be visited in any of nine time periods, guesswork will yield poor results. You must examine each clue to determine both the region and time period to which the criminal has fled. The game's documentation advises you to "refer to your personal volume of What Happened When." Study this impressive tome carefully and become thoroughly familiar with its organization. The book contains far too much information for anyone

to simply memorize.

Luckily, your first time jump is automatic, zapping you to the last place the criminal was sighted. When you arrive at your destination, your view screen offers a scene from the region in the appropriate time period, after which you start your investigation by choosing Ask a Bystander, Consult a Source, or Listen In. Whichever clue you choose, the interviewee will give information that may point to the criminal's next destination, time period, or both.

For example, a typical clue may read, "She said she was going to donate copies of the new book, *Uncle Tom's Cabin*, to a library in Austin." By looking up books in *What Happened When's* index, you find *Uncle Tom's Cabin* listed with a publication date of 1852. You now know your target has fled to the Southwest (Austin) in the year 1852 (you've also learned a little about classic

literature, but don't let that worry you), and you didn't even have to read the full entry in the book! Pressing the Chronoskimmer's map button brings up a map of the U.S. on your view screen. You select the 1850–1875 time zone and the Southwest region and press the launch button, and you're off.

When you arrive in the Southwest, you learn that "the first Texas cattle drive began in 1866 when a herd of 260,000 cattle was moved north, proving that cattle could be driven to market." Interesting though this fact may be, it doesn't help your search. But pressing the Search button allows you to question the witnesses.

As you search for clues, headquarters may send electronic mail, which gives you the latest lowdown on your suspect. Clues like "She had ruby-colored hair" let you narrow down the suspects. Enter the information into your crime computer. Once you know enough about the villain, you're issued a warrant.

The game continues in this fashion until you capture the suspect or run out of time. Sometimes, you may catch up with the suspect before you have a valid warrant, in which case, the suspect gets off— and you get chewed out by headquarters. If you end up with a warrant for the wrong person, you'll really feel like a dink.

Where in America's Past Is Carmen Sandiego? supports most graphics modes, including CGA, EGA, and VGA. Although obviously best played in VGA mode, the game's EGA mode is an acceptable alternative, with the CGA graphics being better than one might expect but still tough on the old orbs. The VGA graph-

ics are stunning, with many scenes rendered from digitized photos.

Not all the graphics are static scenes, however. Each time you jump to one of V.I.L.E.'s locations, a Sandiego henchperson makes an appearance in a carefully crafted, always amusing animation. I won't give away any of the surprises. Suffice it to say that, with a full dozen of these cartoonlike intermissions built in, you'll continue to enjoy them for many games. (If you don't see an intermission after a time jump, you jumped to

the wrong location or time.) While the straight PC-generated sound effects are OK, this game puts sound cards like Ad Lib and Sound Blaster through their paces. The professionally composed music is reminiscent of that of hardboiled detective dramas, with a splash of sexy-cool jazz thrown in to keep you grinning and bobbing. The sound effects accompanying a time jump rattle your chair and echo spookily as you snap into your chosen slot in history.

No software is perfect, of course. When played using a Sound Blaster card, Where in America's Past Is Carmen Sandiego? sometimes leaves a note or two hanging, yielding a droning sound that can drive you wacky if it goes on too long. (This also may happen with other sound cards.) I also didn't care for the method by which the player gathers clues. Any software built upon a fictional scenario must maintain that all-important suspension of disbelief. Clicking on a button labeled Ask a Bystander or Listen In reminds you that you are, after all, just playing a game. It would've been much more effective to

have a person's portrait pop up, as though you were truly questioning people met randomly in the street. As the game stands, the Clue buttons might as well be labeled Clue 1, Clue 2, and Clue 3 for all they add to the game's scenario. These are minor quibbles, however, when compared with the overall quality of the program.

Although the gameplay varies only slightly from one title to the next, these games continue to be entertaining and, best of all, painlessly educational—a tough combination to beat. As parents proved to their kids over five years ago when the first charming Carmen Sandiego adventure was released, learning can be fun. Where in America's Past Is Carmen Sandiego? is a musthave package for anyone interested in superior and engaging educational software.

IBM PC and compatibles; 512K RAM for CGA, EGA, Tandy 16-color, and Hercules; 640K for MCGA and VGA; hard drive; supports mouse or joystick; supports Roland MT-32, Sound Blaster, Ad Lib, LAPC-1, and CM-32L—\$59.95

BRØDERBUND SOFTWARE 17 Paul Dr. San Rafael, CA 94903-2101 (800) 521-6263

Visit Our Warehouse/Showroom

## SIIG, Inc Minisys **Microcomputer Series**

Petite and Much More than a Powerful Computer...

#### Minisys 2000

SIIG's 12 MHz 80286 mini system Standing Slightly taller than a 3-1/2" diskette, the extremely compact MiniSys 2000 has many advantages over conventional microcomputers. Because of its unique small size, the MiniSys 2000 opens the doors of possibilities for PC based applications closed due to size concerns by larger, standard PCs. Utilizing the surface mount technology and an extreme cost-efficient design, the MiniSys 2000 now makes microcomputer solutions affordable.

#### The Minisys 2000 ... a foundation for countless applications!

- Data Entry Workstation
- Point-of-sale Workstation
- Home Computer
- Lan Workstation
- Voice Mail System

#### Standard Feature includes...

- 1 MB system memory expandable to 2.5 MB
- 3-1/2" 1.44 Floppy Drive
- 2 Serial, 1 Parallel, 1 game port, TV port
- Mono/CGA switchable, IDE Interface
- 110/220V Autosensing Power Adapter
- 1 year On-site/ Mail-in Warranty

MiniSys 2000 with VGA Adapter ..........\$499





#### MiniSys Options:

9" Monochrome (White) Mon	
MN-W-QC918	\$129.00
9" VGA Monochrome Monitor MN-V-VS0931	
Suntouch Jr. 84K Keyboard KB-MINI-84K	\$49.00
Keypad for Suntouch Jr. KB-MINI-Keypad	\$39.00
Additional Power Adapter NEW!!	\$49.00
40 MB Hard Disk Drive HD-TE-HD340	\$269.00
MS DOS 4.01 (3.5") SW-MS-DOS 4.01-1	\$65.00

#### Minisys 3000SX

SIIG's 16 MHz 80386SX Mini System Standard Feature includes...

- 1 MB expandable up to 5 MB
- 3-1/2" 1.44 Floppy Drive 2 Serial, 1 Parallel, 1 game port, TV port
- Super VGA with 512 KB, 1024 x 768 controller
  - IDE Interface
- 110/220V Autosensing Power Adapter
- 1 year On-site/ Mail-in Warranty

# Minisvs

SIIG's 25 MHz 80386 Mini System Standard Feature includes...

- 2 MB expandable up to 16 MB
- 3-1/2\* 1.44 Floppy Drive
- 2 Serial, 1 Parallel, 1 game port, TV port
- Super VGA with 512 KB, 1024 x 768 controller
- IDE Interface
- 110/220V Autosensing Power Adapter
- 1 year On-site/ Mail-in Warranty \$1,099

#### (Bundled with MiniSys)

1.2 MB External Floppy Disk Drive with 15W P.S. FD-E-12A-1 ...... \$149.00

#### SIIG, Inc On-Site Warranty

- SIIG stands behind its microcomputer with a full year on-site warranty.
- Through the service facilities of Integrated Automation International, on-site service on SIIG computer is available from coast to coast, including parts of Canada and Puerto Rico.
- Integrated Automation International (IAI) contacts every computer owner/user when the service contract is initiated to verify their hardware support needs. After this initial contact, a plan for support for that system, should it require servicing. SIIG and IAI, together offer a comprehensive warranty service to meet the needs of SIIG microcomputer owners. On-site warranty details included with each computer system purchase. Extended warranty contracts available from IAI.



We buy and sell excess inventories..call or fax list. 20308 Gramercy Place, Torrance, CA 90501 • (FAX: (213) 328-2907

(800) 345-5568 / (213) 328-3344

WE ACCEPT: NSI CHARGE, VISA, MC, AMEX, COD, PO's from qualified firms. 20% restocking fee on all non-defective returns. All returns/adjustments must be made within 15 days. CA residents Add 7% Sales Tax. PRICES SUBJECT TO CHANGE . \$8.50 Minimum Shipping.

No Surcharge On Credit Card Orders.











# Visit Our Warehouse/Showroom

#### **S486-25**

A Powerful, High Performance 486/ 25 MHz Tower System

Designed for use as a file server in a multi-user/multi-tasking environment. The use of Intel's 80486 microprocessor is the basis for the S486-25's impressive performance. The \$486-25 achieves its phenomenal performance (Landmark v1.12 equals 112.7-113.2) while still retaining downward compatibility with software designed for the less powerful 80286 and 80386 systems.



#### Standard Feature:

- 4 MB of system memory expandable to 16 MB on-board 128KB memory cache
- 5-1/4", 1.2 Floppy Drive
- 2 serial, 1 parallel, 1 game port
- 101 enhanced keyboard
- Comes with 1 year On-Site/Mail-In warranty
- Socket for Weitek 4167 floating point math coprocessor
- 8 expansion slots

\$2,495

#### SN386-25

A High Performance, High Quality 386/25 MHz System



The SN386-25 can serve as an excellent file server. UNIX & OS/2 compatible

#### Standard Feature:

- 1 MB of system memory expandable to 8 MB on-board and up to 16 MB with the use of an optional 32-bit memory card
- 5-1/4", 1.2 Floppy Drive
- 2 serial, 1 parallel, 1 game port 101 enhanced keyboard
- Comes with 1 year On-Site/ Mail-In warranty
- PLCC socket for Intel 80387 and/or Weitek 3167 math coprocessor
- 8 expansion slots

\$1,099

#### **S286-12F**

High Performance/Cost Effective 80286/12 MHz System Standard Features:

- 512 MB of system memory expandable to 4 MB on-board
- 5-1/4", 1.2 Floppy Drive 2 serial, 1 parallel, 1 game port
- 101 enhanced keyboard Comes with 1 year On-Site/
- Mail-In warranty
- Socket for Intel 80287 math coprocessor
- 7 expansion

#### **SX386-16**

SIIG's response to consumer demand for low cost, high performance microcomputer

Based on Intel's 80386SX-16 MHz microprocessor, the SX386-16 offers complete 80386 compatibility at 80286 price.

#### Standard Feature:

- 1 MB of system memory expandable to 8 MB on-board 5-1/4", 1.2 Floppy Drive
- 2 serial, 1 parallel, 1 game port
- 101 enhanced keyboard
- Comes with 1 year On-Site/Mail-In warranty
- PLCC socket for Intel 80387SX math coprocessor
- 8 expansion slots

#### **SX386-20**

Based on Intel's 80386SX-20 MHz microprocessor, the SX386-20 offers complete 80386 compatibility at 80286 price.



Fully compatible with software written for the 80386 based computers while maintaining compatibility with programs designed for the less powerful 80286 machines.

#### Standard Feature:

- 1 MB of system memory
- expandable to 8 MB on-board 5-1/4", 1.2 Floppy Drive
- 2 serial, 1 parallel, 1 game port
- 101 enhanced keyboard
- Comes with 1 year On-Site/Mail-In warranty
- PLCC socket for Intel 80387SX math coprocessor
- 8 expansion



We buy and sell excess inventories..call or fax list. 20308 Gramercy Place, Torrance, CA 90501 • (FAX: (213) 328-2907

(800) 345-5568 / (213) 328-3344

WE ACCEPT: NSI CHARGE, VISA, MC, AMEX, COD, PO's from qualified firms. 20% restocking fee on all non-defective returns. All returns/adjustments must be made within 15 days. CA residents Add 7% Sales Tax. PRICES SUBJECT TO CHANGE. \$8.50 Minimum Shipping.

No Surcharge On Credit Card Orders. We Accept...











### Come Warehouse/Showroom HALIKAN CHAPLET SYSTEMS

#### I ADTOD COMPLIT

LA-50 Laptop

Fast 80386SX 16/20MHz CPU

The LA-50 puts all the speed and performance features of a 386SX into one attractive, high resolution laptop.



#### Features Include..

- 1MB RAM expandable to 5MB
- Built-in 1.44 Floppy & 40MB Hard Disk Drives standard
- 640 x 480 Black & White supertwist CCFT LCD display
  • Fully VGA, EGA, Double Scan
- CGA, HGC and MDA compatible
- Removable/rechargeable Ni-Cd battery
- Two two-third size 16-bit/8-bit expansion slots
- MS-DOS 4.01 & GW-BASIC
- MS-Windows 3.0 & MS-Works 2.0 are optional
- FCC approved

w/ 40MB Hard Drive... w/ 80MB Hard Drive ...... \$2,499.00 w/ 120MB Hard Drive...... \$2,599.00



LX2020 LAPTOP

#### NBA386SX Notebook

At less than 6.6 lbs., the unique NBA386SX Notebook PC is the newest star in Chaplet's lineup or portable computers.



#### Features Included...

- 80386SX microprocessor with 20MHz or 16MHz
- 1MB RAM expandable to 5MB Built-in 1.44 Floppy & 20MB Hard Disk Drives standard
- 640 x 480 Black & White supertwist CCFT LCD display, up to 32 grade scale
- Fully VGA, EGA, Double Scan CGA, HGC and MDA compatible
- Removable/rechargeable Ni-Cd battery
- Weight 6.6 lbs. with battery pack
- MS-DOS 4.01 & GW-BASIC MS-Windows 3.0
- & MS-Works 2.0 are optional

FCC approved

\$2,399

#### LX2020 Laptop

#### Ideal for Beginning PC Users

Economical and Easy-to-Use Laptop with a contrast-adjustable LCD screen Features Included...

- V20 microprocessor with 12/4.77MHz
- 640KB RAM with AMI Bios
- 20MB Hard Disk and one built-in 1.44MB Floppy Disk Drive
- 640 x 200 Supertwist LCD Display
- MDA and CGA compatibility
- RS-232, Parallel Printer, External Video and External Keyboard Ports
- MS-DOS 3.3 & GW-Basic
- MS-Works 2.0 is optional
- FCC approved (adaptor is also UL approved)

# MONITORS

#### DX-214MH Super VGA

NEW!! Non-Interlaced

- SVGA-1024 x 768, 800 x 600, 640 x 480
- Auto-Size, Super Fine VGA Graphics
- Hitachi CRT-Dot Pitch Super Fine 0.28
- Black Screen for 50% better contrast
- Non-Glare Screen
- Triple Focus 3 Beam System for crisp bright colors
- Tilt & Swivel Stand & Cables included
- **Dual Voltage** Power Supply (50-60 Cycle)



#### DX-145 Super VGA

- SVGA—1024 x 768, 800 x 600, 640 x 480
- Comb Filter to eliminate smearing
- Super Fine VGA Graphics Monitor
- Hitachi CRT—Dot Pitch Super Fine 0.28 Non-Glare Screen
- Triple Focus 3 Beam System for crisp bright colors
- Tilt & Swivel Stand & Cables included
- **Dual Voltage** Power Supply (50-60 Cycle)

#### DX-145 VGA

- VGA-640 x 480
- Comb Filter to eliminate smearing
- Fine Grain VGA Graphics Monitor
- Hitachi CRT-Dot Pitch 0.39
- Non-Glare Screen
- Triple Focus 3 Beam System for crisp bright colors
- Tilt & Swivel Stand & Cables included
- **Dual Voltage Power Supply** (50-60 Cycle)



We buy and sell excess inventories..call or fax list. 20308 Gramercy Place, Torrance, CA 90501 • (FAX: (213) 328-2907

(800) 345-5568 / (213) 328-3344

WE ACCEPT: NSI CHARGE, VISA, MC, AMEX, COD, PO's from qualified firms. 20% restocking fee on all non-defective returns. All returns/adjustments must be made within 15 days. CA residents Add 7% Sales Tax. PRICES SUBJECT TO CHANGE . \$8.50 Minimum Shipping.


No Surcharge On Credit Card Orders. We Accept...







**AMERICAN** 



# Visit Our Warehouse/Showroom




### SIRIUS-32GS GRAY-SCALI

The SIRIUS-32GS offers Gray-scale mode, as well as virtual gray-scale and single-bit scanning modes.

The SIRIUS-32GS scanner is a valuable tool for transforming photos and other images into graphic images for use in computer applications. With its 256 shades of gray, image clarity and accuracy are unsurpassed. Industry standard 1-, 4-, 8- and 24-bit TIFF file formats are fully supported. The scanner package includes IMS (Image Manipulation System) software, gray-scale graphic manipulation program developed by VI&C Technology.

### FEATURES WITH IMS (Image Manipulation System):

- Manipulate 10 windows simultaneously with full & reduced views
- Supports expanded, extended, and virtual memory configuration Supports popular Laser and Dot
- Matrix printer, color or monochrome monitors
- Mouse driven & graphic based
- True WYSIWYG color selection to help image manipulation
- On-line user support Auto detection for device drivers
- and configurations On-screen dither pattern and
- gray shade index guidance
- Extensive tools for gray-scale enhancement, editing, and graphic drawing



- Exchangeable editing between gray-scale and
- binary data Many VGA modes

### supported

### OTHER OPTIONAL EQUIPMENT:

- Automatic Document Feeder (ADF) Scans up to 25 pages at once.....\$29900
- ReadRight 2.0 by OCR Systems, for OCR scanning on 80286 or
  - PC Paintgbrush IV Plus for advanced graphic uses ....... \$9900

CHINON

### SIRIUS 32 FLATBED IMAGE SCANNER

Increase the graphic performance of your office with SIIG's Sirius 32 Image scanner. To optimize and utilize the veratility of this scanner, we offer several interface kits, software geared to your business needs.

### INTERFACE KITS

### GRAPHIC INTERFACE KIT

S32-DB Interface Card, Scanner Cable, DSart Software, PC Paintbrush IV

### **BUSINESS INTERFACE KIT**

\$32-DB Interface Card, Scanner Cable, DSart Software, OmniPage/386 OCR \$59900 Software .....

### **DELUXE INTERFACE KIT**

S32-DB Interface Card, Scanner Cable, DSart Software, PC Paintbrush IV Plus, OmniPage/386 OCR Software ...... \$69900

HAND SCANNER



### COMPLETE PACKAGE INCLUDES...

- Mars 128 5° Scanner & Interface Card
- Scan Kit Utility Software & User's Manual
- Cat Reader OCR Software
- One Year Warranty

### ScanFAX 96 /DS-2000

Scanner & Fax Card packaged together for a fraction of the cost.

- 9600 Baud facsimile & Scanner
- Auto-Redial, Telephone Directory & Automatic Cover Sheet
- Log of faxes sent and received

### COMPLETE PACKAGE INCLUDES...

- Chinon DS-2000 Scanner
  - ScanFax 96
  - Add-In Board Facsimile & DS-2000 Utility Software
    - Scanner Cable & AC Adapter
      - Optional OCR

Software


QMS 18 300 **FULL PAGE SCANNER** 



- 300 dpi resolution
- 6 seconds per page
- Complete with Controller Card, Cable & Graphics Software

OCR Software Add \$149.00

- & PC Paintbrush Plus



We buy and sell excess inventories..call or fax list. 20308 Gramercy Place, Torrance, CA 90501 • (FAX: (213) 328-2907

(800) 345-5568 / (213) 328-3344

WE ACCEPT: NSI CHARGE, VISA, MC, AMEX, COD, PO's from qualified firms. 20% restocking fee on all non-defective returns. All returns/adjustments must be made within 15 days. CA residents Add 7% Sales Tax. PRICES SUBJECT TO CHANGE. \$8.50 Minimum Shipping.

No Surcharge On Credit Card Orders. We Accept...







**AMERICAN EXPRESS** 



# Come Warehouse/Showroom Visit Our



### TurboScript 3

PostScript Emulation Cartridge

UDP's PostScript cartridge gives you more than other leading brands!

- 47 Postscript fonts—scalable to any point size
- Requires only 1 MB of additional printer Memory
- Works on LaserJet II, IIP, IID, and III printers
- Supports Adobe Type 1 font formats

The TurboScript cartridge give you 47 high quality scalable Postscript fonts in any point size, that 12 more than HP's Adobe PostScript or Pacific Data's Pacific Page III Cartridge, It requires 1 MB less printer memory.

TurboScript is ideal for use with desktop publishing and WP applications such as Windows, Pagemaker, Ventura Publisher, Micrografx Designer, WordPerfect, Microsoft Word, Illustrator, Corel Draw and many more.

Postscript features include scaling, reverse type, rotation, shading, patterns, stretching, circles, arcs, clipping path, etc.

Two Identical versions available for printer compatibility... TurboScript II for the HP LaserJet II and compatibles and TurboScript III for the HP LaserJet IID. IIP and III

Compatible with IBM computers and compatibles. An additional appletalk-to-parallel connector box allows you to interface with the MacIntosh computer.

\$29900

Save \$100.00 \$399.00 Retail Price



47 Scaleable
Postscript Fonts...
thats 12 more fonts than
your standard postcript
cartridges!



### Turbo25

More Printing Power with 3.6 to 30 point Fonts

- Turbo25 gives you fonts from 25 HP cartridges plus headline and zingbat fonts
- Contains 152 fonts, 22 character sets and 220 "zingbats"
- Includes drivers for most WP software, including the new Windows 3 environment



The Turbo25 is designed to provide you with economy, felexibility and versatility. You get the most from your laser printer. Name the application: word processing, mathematics, legal, scientific and technical, tax forms, big bold headlines, spreadsheet...
Turbo25 cartridge adds all the right touches, with headline fonts, 22 symbol sets, 3.6 & 4.8 point type for spreadsheets to 30 point type for headlines; portrait and landscape, mono-spaced and proportionally spaced fonts, and much more.

Exceptional type quality. Hand tuned fonts give you crisp and sharp images. And you'll eliminate the need to store and download soft fonts, giving you faster printing and more computer memory.

Works with the HP LaserJet II, IIP, IID and III as well as other HP cartridge compatible printers.

\$17800 Save \$120.00 \$298.00 Retail



We buy and sell excess inventories..call or fax list. 20308 Gramercy Place, Torrance, CA 90501 • (FAX: (213) 328-2907

(800) 345-5568 / (213) 328-3344

WE ACCEPT: NSI CHARGE, VISA, MC, AMEX, COD, PO's from qualified firms. 20% restocking fee on all non-defective returns. All returns/adjustments must be made within 15 days. CA residents Add 7% Sales Tax. PRICES SUBJECT TO CHANGE. \$8.50 Minimum Shipping.


No Surcharge On Credit Card Orders. We Accept...







AMERICAN EXPRESS



# Visit Our Warehouse/Showroom Dro-65

**HP ProCollection Equivalent** 



- 65 Fonts from the most popular HP typestyle. Many in portrait and landscape.
- Lots of legal character sets Font sizes from 3.6 to 14 points
- Largest selection of drivers, provided by software vendors

The Pro-65 gives you more of the fonts you use everyday. This cartridge is compatible with all HP LaserJets, Including compatibles like Epson EPL-6000 and Toshiba PageLaser6.

2000 Save 50% \$249.00 Retail

### Daper & **Envelope Trays**

For LaserJet II and IID

Letter Size Tray, 200 sheet capacity (#T-LT) ......\$59.00 Legal Size Tray, 200 sheet capacity (#T-LG) .......\$59.00

Envelope Size Tray, 15 envelope capacity (#T-EN) ...... \$69.00

**Buy 2 Trays SAVE 15%** Buy 1 set of 3 Trays SAVE 25%

### TurboGold

167 complete font sets, 22 symbol sets and 222 graphic symbols

- It's 3.6 body copy pt. to its 48 pt. headline font makes this cartridge great for wordprocessing
- 3.6 & 4.8 pt. fonts for Spread sheets
- Script fonts from 12 pt. to 48 point makes terrific certificates

14 different fonts for scientific and technical typing

Driver support for many popular wordprocessing & spreadsheet programs, including Windows

Works with HP LaserJet II, IIP, IID, III, IIID, Epson EPL-7000, Star Macronics, & Star LaserPrinter 4. Other printers may be able to use this cartridge if they emu late one of printers mentioned.



\$23000 Save \$100.00 \$339.00 retail

New!! UDP MEMORY BOARD for HP LaserJet IIIP. Call.

All UDP Products comes with 60-day unconditional money back guarantee. Ten year warranty on all products.

### IBM 4019

Laser Font Card

**UDP** Compatible Font Card for IBM 4019 & Compatible Printers

- Packed with 209 Fonts.
- Emulates Pacific Data's "25 in One" cartridge
- All font in portrait; the printer rotates all fonts to landscape
- Come with drivers for many popular applications and Win dows 3.0 (with VGA screen fonts) in both HP emulation and IBM native modes.
- Plus... access to Pacific Data's "25 in One" driver, HP's ProCollection driver, IBM's Universal Card (#800) driver and other drivers for HP and IBM fonts.
- Typestyles: UDP Helv, UDP Tms, Tms Math, Prestige Elite, Math Elite, Courier, Letter Gothic, Presentation, Presentor, Line Draw, PC Line and Tax Line
- Headline fonts, 16 symbol sets, 3.6 to 18 point type

**5000** Save \$100.00 \$350.00 Retail

### C6 Bar Codes & More

Zip+4 Bar Code Save 5.7 per Envelope\*

Barcode 3-of-9 12 pt/8.1 pitch 12pt/4.6 pitch

EAN/UPC 10 mil 

13 mil  Letter Gothic 9.5 point Letter Gothic 12 point Letter Gothic 14 point

Line Draw 12 point

OCR-A 12 point
OCR-B 12 point US ZP ndlablallablabla

Plus ... Bar Code 3 of 9 & "UPC Codes ... All in 1 Cartridaell

SAVEIII \$195.00 Retail

Call U.S. Post Office for further

### 91 FRWY. 405 FRWY GRAWERCY 0

We buy and sell excess inventories..call or fax list. 20308 Gramercy Place, Torrance, CA 90501 • (FAX: (213) 328-2907

WE ACCEPT: NSI CHARGE, VISA, MC, AMEX, COD, PO's from qualified firms. 20% restocking fee on all non-defective returns. All returns/adjustments must be made within 15 days. CA residents Add 7% Sales Tax. PRICES SUBJECT TO CHANGE. \$8.50 Minimum Shipping.

No Surcharge On Credit Card Orders. We Accept...











Visit Our Warehouse/Showroom

TOSHIBA MEMORY

CAT. #	DESCRIPTION	NSI
30F5348	512KB Upgrade PS/2 30 286	44.00
30F5360	2MB Upgrade PS/2 30 286	128.00
6450372	2MB Memory Adapter 6450367	395.00
6450603	1MB SIMM PS/2 70-E61; 121	68.00
6450604	2MB SIMM PS/2 50Z-70	108.00
6450608	2MB SIMM PS/2 70 - A21	128.00
34F2933	4MB SIMM PS/2 55SX; 65SX	279.00
6450375	1MB Mem. BD PS/2 80-041	96.00
6450379	2MB Mem. BD PS/2 80 111-321	158.00
6451060	4MB Mem.BD PS/2 80-A21:A31	298.00
6450605	2-8MB Xpand Mem. PS/2 70&80 w/2MB	348.00
34F3077	2-14MB Xpand BD. PS/2 70&80 w/2MB	388.00
6450609	2-14MB Xpand BD. PS/2 50-65SX w/2MB	388.00

CALL FOR PS/1 MEMORY AST MEMORY

512K Upgrd Kit Prem 286 FASTRAM 2MB Upgrd Kit Prem WS 3865X; WS 286; Bravo 286 & 3865X; Rampage Plus 286; Advntg Prem &/2; Ram Advntg;

Plus 286; Adving Prem &2; Ham Advin Advantage 1MB Upgrd Kit Premium 386; Hampage Plus/MC; Adving 286 & 386 1MB Upgrd Kit Prem 386C; 386/16 4MB upgrd Kit Prem 386C; 386/16 Advanced FASTRAM; FASTboard 386 512/ Llead Kit Brew, MS 286SV 8

Advanced FASTRAM; FASTboard 386 512K Upgrd Kit Prem WS 386SX & WS 286; Bravo 286, Rampage + 286 128K Upgrd Kit Bravo 286 512K Upgrd Kit Advin /2; Rampage PC 512K Upgrd Kit Advin /2; Rampage PUs/MC 1MB Mod. Prem 386/25 & 386SX/16 1MB Mod. Prem 386/32-5; SX/16; 486/33/25T; 25TE; 25; 25E; 4date/ Beard 50/72/20/M

Adapter Board 500722-004 2MB Upgrd Kit Prem 486 Series 8MB Kit Prem 486 Series

1MB Mod Prem II 386SX/20

DESCRIPTION

1-16MB Exp Bd Prem 386/25-33;

HP (CPU) MEMOR

ZMB Up-Kit Vectra QS/16S &ES12 PC 1MB Up-Kit VECTRA QS/20PC; RS/25PC & 20C 1MB Up-Kit VECTRA QS/20PC; RS/25PC & 20C 1MB Up-Kit VECTRA QS/16S 1MB Up-Kit VECTRA QS/16S 1MB Up-Kit VECTRA QS/16S 1MB Mod VECTRA 465 PC

4MB Mod VECTRA 486 PC 8MB Mod VECTRA 386/25;486PC 2MB Mod VECTRA 386/25 PC

ZENITH MEMORY

2MB Card Super Sport SX; 286E 1MB Card Super Sport 286; 286E 2MB Card Super Sport SX (ALPHA) 2MB Card Super Sport SX (BETA) 1MB Card Turbo Sport 386E 4MB Card Turbo Sport 386E 4MB Card Turbo Sport 386E

4MB Card Turbo Sport 386E 1MB Mod. Z-386/20-25-33-33E 2MG Mod. Z-386/20-25-33

1MB Mod. Z-386/20-25-33-33E 4MB Mod. Z-386/20-25-33-33E

DESCRIPTION

NSI

39.00

230.00

39.00

40.00

40.00 65.00

186.00

870.00

450.00

84.00

NSI

114.00

62.00

234.00

62.00

62.00 78.00

282.00 930.00

144.00

NSI

240.00

180.00

240.00

199.00 590.00

590.00

79.00 130.00

79 00

256x8

256x9

1MBx8 1MBx9

AMBYR

4MBx9

DESCRIPTION

500510-001

500510-002

500510-003

500510-004

500510-007

500510-008

500510-010

500510-011

500709-003

500718-002

500718-004

500818-004

ASTSX20

Cat. #

D1354A

D1640A

D1642A

D1540A

D1540A D2150A

D2151A D2152A

D2381A

CAT. #

ZA180-64 ZA180-66 ZA180-86

7A180-87

ZA3034ME ZA3034ME2

ZA3034ME2 ZA3600ME ZA3600MG

7A3800MF

ZA3800MK

Control of the Contro		
CAT. #	DESCRIPTION	NSI
PC6-PA7137U	3MB Mem Card Port. T3200	228.00
PC7-PA8301U	2MB Mem Card Port. T5100	168.00
PC8-PA8302U	2MB MemCard Port, T1600	162.00
PC9-PA8340U	512K Mem Card Port, T3100E	120.00
PC9-PA8341U	2MB Mem Card Port, T3100E	168.00
PC10-PA8304U	2MB Mem Card Port. T5200 Toshiba Destop T8500	168.00
PC12-PA8307U	2MB Mem Card Port, T3200SX	168.00
PC12-PA8309U	4MB Mem. Card Port. T3200SX	389.00
PC14-PA8306U	2MB Mem Card Port. T1200XF	168.00
PC14-PA8311U	1MB Mem Card Port. T1000SE; T1000XE	218.00
PC14-PA8312U	2MB Mem Card Port. T1000SE; T1000XE	276.00
PC15-PA8308U	2MB Mem Card Port T3100SX	162 00

	E	C	V	Ξ	V	0	R	ľ	
--	---	---	---	---	---	---	---	---	--

Cat. #	DESCRIPTION	NSI
APCH655X	2MB Mod Powermate 386/25	458.00
APCH656X	8MB Expansion Bd. Powermate 386/25	1.190.00
APCH657X	3MB Base Bd. Powermate 386/25	1.250.00
APCH850E	1MB Expansion Bd. Powermate SX Pk	\$ 240.00
APCH852E	4MB Expansion Bd. Powermate SX Pk	s 690.00
PC21-21	1MB CD ProSpeed 286;386SX	245.00
PC21-22	4MB CD ProSpeed 286;386SX	569.00
PC21-26	2MB CD ProSpeed 286:386SX	309.00
PC31-21	2MB CD ProSpeed 386	319.00
PC31-22	8MB CD ProSpeed 386	1,190.00
KTN2000/S	2MB Exp. Bd. Powermate SX Plus	440.00
KTN8000/S		1.190.00

### LASER PRINTER MEMORY

Cat. #		WORKS WITH	NSI
H33474B	1MB	HPLaser Jet IIP,III, IIID	99.95
H33475B	2MB	HPLaser Jet IIP,III, IIID	139.95
H33477B	4MB	HPLaser Jet IIP,III, IIID	214.95
H33443B	1MB	HPLaser Jet II & IID	99.95
H33444B	2MB	HPLaser Jet II & IID	139.95
H33445B	4MB	HPLaser Jet II & IID	214.95
EP1000	1MB	Epson EPL-6000	129.00
EP2000	2MB	Epson EPL-6000	169.00
EP4000	4MB	Epson EPL-6000	249.00
T11000	1MB	Texas Instrument	129.00
		MicroLaser PS	
TB1000	1MB	Toshiba Page Laser 6	118.00
TB2000	2MB	Toshiba Page Laser 6	164.00
TB3000	3MB	Toshiba Page Laser 6	208.00
TB4000	4MB	Toshiba Page Laser 6	248.00
1039136	1MB	IBM Laser 4019;4019E	129.00
1039137	2MB	IBM Laser 4019;14019E	169.00
1038675	3.5MB	IBM Laser 4019;4019E	229.00
M6005	1MB	Apple LaserWriter II/NTX	85.00
M6006	4MB	Apple LaserWriter II/NTX	319.00
S63-1300	1MB	Canon LBP-8II	119.00
S63-1880	2MB	Canon LBP-8II	189.00
N/A	4MB	Canon LBP-8II	269.00
PA1000	1MB	Panasonic KXP4420; KXP4450i	118.00
PA2000	2MB	Panasonic KXP4420; KXP4450i	164.00
PA3000	3MB	Panasonic KXP4420; KXP4450i	208.00
PAAOOO	AMR	Panasonic KYP4420	248 00

### MEMORY BOARDS BOCA

0-4MB Exp-BD DP286N, 386N

COMPAO MEMORY

NSI

38.00

218.00

630.00 288 00

630.00

108.00

438.00 162.00

630 00

96.00

148.00 358.00

358.00 110.00

158.00

899 00

119 00 99.00 158.00

174 00

630.00

90.00

396.00

108.00

DESCRIPTION

CAT. #

107331-001

107332-001

107653-001 107654-001

108070-001

108071-001

108072-001

110235-001 110237-001

112534-001

113132-001 113633-001 113634-001

113644-001 113645-001 113646-001

115144-00

116561-001

116568-001 117077-001 117081-001

117081-002 118304-001

118304-001

118305-001

118688-001

118689-001

118700-001

DESCRIPTION

512KB Upgrade Portable III
2MB Upgrade Portable III
1MB Module Portable 386
4MB Xpand Mem. Portable 386
4MB Xpand Mem. Portable 386
4MB Xpand Memory DP386-16
4MB Xpand Memory DP386-16
4MB Xpand Memory DP386-16
1MB Memory Upgrade DP386-16
1MB Memory Upgrade DP386-16
1MB Memory BD St 286
4MB Memory BD St 286
4MB Memory BD St 286
4MB Module DP386S-16
1MB Module DP386S-16
1MB Module DP386S-16
1MB Xpand Mem. DP386S-16
1MB Xpand Mem. DP386S-16
1MB Xpand Mem. DP386S-16
1MB Xpand Mem. DP386S-16
1MB Module DP386S-16
1MB Module DP386S-34
486-25, Syspro
32MB Module DP386S-3, 486-25
12KB Mem. BD Portable LTE 286
2MB Memory BD Portable LTE 286
2MB Memory BD Portable LTE 286
1MB Module for SLT7386
1MB Module DP386N, 386S-20
4MB Module DP286N, 386N
20HB Module DP286N, 386N
20HB Kep-BD DP286N, 386N

101.8	bit bus. Ope	erates up to 12 l	o 2MB of expand MHz. Uses 256K	D-RAM-
		With CK		\$120.00
		WILL SIZA		139.0
POC	ADAM/AT	DI LIC Desid	des up to 8MB of	199.0
BOU	ARAM/AI	PLUS PION	es up to amb of	extended,
expan	ded of bac	till memory. Op	erates up to 33M	MHZ and is
		. Uses 256K D		****
			with 4MB	
DOO	ATT ZMB	199.00	with 8MB	459.00
BOC	AHAM/AI	-NO PLUS_P	rovides up to 4M	IB of Xtended
Apano	ed or back	till memory. For	16 bit bus. Oper	ates up to 33
MHZ 8	and is set tr	iru software, ha	s serial and para	illel port. Uses
1MB	J-HAM-	with OK		\$149.00
		with 2MB		239.0
ROC	AHAM 30	—Provides up to	2MB of expand	ed memory
			-bit bus utilizing	3.5° floppy
disks.	Uses 256k			
		with OK		\$109.00
		with 2MB		199.0
			p to 4MB expan	
or had	kfill momor	v for PSP mode	1 50 60 Uses 1	MR D.RAM

De er i i i i i i i i i i i i i i i i i i	
or backfill memory for PS/2 model 50, 60. Uses 1MB D-	RAM-
with 0K	
with 2MB	209.00
with 4MB	299.00
BOCARAM 50Z-Provides up to 2MB, 0 wait state,	
expanded or extended memory for IBM, PS/2 model 50, 60. Uses 11MB D-RAM—	50Z,
with OK	\$99.00
with 2MB	189.00

DOALL OLLIDO

			MAIN	1 6	IIL2		
60		150	120	100	80	70	60
	64x1 64x4	.90	1.20	1.50 2.15	2.50		
65.00	256x1	1.25	1.40	1.60	1.85	2.10	
68.00	256x4		5.35	5.70	6.00	6.75	.7.75
274.00	1MBx1			5.45	5.65	6.50	7.50

Catalog/manufacturer's part numbers are for your convenience. All products are 3rd party manufactured, 100% Compatible.

ALL MEMORY PRODUCTS COME WITH 5 YEAR UNCONDITIONAL WARRANTY, CALL FOR QUANTITY PRICES.

19.00 22.00

53.50

MODULES

80

24.00

51.00 54.95

224.00

70

60.00 65.00 234.00

274.00



We buy and sell excess inventories..call or fax list.

20308 Gramercy Place, Torrance, CA 90501 • (FAX: (213) 328-2907

(800) 345-5568 / (213) 328-3344

WE ACCEPT: NSI CHARGE, VISA, MC, AMEX, COD, PO's from qualified firms. 20% restocking fee on all non-defective returns. All returns/adjustments must be made within 15 days. CA residents Add 7% Sales Tax. PRICES SUBJECT TO CHANGE . \$8.50 Minimum Shipping.

SIMM

120 100

17.00 21.00 50.50

19.00

150


No Surcharge On Credit Card Orders. We Accept...











# Come Warehouse/Showroom Visit Our

### HARD DRIVES

Model Name Description **NSI Price** 

### SEAGATE

ST151(MFM)	40MB 24ms 3.5"	\$278.00
ST157R-1 (RLL)	49MB 28ms 3.5*	218.00
ST251-1 (MFM)	42MB 28ms HH	208.00
ST4096(MFM)	80MB 28ms FH	508.00
ST4144R (RLL)	122MB 28ms FH	468.00
ST157A (IDE)	44MB 28ms 3.5"	198.00
ST1102A (IDE)	84MB 20ms HH	408.00
ST1144A (IDE)	125MB 20ms HH	468.00
ST1162A (IDE)	143MB 15ms 3.5"	638.00
ST1239A (IDE)	211MB 15ms 3.5*	778.00
ST2274A (IDE)	193MB 16ms HH	1,178.00
ST2383A (IDE)	338MB 16ms HH	1,980.00
ST2106E (ESDI)	94MB 18ms HH	598.00
ST2182E (ESDI)	160MB 15ms HH	958.00
ST2383E (ESDI)	337MB 15ms HH	1,298.00
ST4182E (ESDI)	160MB 16.5ms FH	828.00
ST4383E (ESDI)	328MB 18ms FH	1,288.00
ST4442E (ESDI)	373MB 16ms FH	1,419.00
ST4766E (ESDI)	660MB 15.5ms FH	1,878.00
טוזוישב (בטטו)	000110 10.0110 111	.,510.00

### CONNER

CP3044 (IDE)	42MB 25ms 3.5*	224.0
CP3184 (IDE)	84MB 25ms 3.5"	370.0
CP3104 (IDE)	104MB 25ms 3.5*	409.0
CP30104 (IDE)	120MB 17ms 3.5*	449.0
CP3204 (IDE)	209MB 16ms 3.5"	669.0

### MAXTOR

XT4170E (ESDI)	157MB 14ms FH	\$855.00
XT4230E (ESDI)	203MB 16ms FH	1,129.00
XT4380E (ESDI)	338MB 16ms FH	1,240.00
XT8380E (ESDI)	360MB 14ms FH	1,265.00
XT8760E (ESDI)	676MB 16ms FH	1,865.00
8051A (IDE)	42MB 28ms 3.5*	279.00
7040A (IDE)	42MB 19ms 3.5*	299.00
7080A (IDE)	81MB 19ms 3.5*	399.00
LXT200A (IDE)	207MB 15ms 3.5*	829.00

CALL FOR ALL OTHER DRIVES & CONTROLLER CARDS

### MousePen



Works like a mouse, shaped and held like a penl Light, Responsive, Easy to Usel

The Mouse Pen is comfortable with either hand and requires minor wrist movement to operate and adjust its response automatically to your movement. It is the most advanced pointing device technology available today. Uses existing drivers in Windowsr and works with Microsoft or IBM OS/2 dirvers.

### Includes...

- Microsoft compatible driver
- Menu Maker utility software for
- non-mouse applications TelePAINT TM, a color paint program with VGA support
- IBM PS/2 mouseport connector
- Adapter for DB9 and DB25 serial ports
- 5-1/4" and 3-1/2" diskettes
- User Manuals & Custom Pen holder



### **Color Plotter**

- Handles paper sizes up to 14" x 26-1/2"
- High Resolution Matrix Printer Output of 240x480 dpi
- Four Resident Character Fonts w/ 19 optional fonts available
- Emulates Epson,
- IBM & Diablo
- Large Alphanumeric LED display



# Math-Co Processors

Most MS-DOS machines and turbo boards can accept an optional math coprocessor chip like Intel's 8087, 80287 or 80387 in order to dramatically speed up the system's floating point (or real number) arithmetic calculation. This increase is only realized if the software the user is running is designed to utilize these chips. Many programming languages, spreadsheets and CAD packages are developed to do so. To select the right co-processing chip, the processor's series and clock speed must match. If the machine has a multispeed CPU, the chip should match the system's highest clock speed.

The Intel Math CoProcessor is an inexpensive way to make over 1000 powerful software programs run even faster. The Math CoProcessor offloads the complicated math function from your computer's main processor, and handles in one instruction what would have required many steps with the standard processor. Depending on your application, your software will run up to five times faster.

### **INTEL 387 DX-33**

Math CoProcessor for 33MHz 386 DX -based computers including the Zerith Z-386/33, Compaq DeskPro 386/33, and CompAdd 333. The fastest Intel technology. 269.0. Cat. # BOX387DX-33

### **INTEL 387 DX-25**

Math CoProcessor for 25 MHz 386 DX-based computers including 25MHZ IBM PS/2 Model 70, Compaq DeskPro 386/25, and CompuAdd 325. Up to 20% faster than the previous Intel 387 DX-25 Math CoProcessor. Cat. # BOX 387DX-25 ......\$259.

### INTEL 387 DX-20

Math CoProcessor for 20MHz 386 DX-based computerss including 20MHZ IBM PS/2 Model 70, Compaq DeskPro 366/20e, and CompuAdd 320. Up to 20% faster than the previous Intel 337 DX-25 Math CoProcessor. Cat. # BOX387DX-20 \$249.00

### INTEL 387DX-16

Math CoProcessor for 16MHZ 386 DX-based computers, including 16MHz IBM PS/2 Model 70 and 80, CompAdd 316sl, and Intel InboardTM 386/PC. Up to 20% faster than the previous Intel 387DX-16. # BOX387DX-16.

### INTEL 387 SX-20PC

### 80287 Math CoProcessor

Math CoProcessor for all 286-based computers (except those specially designed for the s87XLT) Up to 50% faster than

previous intel 287 Math Co-Processors.	
80287 XL	\$99.00
80287-10 MHz	\$89.00
80287-8 MHz	\$69.00
80287-6 MHz	\$49.00
0007 1	

Math CoProcessor for 8088 or 8086 based computers or accelerator boards running at 10MHz or less, such as the CompuAdd 810. Cat. # BOX8087-1

### 8087-2

Math CoPRocessor for 8088- or 8086-based computers 

### 8087-3

Math CoProcessor for 8088-or 8086-based computer running at 5MHz or less, incluiding the IBM PC, XT, and Compaq Portable Plus. Cat. # BOX8087 \$59.00

We buy and sell excess inventories..call or fax list.

20% restocking fee on all non-defective returns. All returns/adjustments must be made within 15 days. CA residents Add 7% Sales Tax. PRICES SUBJECT TO CHANGE. \$8.50 Minimum Shipping.

No Surcharge On Credit Card Orders. We Accept...














20308 Gramercy Place, Torrance, CA 90501 • (FAX: (213) 328-2907 WE ACCEPT: NSI CHARGE, VISA, MC, AMEX, COD, PO's from qualified firms.

**AMERICAN** 

# Visit Our Warehouse/Showroom



## FAX/MODEM CARDS

For IBM Compatible Desktop & Portables

SEND & RECEIVE

MaxFax 9624

Powerful, Intelligent, Group 3 Compatible 9600 bps Fax and Hayes Compatible 2400 bps Modem Card

Unique auto direct compatibility
Background and "unattended" operation

Dedicated on-board microprocessor & powerful software package


Supports several popular printer and page scanners


Easy to install and setup

Compatible with IBM PC, XT, AT, PS/2 Model 30,

Compaq DeskPro 386 and all other IBM compatible PCs.

Compact half-card size to fit most portable & laptops





### **MaxFax** 962417

For Toshiba Laptops... Custom Designed to Occupy the Internal Dedicated Modern Slot of Most Toshiba Laptops

9600 bps Group 3 compatible facimile

2400 bps Hayes compatible Modem

Designed to fit the Internal T24C/D slot of Toshiba's T1000SE, T1000XE, T1200, T1200XE, T1600, T3100SX and T3200SX, Laptops

Equipped with a powerful, user-friendly, menu-driven software package

Multiple phone books with Edit function

Word processing and graphics programs

### MaxFax 9264LT-C

Designed For the Compag LTE Family of Notebook Computers (Same features as the MaxFax 9624LT-T)

### MaxLite/PC

Pocket Size Portable Fax/Modem Designed for Use with the IBM Compatible Desktop and Portables

**ALSO** AVAILABLE MACINTOSH

Send and receive Fax/Modem with 9600 bps, Group 3 compatible Fax & Hayes compatible 2400 bps Modem

Interface with the PC via the RS232 Serial Port Dedicated on-board microprocessor to support background and "unattended" operations

Unique Auto Direct feature automatically differentiates a Fax call from a Modem call and process accordingly

Optional Software converts the MaxLite into a Macintosh version

Operates on AC or Battery power

On/Off switch to prevent battery drainage



All Macronix Products come with 1 year limited warranty



We buy and sell excess inventories, call or fax list. 20308 Gramercy Place, Torrance, CA 90501 • (FAX: (213) 328-2907

10) 345-5568 / (213) 328-3344

WE ACCEPT: NSI CHARGE, VISA, MC, AMEX, COD, PO's from qualified firms. 20% restocking fee on all non-defective returns. All returns/adjustments must be made within 15 days. CA residents Add 7% Sales Tax. PRICES SUBJECT TO CHANGE . \$8.50 Minimum Shipping.

No Surcharge On Credit Card Orders. We Accept...







**AMERICAN EXPRESS** 



# **PATHWAYS**

Steven Anzovin

### **CYBERWOCKY**

Twas brillig, and the slithy toves Did gyre and gimble in the wabe; All mimsy were the borogoves And the mome raths outgrabe.

Those lines from Lewis Carroll's "Jabberwocky" may not sound like the future of computing to you, but if you listen closely, you can hear them in all the talk about VR (Virtual Reality), perhaps the ultimate computer buzzconcept.

The whole idea of VR, which we'll define here as "a computer-generated simulation of real experience," has given birth to a staggering amount of verbal goulash, much of which makes "Jabberwocky" sound sensible.

Virtual reality, artificial reality, synthetic reality, cyberspace, cyberarts, multimedia, hypermedia, or whatever it is—you know there's some basic confusion here when the experts can't agree on what to call it—is hot stuff right now.

It's attracting plenty of press, including this magazine, and the attention of some big players in the industry—Autodesk, Apple, IBM, Microsoft, VPL Research, Evans & Sutherland, and many more. But since researchers really don't know what they're doing yet, VR stuff tends to stay in the labs. In fact, most of it's just theorizing—virtual VR, so to speak.

Not much VR has filtered down to the real-world level— a few pieces of hardware, like the Gold Brick for the Mac, and some innovative software like *Vista* for the Amiga. You have to look in the journals and attend the conferences to get a real sense of where VR research is headed.


Writing in last year's summer issue of *Multimedia Review*, Randal Walser, manager of the Autodesk Cyberspace project, outlined a VR world sys-

tem that involves a puppet (a virtual actor in the virtual world) controlled by a patron (a real person in the real world). This puppetmaster paradigm leaves me cold—too schizophrenic. Remember the "Twilight Zone" episode in which the evil dummy takes over the ventriloguist?

I go for the virtual telepresence model espoused by Scott Fisher, formerly of the NA-SA Ames Research Center. In this concept you can take on an entirely different identity (someone rich and famous, for example) and interact with others in their virtual identities. In other words, instead of just watching "Star Trek," you can be in it. As you can see, conceptualizing about VR is still at the infotainment level.

Some thinkers warn us to ground our virtual realities in some aspect of true reality, lest we lose our way in them. (Maybe it's the VR theorists who have lost touch with reality.) While moral and ethical questions don't come up often in mainstream VR research, VR does have its own Moses.

At the last Virtual Reality Conference held in San Francisco in December 1990, Professor Michael Benedikt of the Univer-



sity of Texas brought down from the mountain seven commandments for the design of virtual realities, including:

- The world is indifferent to the user.
- One may not enter a space invisibly.
- Shared spaces exist by the consensus of those sharing them.

It seems that Benedikt's main concern is to prevent cyberspatial voyeurism. That takes all the fun out of it for me, but my personal favorite is, "Each world contains fewer dimensions than itself." Think about that for a minute.

The academic approach to VR, however, is not for everyone. The really interesting action is elsewhere. For a look at the outlaw fringe of VR—as well as other bizarre manifestations of the electronic age—check out *Mondo 2000* magazine (P.O. Box 10171, Berkeley, California 94709).

Self-described as a "mutazine" for cyberpunks, hackers, crackers, and wild-eyed visionaries, Mondo 2000 is kind of a blend of Interview, Mother Jones, Shaman's Drum, and New Media Age. It covers everything from weird electronic conspiracies—if you believe the letters to the editor, there are a lot of them out there—to the latest trends in drugfree expansion of the senses.

The race for VR (as Mondo 2000 likes to call it) is fascinating to follow, and the VR toys are fun to play with, but you really have to wonder, why are we so anxious to escape into alternate realities? And given the state of the real world, what makes us think the virtual worlds we create will be any better than the real thing?

Such questions make me a bit anxious about the "frabjous day" when VR is—you'll excuse me—a reality.

What makes us think the virtual worlds we create will be any better than the real thing?



PART 1

USE YOUR
PC FOR INTELLIGENT
HOME SECURITY

# TURN A HOME SWEET HOME INTO A SMART HOUSE

BY HOWARD MILLMAN
PHOTOGRAPHY BY MARK WAGONER

ant to make a computer happy? Give it something to do over and over again. Let it check a window several times a second to see if it's been forced open, or take indoor and outdoor temperatures and constantly adjust the heat accordingly, or "look" to see if someone's entered a room and then turn on the lights if it's after 7:00 p.m. These are typical activities in a computer-controlled Smart House.

In 1984, the National Association of Home Builders (NAHB), who coined the term *Smart House*, developed the idea of a computer-controlled home—whether a house, condominium, or apartment—that would allow owners to spend more time pursuing life's rewards and less time performing routine household tasks. The result of that idea is a 40-million-dollar prototype the NAHB hopes will evolve into an industry standard.

In the meantime, the Electronic Industries Association (EIA) is already promoting a competing standard: the Consumer Electronics Bus, or CEBus. The primary difference between NAHB's Smart House and EIA's CEBus is that the Smart House uses a central computer, while the CEBus requires individual devices to have on-board intelligence and computers to exchange data with each other through a common language. Generally, the NAHB standard appears well suited to control equipment and processes while the CE-Bus delivers greater versatility in controlling appliances.

In addition to NAHB and CEBus, existing standards such as X-10 are also

clamoring for a piece of this quickly expanding market. X-10 devices are popular because they use the home's existing electrical wiring to carry a superimposed signal that controls lights and appliances. However, a major problem with X-10 is that because they're line-carrier devices, line voltage electrical noise sometimes falsely triggers wired-in appliances.

A Low-Cost, High-IQ Security System

The computer-in-residence system designed by *COMPUTE* uses a central computer for two reasons: It involves a lower initial cost, and it's easier to retrofit into an existing building, which makes it a good system to use as a model for your own smart house.

COMPUTE's system consists of four elements: sensors to sample physical events such as temperature, light, sound, motion, and heat; analog/digital cards to convert data received from the sensors into digital form so the computer can understand it; a personal computer with compatible control software to analyze and act on the data it receives; and a series of relays to control different pieces of equipment, processes, and appliances. Since many data-acquisition and control (DA&C) functions are time based, your computer should contain a battery-backed clock and calendar.

This may all sound expensive, but in fact, you can assemble it for less than \$600 if you already have a PC. In fact, if you have an old XT collecting dust in the closet, that's the one you should use. Control software that

operates the security system is written in BASIC and will run under BASICA or GW-BASIC on essentially any PC, including older ones (see Programming Your Smart House below).

The first task you'll want to assign your computer is providing perimeter security. According to a recent U.S. Justice Department survey, burglaries are four times more likely to occur in homes without intrusion alarms. In addition to your improved peace of mind and the property protection, an added bonus to having a system is that some insurance companies provide premium reductions for homes protected by security systems. Be sure to check with your insurance company to find out if you're eligible for such a premium. You may want to switch carriers if not.

At some time or another, most any alarm system is going to inconvenience you—and your neighbors—to some degree, usually in the form of nuisance alarms. A major reason for nuisance alarms is dumb alarm systems that "think" every occurrence warrants an all-hands alert. Such systems are usually activated by a solitary event.

Conversely, a smart alarm system will compare data received from its different sources to determine if a verifiable alarm condition exists. The system we've designed here employs two sensor circuits. Circuit 3 on the analog/digital board you'll use monitors windows and doors with magnetic contacts; circuit 4 uses a low-cost passive infrared detector. When the two data-reporting sources independently confirm activity, the alarm will sound.

While you'll design in some safeguards, you should also recognize that excessive caution is undesirable. Too many precautions mean an overencumbered alarm system may not operate when it should.

PLEASE NOTE: THE FOLLOWING SECTION INVOLVES WIRING YOUR SYSTEM TO DANGEROUS HOUSE-HOLD ELECTRICAL CIRCUITS. UNLESS YOU ARE EXPERIENCED WITH HOUSE-HOLD CIRCUITS, LEAVE ALL HIGH-VOLTAGE WIRING TO A LICENSED PROFESSIONAL.

Installing the Smart Security System

The first step of installing the system is to define the areas of your home you want to include. Depending on the number and type of sensors you choose, the cost of your alarm system components should only total between \$20 and \$150.

Your computer's interface will remain the same for all installations. Alpha Products' DA&C cards are recom-


### BASE SYSTEM SUPPLIES

Alpha RE-140 eight-relay output card	\$142
Alpha AD-142 eight-channel analog/digital input card	\$142
Alpha AR-133 PC bus adapter	\$ 69
Alpha CA-162 ribbon cable for two cards	\$ 34
Alpha PS-126 12-V power supply	\$ 12

Alpha offers a special package for \$379 that includes these components as well as its CD-113 light sensor and TS-111 temperature sensor, which you'll learn about in January's *COMPUTE*.

### **ALARM SYSTEM SUPPLIES**

Radio Shack 49-488 internal/external 12-V siren	\$19.95
Radio Shack 49-495 surface-mount magnetic contact	\$ 3.59
Radio Shack 49-496 magnetic contact for concealed mounting	\$ 3.99
Radio Shack 49-521 glass-break sensor	\$ 3.95
Radio Shack 49-531 passive infrared detector	\$59.95
Radio Shack 278-777 double-shielded cable for analog inputs	\$ 7.95
Radio Shack 278-874 six-conductor telephone station wire for digital	
inputs and all low-voltage outputs	\$14.99
Radio Shack 278-1440 100-foot SPT-2 16-gauge lamp cord for interior	***
120-V circuits (use weatherproof cable for exterior locations)	\$21.95
Radio Shack 22-127 120-V AC/2-V DC power supply	\$26.95



Our games are serious business

**Villa Crespo Software** presents a trio of exciting new products for your computer. We are the leading publisher of casino gaming software. Our guarantee: the finest in entertainment and professional instruction. Our critically acclaimed products are recognized for their substance and depth of features. Now, you can gain the winning edge!

And you will have fun as well. Your computer comes alive with casino realism. Built-in tutors and on-line help increase your skill level. Expert endorsing professionals provide you with proven techniques.

Amarillo Slim, Stanford Wong, and The Gold Sheet invite you into the world of real casino gaming. The action is about to start... Join us now.

"With the most opponents, most options, and best gameplay, Amarillo Slim Dealer's Choice wins the pot, hands down!"—Computer Gaming World Magazine

"The quality and versatility of Stanford Wong Video Poker make it a must for players of any skill. Video Poker is entertaining and is fast becoming the most popular of all casino games."

—Casino Player Magazine

"For statistics and handicapping, nothing we have seen comes close. In actual use ourselves, we found The Gold Sheet Pro Football Analyst accurate, easy to use, and rewarding."—Western Gambler Magazine

Available at all leading software dealers. For information write, or call **1-800-521-3963**. 1725 McGovern St., Highland Park, IL 60035



### **HOMEBOT**

Samsung's SCOUT-ABOUT may not be R2D2, but it's the closest thing yet to a personal droid—particularly if you're looking for a convenient way to guard your home and, according to its makers, if you're on a budget. The robot will sell for less than \$1,000 when it arrives in stores and catalogs next February.

The SCOUT-ABOUT is what Samsung calls a home service robot, but its main function is to guard your personal property. It will roam any area of your home for up to 50 hours at a time, making its way around objects over two inches high, stopping to check out the conditions of the area it patrols. Using a dual-detection ultrasonic and passive infrared sensory system, the SCOUT-ABOUT alerts an automatic digital dialer by way of radio signals if it detects body heat, motion, a consistent change in air temperature, or shattering glass.

If it isn't convenient for the robot to roam, you can plug it into a wall socket where it acts as a stationary monitor. Running on batteries alone, it will monitor from an idle position for about 70 hours before needing a recharge.

The robot is perfect for apartments, condominiums, vacation homes, small businesses, or any other place needing effective intruder security that's simple to implement. And at under 16 pounds, it's portable enough to use in automobiles, boats, and campers.

Since SCOUT-ABOUT is equipped with a radio transmitter, it can act as a one-way monitor for the baby's room, allowing you to hear everything within 150 feet of the robot. The SCOUT-ABOUT package also includes a medical alert pendant with a button that directly acti-



vates the autodialer. So if you've fallen and can't get up, the SCOUT-ABOUT may not come to your rescue, but the autodialer will.

For \$1,000, you can assemble a much more elaborate security system than the SCOUT-ABOUT—one that monitors your entire house. Robots won't roam your house, but you'll be secure.

—JILL CHAMPION

mended for their excellent quality, ease of use, availability, and competitive prices, and because Alpha's control software, *SMART1*, is included free of charge with orders. However, you should certainly feel free to shop around for what you consider the best components and prices.

One recommended card is Alpha's AR-133 PC bus adapter, which plugs into any available 8- or 16-bit expansion slot of a PC. Also, Alpha makes a CA-162 ribbon cable, which contains two connectors that accept the RE-140 eight-relay output card and the AD-142 eight-channel analog/digital input card, which you'll use.

Circuit 3 on the Alpha AD-142 uses magnetic contacts to detect open doors and windows. For surface-mount contacts, Radio Shack's 49-495 surface-mount magnetic contact works well. For concealed mounting, use Radio Shack's model 49-496 contact. Although circuit 3 appears to have only two sensors, it will accommodate many more, including a glass-break sensor such as Radio Shack's model 49-521. Circuit 4 uses a passive infrared detector, such as Radio Shack's model 49-531, to confirm an intruder's entry.

Install the sensors in series so that power flows through each one. Since this is normally a closed system, an alarm condition exists if any one sensor "opens." You can install multiple detectors (in the same or different areas) by wiring them into a series circuit.

The RE-140 card, mentioned earlier, governs the output—flashing lights and a siren. Wire the flashing-light circuit to 120-volt output 0 on the RE-140 card.

Connect the siren to low-voltage output 7 on the RE-140. For the external siren alarm, use Radio Shack's 12-volt model 49-488 or an equivalent model.

Wires for low voltage (outputs 4, 5, and 6) on the RE-140 can be 24 gauge. Use a minimum three-pair cable to allow for future expansion and spares. Wiring between the 120-volt outputs to the light or lights must be at least 16 gauge and rated for 120-volt service. Be sure to install a snubber circuit here, or make sure your electrician installs it, to protect the relay's points against arcing and to protect the computer against stray signals.

### **Programming Your Smart House**

You must have the right software to operate any computer-based security system. You can order a free copy of Alpha's GW-BASIC control software, *SMART1*, when you buy Alpha components. Data Systems Services also offers an easy-to-use, menu-driven BASIC program for \$134. Both companies are listed in the product information box at the end of this article.

Your basic security alarm system

should now be complete. That's all there is to it. In January's issue of COMPUTE, you'll learn how to expand the base system you just set up to include two more elements of intelligent home security—temperature control and lighting management.

Your March issue of COMPUTE will conclude the smart house series. There, you'll learn about sophisticated applications that range from using remote control to operate your appliances by telephone to transmitting realtime still video images over ordinary telephone lines to using infrared as well as direct-voice command of your computer's control programming.

This computer-in-residence system is designed to be installed by you. If you're not familiar with 120volt circuits, or if your local building codes prevent you from installing line-voltage wiring, have a licensed contractor install the wiring to the lights.

### PRODUCT INFORMATION

For more information about buying security-system components and control software, contact the following companies. Radio Shack products can be purchased through a local Radio Shack store.

### Alpha Products

303 Linwood Ave. Fairfield, CT 06430 (800) 221-0916 (203) 259-8813

### **B&B Electronics**

4000 Baker Rd. Ottawa, IL 61350 (815) 434-0846

### **Data System Services**

38 Amber Dr. Croton, NY 10520 (914) 271-6883

### **Electronic Energy Control**

380 S. Fifth St. Columbus, OH 43215 (800) 842-7714

### Real Time Devices

820 N. University Dr. P.O. Box 906 State College, PA 16804 (814) 234-8087

You're encouraged to request home automation catalogs from the following companies, which carry a fascinating assortment of equipment and devices to control practically every appliance and process in your home.

### **Heath Company**

P.O. Box 1288 Harbor, MI 49023 (800) 444-3284

### **Home Automation Laboratories**

5500 Highlands Pkwy., Ste. 450 Atlanta, GA 30082 (800) 445-9605 (404) 319-6000

### THE TIME THE STATE OF THE Congratulations – it's 1995 and you've been selected for the hottest seat in helicopter history: the cockpit of the Pentagon's new AH-73M Thunderhawk™. So zip up your flight suit, adjust your sunglasses, and control your nerves 'cause this one makes Nam look like a day at the beach! AH-73M Thunderhawk is the most advanced helicopter combat simulation ever brought to the computer screen. Thunderhawk "soars above the rest with these features: A helicopter armed with the latest in weaponry, electronic countermeasures, functioning displays and computer-aided targeting systems. Realistic missions involving actual military conflicts and contingency plans. A true interactive "world" outside your cockpit, with other locations and Available soon for IBM and Amiga. Thunderhawk is a trademark of Virgin Games, Inc. Virgin is a registered trademark of Virgin Enterprises, Ltd. ©1991 Virgin Games and Core Design. All rights reserved. characters that respond to your actions. Campaign scenarios with Virgin Games, Inc. 18061 Fitch Ave. Irvine, CA 92714 1(800) VRG-INO7 a multitude of missions. Circle Reader Service Number 105

# **FAST FORWARD**

David English

### **WE'RE OFF TO SEE THE WIZARD**

They call it Hot 'Lanta. It's the home of Ted Turner, a movie theater that only runs Gone with the Wind, and Spring COMDEX, the massive computer trade show. In past years, COMDEX has been a hardware show, but this year the organizers added WINDOWS WORLD, a Windows show-within-a-show. Guess where the biggest crowds were. That's right-most of the attendees spent most of their time check-

enough, Upgrade Kits). If you choose the upgrade path, you'll generally get the Windows multimedia extensions, a CD-ROM player, and a sound card.

Not surprisingly, the two biggest PC manufacturers were busy showing off their soon-tobe-released Multimedia PCs and Upgrade Kits. IBM is offering two Upgrade Kits that can transform a PS/2 into either a Training System or an Information Delivery System (more product names for lawyers). A Training System is a 386based PS/2 that includes a

VGA monitor. a laser disc player. IBM's M-Motion based with graphics,

and sound card, as well as support for touch input. An Information Delivery System is a 286-PS/2 VGA CD-ROM, and

an 8-bit sound card.

Tandy, the other big PC manufacturer, announced three Multimedia PCs-a 16-MHz 80286, a 20-MHz 80386SX, and a 16-MHz 80386DX. All three include an internal CD-ROM drive, Tandy's multimedia sound board (with full MIDI support and Sound Blaster compatibility), and a VGA Plus video card and monitor (for a resolution of 640 × 480 with 256 colors). Tandy's Upgrade Kits include Windows with Multimedia, a CD-ROM drive, and Tandy's multimedia sound board. The kits sell for \$799.95 (with an internal CD-ROM drive) and \$899.95 (with an external CD-ROM drive). By the way, Tandy's new internal CD-ROM drive is a real bargain at \$399.95, and it fully meets the Microsoft multimedia specifications.

Turtle Beach Systems showed its new 16-bit sound card, called MultiSound, which provides CD-quality sound for \$995. With a topselling Proteus synthesizer built into the card, this represents a truly significant price breakthrough for adding professional-quality sound to Windows applications.

In software, Passport Designs announced that its latest version of Master Tracks Pro (\$395.00) supports Windows with Multimedia. It's currently the top Windows-based MIDIsequencer program, but expect one of the major Macintosh MIDI-software developers to announce a competing Windows product real soon now. Brown-Waugh showed its new Cyber Animator (\$199.95), a low-cost Autodesk Animator competitor that can read Animator FLI files. You can have individual animation frames trigger sound effects that play through a Sound Blaster.

Asymetrix demonstrated a faster version of ToolBook (version 1.5, \$395). It displays objects on the screen 30-40 percent faster than before. A special multimedia version of Tool-Book should be available by the time you read this. And U-Lead wowed the crowd with its new PhotoStyler (\$795), a slick new image-processing program that's similar to Adobe Photoshop and ColorStudio on the Macintosh. It's the first serious 24-bit-color photoediting program for the PC. More are on the way.

The rest of the new multimedia hardware and software will have to wait for future columns. Spring COMDEX proved that multimedia isn't all smoke and mirrors. These are real products that can turn frustrated nonprogrammers (or tinkering weekend programmers) into professional-level multimedia wizards.

Asymetrix's ToolBook 1.5 was just one of the new multimedia products shown at COMDEX.



ing out the latest offerings in Windows programs.

Within WINDOWS WORLD. you could find a section devoted to Windows-based multimedia products (sort of a show-within-a-show-within-ashow). Microsoft was touting the imminent release of Microsoft Windows graphical environment 3.0 + Multimedia Extensions 1.0. That's the official name for what Microsoft used to call Multimedia Windows. It's a name only a lawyer could love and journalists and computer users will quickly come to hate. According to Microsoft, the official informal name is Windows with Multimedia.

Whatever you call it, it should be available by the time you read this, either in the form of new PCs (officially called Multimedia PCs) or upgrade kits (called, oddly

# MORE BABES. MORE BREWSKIS. MORE BAD JOKES.



Ah, college life! Treelined walks. Hushed study halls. Ivvcovered professors. The days are filled with the quiet pursuit of knowledge. The

nights, however, are a different story!

### **ERNIE IS BACK!**

Welcome to Spellcasting 201: The Sorcerer's Appliance. Ernie Eaglebeak is back at Sorcerer University for his sophomore year and he wants to join a fraternity. No problem, except for those quaint, harmless initiation rituals known collectively as ... HELL WEEK!

### **RETURN TO ANIMAL HOUSE**

Every night, in a mysterious chamber below the fraternity house, a vindictive pledgemaster dons a ceremonial chicken suit and burdens Ernie with a series of ridiculously impossible hazing tasks. Fortunately, Ernie knows where to get help. He creates it!

### A TALE OF HIGH EDUCATION AND LOW MORALS

Harnessing the powers of the mysterious Sorcerer's Appliance, Ernie creates a woman. Meet Eve. (It's only been done once before, and that time it cost the guy a rib). Eve is the ideal woman. Well, maybe not ideal, but certainly entertaining.

Marketed by MicroProse Software, Inc. ORDER DESK 1-800-879-PLAY 9:00 AM-5:00 PM Monday-Friday

EGENI


180 Lakefront Drive • Hunt Valley, MD 21030



WE HOPE YOU'VE DONE YOUR HOMEWORK

Join Ernie and Eve in this hilarious romp through the bedrooms, turrets, and tunnels of both Sorcerer University and nearby Barmaid U (where grading on a curve takes on a whole new meaning). To pass this course you'll need to cast ridiculous spells, solve ribald puzzles and "interact" with gorgeous women. Any questions? We didn't think so. Class dismissed.

From the scandalous imagination of Steve Meretzky, Spellcasting 201 is the sequel to his award-winning hit, Spellcasting 101: Sorcerers Get All The Girls. These games may be considered unsuitable for young minds, as they contain material and situations that children have already seen in far greater detail on davtime television. Avail-



able for MS-DOS and

# **ENTERTAINMENT**

COMPUTE CHOICE. Ride herd over a passel of adorable—but shortsighted—rodents in this subterranean diversion.

David Sears

### **LEMMINGS**

I feel driven to play Lemmings, and it's not just for the entertainment value. Perhaps Psygnosis has tapped into the human instinct for survival in formulating this perfect blend of puzzle, strategy, and action.

Better known for its less sedate titles that have you blasting every object that dares scroll past on a starscape, Psygnosis downshifts here with surprising results. Unlike most of its other games-unlike most games from any software house—Lemmings doesn't exasperate. Though at times you'll be hard pressed to move all your lemmings from point a to point b, you'll sense a solution to every level just around the corner, no matter how difficult the gamut of pitfalls appears. Nor does Lemmings depend heavily on your manual dexterity. Don't expect to mistime the same segment of play over and over again. Sure, you'll plummet to your death a couple of times, but you'll do better. Your onscreen brothers depend on you.

As the primary controller for all the characters in Lemmings, you not only must plan a mass exodus from each perilous level but also must learn the personality traits of your charges. First and foremost, your cartoonish brethren need guidance because they possess the brainpower of common hamsters. Once the hatch opens in the ceiling of each cavernous level, lemmings drop at an alarming rate. They amble forward in their baggy tunics, little green tufts of hair bouncing, until they smack into a wall or rocky



ping. Then it's full reverse and off in the opposite direction until they encounter a similar barrier. We might respect the little guys' determination; like most rodents, they'll pace back and forth, slamming into objects and swarming in a manner that renders them all but impervious to your selection and guidance of individual lemmings. If you have a task for a particular lemming to perform, you'd best assign the duty before you lose him in the crowd.

To provoke a lemming to a specific action, position the crosshairs over the standardissue lemming and click. Depending on which attributes you've chosen on the icon bar, you've just designated a specialized worker, or hero, if you prefer. On the icon bar, you'll find what might seem a perplexing array of customization choices, but that confusion will fade fast. If you don't alter at least a few lemmings in each level, you won't see much of the quirky, exhilarating, and torturous world that

lemmings populate. Of course, they don't experience the apprehension of future levels as much as you might, since they see only the walls in front of them.

Often you'll want to send a scout ahead to pave the way for the masses and to reveal the traps. To do this, let the first lemming out of the gate pass; then change the next lemming to a Blocker. He'll stand in the path of the oncoming gang with his hands up in defiance. The others will bump into him and rebound toward the gate. You might need to plant another Blocker to stem the tide in that direction; pitfalls exist everywhere, and your entire crew could fall into a crevice, lost forever.

Meanwhile, your intrepid explorer may encounter a vertical cliff, a column, or another sheer surface. Select the Climber icon and transfer that ability to the explorer, and he'll clamber straight up. Should

he face a fatal drop on the other side of the mountain, activate the Floater icon and transfer that safety feature to your trailblazer, and no matter how far the drop, he'll parachute serenely down thanks to a trusty umbrella. Unlike most of the attributes you can imbue, Climbing and Floating have staying power. Until the lemming gifted with either or both of those powers dies or reaches the next level, he will retain those abilities.


When your front runner clears the first mountain only to be stopped by a lava flow, do you worry? No, just add Builder to his list of talents, and he'll construct a bridge that will support any amount of pedestrian traffic. You can't use bridges for everything, though. Sometimes you'll have to tunnel horizontally, vertically, or diagonally through a piece of rock or other substance. Lemmings supplies you with suitable iconic options for surmounting these obstructions-Basher, Digger, and Miner, respectively. When excavating drones run out of material to displace, they revert to type and won't dig again unless you reassign them special abilities.

With diligence, you'll guide the first of your lemmings out of the worst culs-de-sac and to the egress. There, he'll happily bail out of the cavern, showing you the bottoms of his feet as he crawls up and over to safety. But what about the others? Up to 99 lemmings might have been involved in this subterranean peregrination, and we've left them back at the entrance, bouncing off the walls and one stolid Blocker. Here Lemmings teaches the art of sacrifice. To finish the level, that Blocker—the one who's done such a commendable job deferring his brothers' date with destiny—well, he'll have to die. Choose Bomb and click on your poor, dutiful Blocker. A five-second countdown display begins over his head and stays there until the fateful explosion occurs.

Don't expect remorse or gratitude from the rest of the group. For them, the Blocker just delayed progress. With their mindless intent to go places, the surviving lemmings will troop over the crater left by defunct comrade, their through tunnels excavated by their long-gone nameless kin, and over bridges erected especially for them. Rather like a civil servant, no lemming should expect thanks for a job well done; neither should you.

Your reward for completing a level and orchestrating the actions of so many myopic, disaffected jokers is a password; with it you can return to this point in the game without performing any sort of disk-based save-game procedure. You also merit the intense satisfaction that comes from surviving—even vicariously—the worst the world (or game designers) can throw at you.

You'll have to play Lemmings for the PC solo. The design team left behind the twoplayer version offered for other machines. Don't fret over that loss too much; the twoplayer game might seem more entertaining at first because players can cooperate, but soon enough, they'll start killing off each other's lemmings just because they can. Playing Lemmings on your own should provide adequate challenge and allow you to focus on the real object of the game-saving as many lemmings as possible.



Though not the most graphically detailed creatures, lemmings animate flawlessly, and when they combust, explode, drown, or grind themselves into hamburger, you'll be quite aware of what they go through. With a sound card, Lemmings supplies a satisfactory array of thuds and chirps and—while not traditional Psygnosis disco by any stretch—a charming sound-track.

Squint at Lemmings, and you'll see a number of metaphors ideal for mention in the conversational circles of the sociologically minded. Draw comparisons between Lemmings and the me-first, menow generation; your friends who never play computer games will marvel at your insight and wonder if they shouldn't buy a machine of their own. Mention the fun, too, of course-that sells more games than any amount of political correctness.

IBM PC and compatibles, 512K RAM, CGA, EGA, VGA, or Tandy 16-color; supports Ad Lib and Sound Blaster, supports mouse and joystick—\$49.99

Also available for Amiga—\$49.99 and Atari ST— \$49.99

PSYGNOSIS 29 St. Mary's Ct. Brookline, MA 02146 (617) 731-3553

# **GAMEPLAY**

Orson Scott Card

### CENSORING THE FUN OUT OF PRODIGY?

A few columns back I talked about the online service Prodigy. All the good things I said are still true: It still has the simplest interface I've seen for allowing complete novices to access everything the service offers. But in one area, at least, Prodigy has succumbed to the principle that guides far too many software companies: "Do it my way, you poor ignorant user."

Oddly, the area where Prodigy is blowing it in a big way is with one of its *best* ideas: editing the bulletin boards.

The bulletin boards are major sources for online entertainment. A witty few engage in scintillating conversation while others listen and think and occasionally interject comments of their own. It's the electronic equivalent of the general store.

People often post "public conversation" that should have been private, so when you sign on, you have to wade through mountains of

meaningless personal trivia. Prodigy had the right idea when it installed editors for the bulletin boards to weed out messages that ought to have been sent privately. When you browse through the board, you're given a menu of all the possible subjects and can take a look at any that seem interesting. You waste far less time trudging through things that don't interest you before getting to the things that do.

Alas, there are problems.

First, when Prodigy returns a message to you, its explanation is cold and impersonal and tells you almost nothing about why your message was deemed unworthy. It can be frustrating when a message you spent time composing is rejected without an apology.

Second, it has run into a standard problem with all editors everywhere—Correction Anxiety Syndrome: The editor is reading along and hasn't corrected anything in a long time and gets more and more nervous (what mistakes am I missing?) until finally he starts correcting things that aren't wrong at all. When I talked to a Prodigy troubleshooter (a person without authority whose job is to listen patiently until the complainer feels better), I was told proudly, "After all, more than 26,000 messages have been posted." "Out of how many?" I asked. "More than 28,000," he said.

Since Prodigy is rejecting almost 8 percent of the members' postings, practically everyone is going to have a message rejected for every dozen postings.

Third, its rules are too rigid. For instance, some users were playing games they had invented in the Writing topic of the Arts Club. Under subject headings like "12-Word Love Stories" and "3-Word Stories," they were inventing clever and resourceful phrases and sen-

tences that implied whole novels of characters, relationships, and events; many were screamingly funny.

Suddenly Prodigy wiped out the game, rejecting all new postings to those subjects. Why? Because the Writing topic was "not meant to be used for posting original literature."

How absurd! These people weren't posting the stories and poems they meant to mail off to magazines. They were playing *games* together, and the games were killed because the editors didn't understand them.

Here you have an entertainment network that sells advertising time for public conversations, many of which are wonderfully clever and entertaining and informative.

Then, as if it entirely missed the point of its own enterprise, Prodigy hires people to step into the room and, with almost no understanding of what the conversation is about, say, "You've gotten off the subject. You'll have to talk about something else." Or, "We never thought of anybody's using this topic this way, so stop it."


Prodigy, you've got a great thing going. All you have to do to make it perfect is to tell your editors to lighten up.


Let your users create entertainment for themselves. Keep on rejecting the *truly* private conversations, but let the rest of the messages through.

If you don't, I'm afraid you'll find the best and most creative of the conversationalists going to some other service, and you'll soon find Prodigy—both the good and the bad—dead and buried.

I hope other services are looking at what Prodigy is doing right, because if they learn the right lessons and avoid the "Do it my way" principle, we will eagerly embrace those services the way we've tried to embrace Prodigy.

Prodigy, you've got
a great thing
going. All you have
to do to make
it perfect is to tell
your editors
to lighten up.





PC COMPATIBLE AMIGA ATARI ST (COMING SOON) CDTV & MACINTOSH

# LEMMINGS™ from

ZIZONZIZ

Available from your local dealer or call: (617) 739 7478 PSYGNOSIS 29 SAINT MARYS COURT BROOKLINE MA 02146

# SPECIAL REPORT

BY TOM NETSEL AND PETER SCISCO

This summer's Consumer Electronic Show had a little bit for everyone.




# BO JACKSON BASEBALL

Now, from the biggest name in pro sports today, comes the greatest baseball game ever assembled! Bo brings you more realistic action, far more stats, and the most impressive graphics in one single game.

### CATCH THESE FEATURES

- Authentic lifelike player animations
- Digitized sound and atmospheric effects
- Arcade style 256color VGA graphics
- Create your own team of righthanders and southpaws
- Edit players for batting and pitching, by arm strength, running speed, and much more
- Make play by play decisions
- Go head-to-head or against the computer with as many as 26 players
- Authentic 162 game series, play-off series and championship play




### BASEBALL STRATEGY WITH BONA FIDE STATS!

- Over 100 recorded ratings
- 45 individual stats
- 33 pitching categories
- 16 hitting categories
- Complete player control for tough fielding decisions
- Print stats for every major stat category

All this is baseball the way it's supposed to be-What are you waiting for?

JUST DO IT.





Complete view of all the action on the bases when you are at bat.

	i
A2	1
GREAT WEST BOKLOND RE MURROY	06 170 000 1 100 000 1 100 000 000 000 000

Detailed, crisp graphics.

			FAIR	elli)	ועת	HILL				
ROTATION	T	IP	н	88	50	W-L	SV	ERA	HB	ΑV
AGOSTO	E	92	91	49	245	9-8	- 0	3,52	16	24
\$0011	R	205	194	19	546	9-13	9	3.82	37	12
VALASQUEZ	B	196	187	20	522	11-10	- 0	3.63	36	.2
GULLICKSO	B	193	221	20	514	10-14	. 0	3.45	35	1,2
DARWIN	B	162	136	27	430	11-4	2	3.83	30	.2
										-
BUIL COM	_									
BULLPEN	I	IP	H	88	50	M-L	SV	ERA	HR	AL
SHANKS	ľ	IP 209	H	20	50 553	W-L	SV	3.79	38	112
SHANKS	100	209 76	186 188	_	50 556 202	7=12 2=8	9	3.79		2
SHANKS CLANCY ANDERSON	1000	209 76 96	186 186 79	_	556	7-12 2-8 5-2	9 1 7	3.79 3.32 3.66	38	100
SHANKS	10000	209 76 96 60	186 199 79 45	20 19	556 202	7-12 2-8 5-2 6-6	9 1 7 23	3,79	38	2 3 1
SHANKS CLANCY ANDERSON	1000	209 76 96 60	186 199 79 45	20 19 39	556 202 255	7-12 2-8 5-2 6-6	9 1 7 23	3,79	38 13 17	13
SHANKS CLANCY ANDERSON	1000	19 209 76 96 60	136 100 79 45	20 19 39	556 202 255	7-12 2-8 5-2 6-6	9 1 7 23	3,79	38 13 17	

More than 100 stats that you can track on an authentic 162 game schedule.

Circle Reader Service Number 165

Bo Jackson Baseball: @ and TM 1991 Data East USA, Inc. All rights reserved. Manufactured by Data East USA, Inc. under license from Tiger Electronics, Inc. IBM PC is a registered trademark of IBM.

Data East USA, Inc., 1850 Little Orchard St., San Jose, CA 95125 (408) 286-7074





Better sound, improved graphics and adventures, more creative play, and a host of roles are on the way with this year's crop of consumer entertainment software and hardware.

hile the rest of the consumer electronics industry languishes in recession, computer makers and software developers are experiencing steady, if less than spectacular, growth. The thrills surrounding the PC and videogame exhibits at the 1991 International Consumer Electronics Show in Chicago were bolstered by advances in PC software entertainment and a new generation of videogame consoles. More than 250 companies that had never participated in a Summer CES, including IBM, Wang Labs, Leading Edge, and Prodigy, picked up on the excitement. Here's a preview of some of the products that are heading your way this fall.

### Accolade

Who is kidnapping the biggest stars in Hollywood? To help you solve this sinister mystery, call in the man who found the world's greatest entertainer in Accolade's first graphic adventure, Search for the King, and now stars in the sequel, Les Manly In: Lost in L.A. (\$59.95).

Mike Ditka Ultimate Football (\$54.95) is the first football simulation to feature multiangle player perspective, allowing computer coaches to view the action from any of four different viewing angles.

In Elvira II: The Jaws of Cerberus (\$59.95) players must

rescue Elvira from the ghastly Cerberus, a 60-foot tall, threeheaded demon. See our Sneak Peek of this game on page 121 in this issue.

### Ad Lib

The competition among sound-card makers heats up with Ad Lib's announcement of its Gold Series. The Gold PC-1000 (\$300) is a basic sound card for disk-based applications that features a microphone jack and tabletop microphone, game and MIDI ports. and standard stereo input/output jacks. The Gold PC-2000 (\$400) adds a SCSI interface for CD-ROM applications. The Gold MC-2000 (\$500) is designed for the IBM PS/2 MCA bus. All of the cards carry 20 channels of synthesized sound, 2 channels for sampled sound, stereo recording and playback, enhanced FM synthesis, 12-bit stereo digitalto-analog conversion and other professional features. Originally scheduled for a late summer release, Ad Lib says chip shortages have delayed release of the Gold Series until late fall at the earliest.

### Broderbund

Game designer Chris Crawford is back with *Patton Strikes Back* (\$59.95). This strategy game puts you in command of Allied or Axis troops during the Battle of the Bulge. This war game emphasizes tactical thinking over

weapons skills. It's packed with data and analysis.

### California Dreams

Take over as leader of Poland's workers union in Solidarity (\$59.95) and attempt to lead the country to freedom in the face of tremendous Soviet military and economic pressures. Or, take the helm of a high-tech submarine in Weck Hunters (price not available at press time), the working title of a new interactive game in which you search for sunken treasure.

### Data East

Data East's latest combat game is-get this-compatible with Novell networks. Guide a fleet of mechanized droids against an alien race that has practically obliterated humanity from the face of the planet. Operate scout, supply, and soldier robots over a harsh landscape. A two-player mode allows for cooperative play against the mysterious aliens. The network version will support from six to seven players. The standalone version of Ultrabots Sanction: Earth will ship to stores this month. The company expects to have the network version ready by late November (just in time for that Christmas office party). The price wasn't available at press time.

Data East's other introductions included Battlefield

# KEEP YOUR FRIENDS ON THE CUTTING EDGE OF COMPUTING WITH A GIFT SUBSCRIPTION TO COMPUTE!



eep your friends up-to-date on the latest news, technologies, hardware, software and lots, lots more in the world of home office computing. Give them a holiday gift subscription to COMPUTE!

# Special Options

Every month COMPUTE is published in four different editions, each with a special section devoted to a specific computer type ... IBM & Compatibles, Amiga, Commodore 64/128 and the multi edition which includes all three special sections. You choose the edition that will be best for your friends.

# Added Value

Take your friends beyond the pages of the magazine! Give them the COMPUTE Disk, a bi-monthly, hands on companion to COMPUTE Magazine ... and a valuable addition to your gift!

# Special Low Holiday Prices

The first 12 issue gift subscription you give is only \$12.97. That's a savings of \$22.43 (63%) off the newsstand price. Each addi-

tional gift is only \$9.97-a huge savings of \$25.43 (71%). To include the COMPUTE Disk with a subscription, add an additional \$30 per subscription.

Use the coupon below to send us your gift list. As soon as we receive it we'll send you attractive gift cards you may use to announce your generous gifts to your friends.

YES, send subscription to as listed below.	a one year (12 issues) COMPUTE to my friends

Name . State. Zio\_

Send to:

- Check magazine edition: ☐ Amiga ☐ Multi Edition
- ☐ Commodore 64/128 ☐ Multi Edition ☐ Also, send the companion disk along with the subscription

Address \_State\_

Check magazine edition:

☐ IBM/IBM Compatible
☐ Commodore 64/128

- ☐ Amiga ☐ Multi Edition
- Also, send the companion disk along with the subscription

Fach First Gift Additional Gift MAGAZINE \$12.97 \$9.97 SAVE \$22.43 (SAVE \$25.43) MAGAZINE \$39 97 \$42.97 & DISK

### From (You must fill out this portion):

Name Address\_

\_State\_

☐ Payment enclosed ☐ Bill me Charge □ VISA □ MasterCard


\_Exp. Date. Account #\_

Please allow 6-8 weeks for delivery of first issue. Regular subscription price is \$19.94 for 12 issues. All foreign orders add \$10 per subscription for postage & handling. Canada add \$10 plus 7% G.S.T. Payment acceptable in U.S. funds only Gifts cards will be sent to you to announce your gifts.

Signature.

YWDN2

Mail to: COMPUTE P.O. Box 3244 Harlan lowa 51593



**Adventure** games that move from city streets to outer space, from underground to the magic realms of imagination—plus sports, flight simulators, and laser television.

2000, the working title for a tank-battle game (\$59.95), Bo Jackson Baseball (\$49.95), and ABC Wide World of Sports Boxing (price unavailable at press time).

### **Electronic Arts**

Big new products from EA include Chuck Yeager's Air Combat (\$59.95) and Earl Weaver Baseball II (\$49.95). A Sneak Peek of Air Combat appeared in the July issue of COMPUTE. Racing fans can get behind the wheel of Mario Andretti's Racing Challenge (\$49.95).

Powermonger (\$49.95), from the makers of Populous, casts you as the leader of a displaced tribe newly arrived in an uncharted territory.

### Electronic Zoo

This fall, look for Eco Phantoms (\$49.95), a struggle for earth's survival; The Ball Game (\$49.95), a test of strategy and reflexes; Geisha (\$49.95), the Orient of the future; Star Collection (\$29.95), a collection of great arcade hits; and Peghole (\$49.95), a classic tactical game.

### Konami

Simpson fans can get radical with Bart Simpson's House of Weirdness (\$49.95), an adventure/strategy game that challenges players to be as resourceful as Bart. Simpson's Arcade (\$49.95) is a conversion of the coin-op.

Challenge your ninja skills

and fight crime in Manhattan with Teenage Mutant Ninja Turtles: The Adventure (\$49.95). If you want more Turtle action, try Teenage Mutant Ninja Turtles: The Arcade Game (\$49.95). More movie action is heading your way with Back to the Future III (\$39.95) and Predator 2 (\$19.95).

Baseball card collectors have a new utility to help them manage and track their collections. It's the Official Collector Series-Baseball Card Collector (\$49.95). This could make an excellent holiday gift for the hardball fan on your list.

Topping the long list of Konami's brand-new role-playing games is Steve Peterson's

### LASERWARE

Recent innovations could change the way we regard our favorite optically-based storage device. The Commodore booth at CES was almost entirely devoted to CDTV, a portent of the impending con-

sumer interest in CD technology.

North American Philips/Magnavox was once again showing their long-delayed CD-I (Compact Disc-Interactive) player, this time promising that it would ship in October. Similar in concept to CDTV, the CD-I player has a few advantages: it sports a 16-million-color palette, a slightly faster processor and, most important, has the marketing muscle of Magnavox, Sony, and Matsushita (Panasonic) behind it. However, it also has its share of disadvantages: It's more expensive (\$1400 compared to CDTV's \$999), and its "thumbstick" controller is less familiar to American kids

than the CDTV's Nintendo-like joypad (and more

Another CD product making the rounds was Sony's consumer-oriented CD-ROM drive for the IBM PC. Called the Laser Library, the system consists of an external CD-ROM drive with audio capability and a collection of six topnotch CD-ROM titles. The entire library retails for \$699.

With Kodak's new Photo CD, you can take pictures using conventional 35mm film, and then have those photos developed and stored on compact disc for viewing on a TV or for use in imageprocessing software. Photo CDs will work with either a CDTV, CD-I, or dedicated Photo CD player. Kodak expects Photo CD processing to be available by June 1992.

DENNY ATKIN and DAVID SEARS

# Ruiging Description Service of the service of the




Like some sleek, metallic bird of prey, it slices through the thin air of the desert night. Below, the enemy's radar frantically scans, searching for a sign. But the only warning is the deafening roar of ordnance demolishing its target. Before fighters can scramble, this airborne apparition vanishes, like a ghostly dream.

It's the Persian Gulf, January, 1991. And the F-117A has just come calling.

Now you can fly the Stealth Fighter that ruled the desert skies, thanks to MicroProse, the acknowledged leader in air combat simulation. Slide silently through the Kuwaiti Theatre, or any of 8 other worlds. Test yourself against challenging enemy artificial intelligence. Tangle with battle-hardened pilots, using the exclusive MicroProse option that allows you dogfighting action. Feel your adrenalin surge as you penetrate dense threat environments, destroying high value targets with pinpoint accuracy.

**F-117A Nighthawk Stealth Fighter 2.0.** Find out how it feels to own the night.



##C#O PROSE

180 Lakefront Drive • Hunt Valley, MD 21030

For IBM-PC/Tandy/compatibles. For the latest information on release dates and availabilities, call MicroProse Customer Service at 301-771-1151, 9 am to 5 pm EST, weekdays. ©1991 MicroProse Software, Inc.

### **VID NEWS**

The war for the hearts and minds of America's videogame players reached a peak at this summer's CES, with volleys from all major players. The smoke won't clear until after the holiday season. Sega announced a new CD-ROM accessory for the Genesis, Nintendo aligned itself with N.V. Philips and CD-I, NEC launched a new line of CD-ROM interactive videogames, and SNK added 12 new titles to its NEO GEO library.

On the Sega front, an affordable CD-ROM accessory for the Genesis was announced for an early 1992 release. The play-

er's high-speed laser pick-up drive mechanism, 16-bit microprocessors in both the Genesis machine and the CD-ROM drive, a large-capacity RAM buffer, advanced biaxial rotation and zoom functions, and eight-channel digital stereo sound source should add up to supersonic game action, CD-quality audio, arcadestyle sound effects, and graphics to the max.

Sega's biggest game news was Sonic the Hedgehog. Faster than a speeding bullet and sure to gain the quick allegiance of arcade gamers everywhere, Sonic is reason enough for anyone to buy the Genesis ma-

chine. Sonic the Hedgehog replaces Altered-Beast as the game packaged with Genesis machines.

By year's end, Sega plans to have 17 new Genesis games out. Those include *Toe Jam & Earl*, featuring two very cool, rhythmically inclined, junk-food-loving aliens from the planet Funkatron; *Fantasia*, taken from the Walt Disney classic; and the underwater military simulation *688 Attack Sub*.

Digital stereo sound, multiple scrolling screens, three-dimensional graphics, and a palette of 32,768 colors blast through Nintendo's Super NES, scheduled to reach store shelves this September. Despite the troubled economy, Nintendo predicted it will sell more than 2 million Super NES units by year's end, priced around \$200 each, and 6 million games for the ma-

chine, most of which will cost around \$50 apiece. Nintendo has no plans to abandon either its 8-bit Nintendo Entertainment System or the popular hand-held Game Boy machine.

The company also announced that it would work with N. V. Philips to develop a CD-ROM accessory for the Super NES that would be compatible with both the new video game system and CD-I. Nintendo also intends to pursue its work with Sony on a separate CD-based game system.

NEC dropped the price of its TurboGrafx-



16 system to \$99.99 and concentrated its efforts on the TurboGrafx-CD player, which sells now for \$299. For \$149.99, a new version of the TurboGrafx-16 system, called Bonk SuperSet, is packaged with two TurboPad controllers, a TurboTop adaptor that allows for up to five players at once, and NEC's most popular game, Bonk's Adventure.

NEC also sealed a deal with Paramount Pictures to release ICOM Simulations' CD-ROM version of the *The Addams Family*. Based on the popular sixties television show, the movie is scheduled to premiere in November. Also in NEC's new CD-ROM library, *Sherlock Holmes, Consulting Detective*, based on the renowned clever guy, uses digitized movie footage of live actors. For *J.B. Harold Murder Club*, digitized still photos blended with voices will be used.

For an educational tour through prehistoric times, *Magical Dinosaur Tour* is an animated encyclopedia featuring 200 types of dinosaurs. The games will retail for \$61.99 each.

SNK attracted more players to its pricey, but graphically superior, NEO GEO system with 12 new action games ranging from sports to fantasy.

For sports buffs, there's *Top Players Golf*, which gives players a bird's-eye view of the course and then lets them "stand" behind the onscreen golfer to

drive the ball with real-life perspective. League Bowling's multilink capability adds more zest than real lanes can offer. Riding Hero puts gamers in the fast lane of motorcycle racing, whizzing around mountain curves and barreling down ocean straightaways. Baseball buffs should delight over Baseball Stars Professional, with real-voice announcers and umpires making the calls for over 20 different teams.

For the combat thirsty, there's the fast-reflex action of *Ninja Combat*, dog-fights galore in the enemy-filled air zones of *Ghost Pilots*, and bloody jungle battles as veterans return to Vi-

etnam in *NAM-1975*. James Bond wannabes go up against a formidable terrorist group in *The Super Spy*.

Sci-fi fanatics get the challenge of a lifetime trying to destroy the super computer that controls thousands of lunatic androids in SNK's *Cyber-Lip*. Fantasy lovers can wreak havoc on cities while wrestling monsters in *King of the Monsters*.

In Magician Lord, players assume the role of Elta, a young magician able to assume new identities while searching for books of wisdom and magic in four uncanny dimensions—a real treat for fantasy arcade fans. Rounding out the selection, fastaction arcade game fans should love the challenge of jumping Blue through a host of strange cities in Blue's Journey.

JILL CHAMPION, CHANTELLE OLIGSCHLAEGER, ERIN RICHTER

Champions (\$59.95), a multipart adventure with more than 20 villains to conguer. The Killing Cloud (\$49.95) has you fighting an organized gang in San Francisco. For the more fantastically oriented, Riders of Rohan (\$49.95) gives players a chance to build their own saga in true Tolkien flavor. If Middle Earth doesn't appeal to you, perouter space does. Spacewrecked: 14 Billion Light Years From Earth (\$49.95). Or venture into inner space in the ancient thriller Bloodwych (\$39.95). For couch potatoes, Mission: Impossible (\$49.95) combines action, adventure, and role-playing—if you choose to accept it.

Two Konami simulations include Team Suzuki (\$39.95) and Top Gun Head-to-Head Dogfighting Simulator (\$49.95). Action gamers can test their roller derby skills in the high-contact game RollerBabes (\$39.95). Speedball 2 (\$39.95) is a futuristic sport featuring armor and weaponry.

### LucasArts Entertainment

Guybrush Threepwood is back in a swashbuckling adventure called *The Secret of Monkey Island II: LeChuck's Revenge* (\$59.95). Visit new puzzle-packed islands with many of the zany characters from the first game. And look for an original game not based on a movie in *Indiana Jones and the Fate of Atlantis* (\$59.95). Indy is drawn into the ancient mysteries of the fascinating and legendary undersea world.


### Maxis


This fall's oddest game just might be SimAnt (price unavailable), an ant colony simulation (no kidding) complete with rival bands of black and red ants, a hungry spider, a nosy kid with a mean garden hose, and a pesky dog. Try to get your colony inside the house, where the really good food is.


### MicroProse

MicroProse has a large slate of products scheduled for fall and spring releases. Topping the list is Sid Meier's *Civilization* (price unavailable). This simulation begins in 4000 B.C. and players must develop an entire civilization from a small, nomadic tribe. By balancing economics, politics, and defense,

# WHETHER IT'S GOLF, AIR COMBAT, OR ADVENTURE COMPUTE HAS THE OFFICIAL GUIDE







### THE OFFICIAL GUIDE TO JACK NICKLAUS COMPUTER GOLF

by Mike Harrison Foreword by Jack Nicklaus 225 pages \$12.95

Here's the inside story. Learn how professional course designers decide

where to put bunkers, trees, and greens. Also includes tips for all the Jack Nicklaus golf games, including Jack Nicklaus' Unlimited Golf & Course Design.
This is the only authorized guide to all the Jack Nicklaus computer simulations from Accolade.

### THE OFFICIAL BOOK OF KING'S QUEST, SECOND EDITION

by Donald B. Trivette Foreword by Roberta Williams 176 pages \$12.95 Finally you'll be able to find

the magic treasures in all five *King's Quest* games. Covers *King's Quest I-V.* 

### THE OFFICIAL BOOK OF ULTIMA

by Shay Addams Introduction by Lord British 244 pages \$14.95

Written with the assistance of Lord British, *Ultima*'s creator, this official guide includes inside information nowhere else. Packed full of found hints, tips, anecdotes, and neverbefore-published clues for all six *Ultima* adventures.

TOURS OR LES

### OTHER OFFICIAL GUIDES FROM COMPUTE:

The Official F-19 Stealth Fighter Handbook • The Official F-15 Strike Eagle Handbook • The Official Book of Leisure Suit Larry

YES! I want the official guides checked below.	☐ Check or money order ☐ MC ☐ VISA  Signature
☐ The Official Guide to Jack Nicklaus Computer Golf (236-2) \$12.95	Acct. No Exp. Date
☐ The Official Book of Ultima (228-1) \$14.95 ☐ The Official F-15 Strike Eagle Handbook (231-1) \$12.95	Name
☐ The Official F-19 Stealth Fighter Handbook (217-6) \$14.95 ☐ The Official Book of King's Quest, 2nd Ed. Covers KQ I-V (245-1) \$12.95	Street Address
☐ The Official Book of Leisure Suit Larry (215-X) \$12.95	City State ZIP
Subtotal	All orders must be paid in U.S. funds drawn on a U.S. bank. Orders will be shipped via UPS Ground Service. Offer good while supplies last.
Sales tax (Residents of NC, NY, & NJ add appropriate sales tax.  Canadian orders add 7% goods and services tax.)	Mail to Compute Books
Shipping and Handling: \$2 per book US; \$4 Canada; \$6 foreign	c/o CCC
Total Enclosed	2500 McClellan Ave.

it's possible for the tribe to evolve into a civilization of tomorrow. The game may be played for an entire 6000-year span or in 100-year periods-not real time, of course.

Flight simulator fans can fly in nine worlds in F-117A (\$69.95). Look for enhanced graphics, replay options, night views, sprite explo-

sions, and more.

The spring of 1992 will bring MicroProse's first fantasy role-playing game. Live in fifteenth century Germany, a violent time of three popes, powerless emperors, gangster nobles, and venal clergymen. Darklands emphasizes people's belief in witches, magic, alchemists, and dragons. Guide your party of four on a quest for fame, fortune, and immortality in the Dark Ages.

Also slated for future release from MicroProse and its Paragon subsidiary are Codename: White Shadow (price unavailable), Flames of Freedom (\$49.95), and Twilight 2000 (\$59.95).

Origin

Once again Richard "Lord British" Garriott and Origin have plans to transport you to another world in the popular Ul-

4910 Amelia Earhart

SLC. UT 84116

SOFTWARE INCORPORATED 801-359-2900

Circle Reader Service Number 161

tima series. Look for improved technology and better narrative elements in Ultima VII: The Black Gate (\$79.95), scheduled for release in December.

The popular sword and sorcery elements combine with more screen detail, 256-color VGA graphics, new methods of conversing and interacting with

characters, and sounds so real that you can actually hear rivers flowing and crickets chirping.

Another eagerly awaited release is Wing Commander II: Vengeance of Kilrathi (\$79.95). This starfighter seguel offers exciting 3-D VGA graphics set on digitized backgrounds and will take advantage of speech synthesis that employs the speech chip in the CMS

Sound Blaster, Also, another step in the Wing Commander series is Chris Roberts' Strike Commander (\$79.95). This time you are part of a mercenary squad, flying a fine line between right and wrong, profit and loss. You must determine the viability of missions from a moral as well as a logistical

> standpoint. Pilot a staggering array of aircraft from a P38 to an F22 Lightning 2 as you engage rival squadrons and renegade Third World dictators.

### Spectrum HoloByte

Wordtris (\$39.95) is a must buy for any fan of word games and puzzle challenges. Manipulate falling letter blocks so that they spell words either horizontally or vertically on the screen.

The Cyrillic connection

Firestone Country Club

Akron, OH

continues with Crisis in the Kremlin (\$59.95), in which you assume the role of Soviet President. Guide the U.S.S.R. out of its present economic quagmire and inherent instability, or risk social disintegration.

### Sierra On-Line

The folks in the California mountains are moving boldly into CD technology.

### t's such a great time of year for a round of golf. Crisp fall air, awesome colors, pristene golf course...no crowds, no hassles, and unlimited tee times. Is this a dream? Absolutely not! This is LINKS The Challenge of Golf. The only golf simulator with the power to transport you to the finest championship golf courses in the world! 256 color VGA graphics • Full 3-D contoured terrain Digitized graphics & sound Exact renditions of famous golf courses. • Supports major sound boards "Links from Access sets new standards for golf simulation software"-PC Magazine "It's graphics are the **Best Sports** (Torrey Pines Golf Course best yet...far superior to H IN H 14th hole at Firestone C.C. South Course Simulator 1 included with LINKS) any other computer golf game."- Golf World LINKS Retail Price \$59.95 If you enjoy golf, we guarantee you'll love LINKS! CHAMPIONSHIP COU 30-day Money Back Guarantee if you're not satisfied. To get on the course with LINKS Sold Separately • Retail Price \$24.95 ea. see your software retailer or give us a call at 1-800-800-4880. VISA, MC & AMEX accepted. The LINKS Design Team has taken special care in aquiring

& producing some of the most outstanding golf courses in

the world. Each course has its own unique challenge and

personality. LINKS delivers graphics so realistic, you'll

think you're there. Experience the challenge!

with several of their more popular games slated for CD-ROM release. They include Space Quest IV, Leisure Suit Larry I, and King's Quest V. All of the CD-ROM titles are priced at \$59.95 and are designed for the IBM PC.

On the MS-DOS disk side, you'll be seeing Mixed Up Fairy Tales (\$49.95),

Castle of Dr. Brain (\$49.95), EcoQuest: The Search for Cetus (\$59.95), Leisure Suit Larry 5: Passionate Patti Does a Little Undercover Work (\$59.95), The Laffer Utilities (\$34.95), Conquests of the Longbow: The Legend of Robin Hood (\$59.95), and Police Quest 3: The Kindred (\$59.95).

Sierra's Dynamix subsidiary will bring Nova 9 (\$34.95), a sequel to Stellar 7, and Adventures of Willy Beamish (\$59.95) to the PC screen this fall and winter.

Strategic Simulations

Bountiful, UT


Orlando, FL

SSI introduced its first IBM sports game, *Tony La Russa's Ultimate Baseball* (\$49.95). Every essential detail of major league baseball is provided; play a whole season or one game in a variety of levels. As current as today's headlines, *Conflict: Middle East* 

(\$59.95) is a new strategy war game focusing on desert combat. SSI also has a new AD&D "goldbox" game, *Gateway to the Savage Frontier* (\$49.95).

Three-Sixty

Three-Sixty's fall lineup includes two war games and a sports package. The-



atre of War (\$49.95) is a strategy war game boasting a 3-D filled-polygon environment. Patriot (\$59.95) is a land-based war game. The ABC Wide World of Sports Winter Olympics 1992 (\$49.95) gets the events down cold.

### **UBI Soft**

In Battle Isle (\$49.95) your goal is to capture the most terrain possible in a

world made of islands. For sports fans, *Pro Tennis Tour II* (\$49.95), improves on the original by including female opponents, the choice of strong or weak points of your player, doubles play, a training mode, improved graphics and better music. Here's your chance to improve your net play.

Virgin Games

Fantasy and flight fill the bill here. Conan the Cimmerian (\$49.99) puts you in the role of Conan. You must avenge the deaths of your family and friends who were massacred by the ravening hordes of Thoth Amon, high priest of the vile cult of Set. If that sounds like a little too much fun, you can get down to business with Corporation (\$59.99), an action game that has you tracking

down a mutant robot.

If flying is more in your line, then *Thunderhawk* (\$49.99) puts you in the seat of the AH-73M Thunderhawk helicopter gunship. *Shuttle* (\$59.99) is designed as an accurate simulation of NA-SA's Space Shuttle. During play you'll be asked to perform various feats like repairing satellites, maneuvering your spacecraft, and—oh yes—landing.



Pinehurst, NC

Puerto Rico

Austin, TX

# WORLD OF COMMODORE

DECEMBER 6, 7 & 8, 1991 International Centre Toronto, Canada

# **AMIGA**

# Toronto's 9th Annual Commodore and Amiga Show and Sale

It's the world's biggest show and sale of Commodore and Amiga computers and compatible products. This is the time and place to check out:

- ★ NEW HARDWARE Hands-on browsing!
- \* LATEST SOFTWARE Thousands of titles! ★ MEET THE EXPERTS - 60,000 sq. ft. of exhibits!
- \* FREE SEMINARS AND PRESENTATIONS

Whether you use an Amiga, Commodore 64/128, Commodore PC or CDTV, you'll save money,

have fun and learn from the experts at Toronto's 9th annual World of Commodore/Amiga.

Toronto International Centre, 6900 Airport Rd. (at Derry) Friday, December 6, 10:00 am - 9:00 pm world of dore Saturday, December 7, 10:00 am - 6:00 pm Sunday, December 8, 10:00 am - 6:00 pm



FANTASTIC

BARGAINS!

Adults \$8, Students & Seniors \$6 (Admission includes seminars and presentations.) COMING EVENTS: World of Commodore/Amiga, New York, April 24 – 26, 1992

and World of Commodore/Amiga, Sydney, Australia, July 3 – 5, 1992. For more information, call The Hunter Group at (416) 595-5906 or fax (416) 595-5093.



9th RECORD-BREAKING

# 64/128 VIEW

You've asked for it, so here it is. Gazette goes online with QuantumLink.

Tom Netsel

azette is going online.
Many of you have asked for it, and now it's here. Gazette will soon have its own area on QuantumLink, the Commodore-specific online service.

Soon you can call a local telephone number with your computer and modem, connect to Q-Link, and then move to the Gazette area. Once connected, you'll have access to millions of bytes of 64/128 information from our back issues of Gazette. Right now our staff is busy compiling more than six years' worth of articles, reviews, and programs to have them available by the September 15 target date.

Q-Linkers (Q-Link members) will be able to download practically any of the material that has ever appeared in Gazette. If you want to learn about disk drives, printer care and selection, music, graphics, GEOS, telecommunications, or other 64-related subjects, chances are that it's been covered in Gazette and it'll be online for downloading.

If you're planning to buy software for your 64 or 128 and you don't know which of several possible titles might best suit your needs, check the Gazette reviews. There will be hundreds of software reviews available of both current and classic 64 and 128 titles. Best of all, this information will be available when you want it and as close as your telephone. Think of all the great type-in programs that have appeared in Gazette over the years: games, utilities, educational programs, and productivity pieces. Now you

can obtain any or all of these great programs without going through the effort of typing them in. Simply download and run.

Look for message areas, product information, and more. Each month Gazette publishes the best articles and programs that we can find, and we're constantly looking for new and exciting programs to offer our readers. As a convenience to programmers and to expedite our search for new software. programmers will be able to upload their submissions. We'll download them, test them, and reply to the authors much faster than we can by mail. Artists can also upload their "Gazette Gallery" submissions. Of course, we'll still accept submissions mailed on disk, but the upload feature will speed up the process.


Are there COMPUTE books dealing with the 64 or 128 that you want but find they're out of print? We'll have many of these titles online for downloading. That's right: Download a whole book, read it onscreen, and print out the sections you need. This will be the only source for some of this 64/128 information.

We are excited about this new venture. We may not have every feature up and running on opening day, but we expect the Gazette section to be a valuable online resource for 64 and 128 users. If you're not familiar with QuantumLink or you're not yet a member, check elsewhere in this issue for a special introductory Q-Link offer. When online, feel free to say hello or send some Email. My handle is Gaz.


64/128 VIEW Gazette is going online. Look for it soon on QuantumLink. Download your favorite programs, reviews, articles, and books. By Tom Netsel.	G-1
TOO VALUABLE TO WASTE  Despite the shift to IBM compatibles, schools Nova Scotia still put their 64s to valuable use. By John Elliott.	<b>G-2</b>
REVIEWS  Bible Search, Star Control, Dragons of Flame, Centauri Alliance, and Screen-Pro 64.	G-8
FEEDBACK Questions and answers.	G-16
MACHINE LANGUAGE  Handle most of your input/output commands with just six easy Kernal calls.  By Jim Butterfield.	G-19
BEGINNER BASIC Crashproof your programs. (Part 2.) By Larry Cotton.	G-20
PROGRAMMER'S PAGE  128 SYS calls, the midnight bug, and more.  By Randy Thompson.	G-22
<b>GEOS</b> Fight the jaggies, and be proud to display your <i>GEOS</i> documents. By Steve Vander Ark.	G-23
D'IVERSIONS Virtual reality at the mall. By Fred D'Ignazio.	G-24
PROGRAMS Speedway MOB Mover HoverJet Add Check Song Machine	G-25 G-26 G-30 G-33 G-34

# **TOO VALUABLE TO WASTE**

JOHN ELLIOTT



### SCHOOLS IN NOVA SCOTIA PUT 64S TO WORK, DESPITE A MOVE TOWARD IBMS.



ne Commodore 64 sits at the back of an elementary classroom. That's the way it is in many Canadian schools now. The 64 is used only as a reward for students who have completed their work. During those moments of use, the computer becomes an arcade-style game machine. Commodore 8-bit computers are a largely underutilized resource in Canadian schools, and a number of boards of education are replacing the 64s with IBM-compatible PCs at a cost many times that of the 64s. I am told at educational technology conferences that this is a common situation throughout North America.

I teach at Nova Scotia Teachers College. The college is located in the city of Truro (population 14,000), about 50 miles north of Halifax, Nova Scotia. While many of the people in this province speak English and are of Scottish and Loyalist descent, significant minorities speak Micmac (an Indian language), French, or Gaelic. The campus is the academic center for 600 students who practice their teaching throughout Nova Scotia. As a member of the faculty, I meet with student teachers and get to see how they and other teachers utilize computers in their classrooms. With school budgets being what they are, not everyone has made the switch to PCs. In many cases teachers and learners are employing existing equipment to further current curricular aims. This means using the 64 for something more useful than playing arcade games. Here are some examples of what I've found.

### **Word Processing**

Grade 1 children are using a word processor (SpeedScript) to compose two-page stories. In this case they work with a battery of six 64s in the central computer room. During their language period they may be found either in their classroom or working on the 64s. At one point while the teacher and I were chatting, we were politely interrupted. A child wanted to know how to format his paragraphs.

As my teachers in training entered the province's classrooms, they learned the benefits of using an idea organizer to prepare before composing their documents. An idea organizer such as *Thinking Cap* allows a writer to brainstorm, switch sequences, easily erase, and do most word processing tasks. The outliner automatically organizes the document into appropriate categories. Most students are eager to begin writing, and they resist preparing an organizing outline before composing a document, but *Thinking Cap*'s ease of use usually placates their objections.

### **Word Processing Enhancements**

My teaching interns have learned a number of other computer techniques that they can share with the children they teach. Once they use a spelling checker on their files, they then use a frequency check and a thesaurus program to deal with excessively used words. Since the 64's memory is limited, separate programs must be loaded sequentially.

The Write Stuff word processor for the 64 has an auditory option that, when activated, will say letters, words, or sentences with different intonations. There are educational possibilities with such features that can benefit both the visually impaired and students who are learning to touch-type.

### Classroom Newspapers

Some elementary classes are preparing school newspapers with Newsroom publishing software. This is an effective way of providing a means for communicating both within a school and with the community. Students also get a good idea of the different aspects of newspaper production, from writing to publishing.

Modems allow both text and images to be shared between buildings or between a 64 and a PC as long as they both are working with *Newsroom*. The possibility remains for an electronic newspaper that can be read exclusively from the monitor.

### **Electronic Communications**

Several elementary classes are communicating between buildings via modem. They either link up directly or leave messages on a local bulletin board. In the latter case they are also in contact with members of the general public who have a wide range of backgrounds and ages. Many smaller schools do not use modems because administrators are reluctant to tie up their one voice line. If an electronic bulletin board is used, messages can be composed and saved to disk before the destination is dialed. This keeps telephone tie-up time short. Now that 1200-baud modems for the 64 cost less than \$50, message sending and capturing times should be very short. Received messages can be read from disk or buffer after the phone is hung up.

### The One-Computer Classroom

A few schools manage to block out weekly computer time during which a class may visit the school computer lab for an extended period of time. However, most of computer activities I have described work with one 64 in each classroom. Many of these activi-

ties occur during language period and are consistent with the whole philosophy of language instruction.

The single-computer classroom can also use a student-controlled database. Students select the topics under which information about several events, places, or people will be entered. As they do their research, they enter the appropriate categories in the database. Higher level thinking begins when comparisons are made among entries under the same category.

### Classroom Management

Much of the software recommended here can effectively help teachers equally as well as students. The word processor can be used to compose student handouts. The idea organizer can help plan a unit of work. *Newsroom* can be used to develop a parent-teacher newsletter. Some teachers use short BASIC programs to alphabetize a class list, enter and average grades (or marks), and rank the class by grade.

I allow my student teachers the option of submitting papers on disk. Using the insert option of the word processor, I place comments where they are relevant. The authors make their alterations and resave the document, with or without the insertions.

For classroom display purposes, I use a scroll program that rolls my comments from the top to the bottom of the screen. It permits a choice of screen and text colors and accompanying melodies. For my convenience, I videotape these sequences and take them into any class that has access to a VCR. These tapes help me demonstrate points during lectures.

### Student Programming

Many of my teachers in training have taught young children to program in BA-SIC. These elementary students can develop simple multiple choice tests or programmed learning sequences for each other. It takes them about an hour to learn the required BASIC commands. As the children develop quizzes, they gain a sense of control over the machine, while analyzing the content of the test material itself.

Both student teachers and children learn to develop sequences in which a wrong answer causes the program to suggest what kind of thinking could have led to the correct answer. If the answer is correct, an explanation appears as to why it is correct.

### Music and Sound

I look forward to demonstrating my SID Symphony stereo cartridge and accompanying program to those of my college and elementary classes who are

1-800-759-6565 INFORMATION IN USA & CANADA CALL

WE CAN RECONFIGURE ANY OF OUR COMPUTER PACKAGES TO YOUR SPECIFICATIONS. CALL FOR DETAILS!

WE INVITE CORPORATE & EDUCATIONAL CUSTOMERS - DISCOUNTS FOR QUANTITY ORDERS - RUSH, 2ND DAY & NEXT DAY AIR SERVICE AVAILABLE!

COMPUTE GAZETTE 10/91

**OUTSIDE USA** & CANADA CALL

8)692-0790

MONTGOMERY GRANT: MAIL ORDER DEPT. 33 34th St., Dept. A, Brooklyn, N.Y. 11232 Fax #7186923372 / Telex 422132 Mgrant

ESTABLISHED 1967

RETAIL OUTLET

OR WRITE TO:

PENN STATION, MAIN CONCOURSE (Beneath Madison Sq. Garden) NYC, NY 10001

Store Hrs: MON-THURS 9:30-7/FRI 8:30-5/CLOSED SAT/OPEN SUN 9:30-7

FOR CUSTOMER SERVICE OR ORDER STATUS CALL: (718) 692-1148 CUSTOMER SERVICE HOURS: MON-THURS 9am-5pm/FRI 9am-4pm/SUN 10am-4pm



### 64C **TEST PILOT PACKAGE**

- Commodore 64C Computer
- Commodore 1541 Disk Drive
- Joystick
- · Quantum Link Software

### 5 SOFTWARE PACKAGES INCLUDED:

Advanced Tactical Fighter Infiltrator II • Harrier Crazy Cars . Tomohawk

### COMMODORE 64C COMPLETE **PACKAGE**

- Commodore 64C Computer
- Commodore 1541 Disk Drive
- 80 Column Printer
- 12" Monitor
- Quantum Link Software

### COMMODORE R4C COLOR PACKAGE

- Commodore 64C Computer
- Commodore 1541 Disk Drive
- 80 Column Printer
- Color Monitor
- Quantum Link Software

C=Commodore • 1084 MONITOR



**Special Purchase Blowouts!** 

MONOCHROME COMPOSITE MONITORS

(RECONDITIONED) 8**90**95

דוו

SPECIALI 5 Free Games

COMMODORE INTERFACE

MAGNAVOX 13 COLOR/ COMPOSITE/RGB W/SOUND! (RECONDITIONED)



80 COL. THERMAL

PRINTER INCLUDES

### COMMODORE 64/128 SOFTWARE TOP HIT LIST!

Big Blue Reader	\$31.00	Maverickv5.0	\$29.0
Carmen Time		ML Baseball II Enhan	\$27.0
Carmen USA	\$28.00	Newsroom	\$14.0
Carmen World	\$25.00	North & South	\$20.0
Death Knights Kryinn	\$40.00	Paperclip III	\$40.0
lementary Grd Building	\$25.00	Pocket Writer	\$19.0
Geo Publish	\$33.00	Pocket Writer II	\$34.0
SEOS v2.0	\$40.00	Print Master Plus	\$24.0
r. High Grade Builder	\$19.00	Print Shop	\$32.0
		E. Daniel	

,			
1	Rings	Medusa	\$19.00
1	Secret	Silver Blades	\$32.00
	Sim	City	\$21.00
	Tetris		\$14.00
	Turrica	n II	\$20.00
	Ultima	VI	\$49.00
	Word !	Mitter VI	e24 M



STAR	PANASONIC	CITIZEN
	KXP-1180\$159.95	
NX-1000C Rainbow\$195.95	KXP-1191\$234.95	GSX-145 (Wide Carriage)\$385.99
NX-1001\$149.95	KXP-1123\$239.95 KXP-1124i\$299.95	200GX \$159.9
	Commodo	
NY-2420 \$270.05	Commodol	'e°5" 0)1095

COMMODORE 1541II COMMODORE 1571 DISK DRIVE DISK DRIVE 1750 Clone RAM Expansion... Micro C-128 Power Supply..... \$189 Aprotek 2400 Baud Modern for 64/128....\$99.95 Super Snapshot 5.0.....\$59.95 Cardco G-Wiz Interface..... \$49.95 Xetec S. Graphix Jr. Interface.....\$29.95 Commodore 1660 Modem..... \$14.95 Xetec S. Graphix Sr. Interface.....\$49.95 64, 64C Power Supply.....\$29.95 Excellerator Plus FSDII Power Supply....\$19.95

OTHER ACCESSORIES FOR YOUR COMMODORE COMPUTER AVAILABLE



NX-2420 Rainbow......\$299.95









MPS-1270 Inkiet



### NO SURCHARGE FOR CREDIT CARD ORDERS

ling (minimum \$15). All APO FPO orders are shipped first class priority air.

interested in music. While the 64 normally allows three simultaneous music channels, the stereo cartridge doubles this range. Much of today's popular music is composed and performed via multitrack computers. Most students would benefit from gaining some experience and understanding of this process.

I purchased a Voice Master Jr. digitizer that allows my 64 to recognize spoken words. Handicapped students or those who simply wish to limit their keyboard contact can benefit from this input device.

**Elementary Economics** 

All of the hardware and software I have described here would cost \$300 at most. A full-featured word processor for any of the PC compatibles could easily cost that much. The 64s are already in place in many of our classrooms. For as little as \$30 each, these computers could be effectively utilized with one or two pieces of productivity software. For a couple of hundred dollars more, a school could share all of the other hardware and software I have mentioned.

I'd like to make a final point about making effective use of what you have, and this is true whether you're a school administrator or an individual computer owner. A friend of mine

found some PETs in a school storeroom. He had his elementary children compose their documents with Paperclip loaded on these older machines. They then loaded their compositions into Paperclip III on a 64 for final formatting and printing. The point is that the children learned about writing and they were able to take copies of their completed papers home to show their parents. The children didn't care how old the computers were or how much they cost.

As I write this article with SpeedScript on a VIC 20 with 24K expansion, my wife is organizing a report employing Thinking Cap on our 64. I will later port this article via cassette to the 64 for word counting, word use analysis, spelling check, formatting, and printing.

In our family, the 64 and VIC 20 get used almost daily, handling a variety of sophisticated chores and projects. With very little additional expenditure of time, energy, or money, we should be able to use the 64 and its ancestors in our classrooms to expand our students' learning experiences. These resources are too valuable to waste.

John Elliott teaches both curriculum and research paper courses at Nova Scotia Teachers College. He also directs workshops regarding the classroom use of computers.

### PRODUCT LIST

Not all of the products John Elliott mentions in his article are readily available. Some titles are out of print, and some of the publishers have gone out of business. Many of the items can be found at larger software retailers, such as Software Support International, (800) 356-1179. The following products, however, should still be available at the addresses given.

SID Symphony-\$39.95 CREATIVE MICRO DESIGNS 15 Benton Dr P.O. Box 646 E. Longmeadow, MA 01028 (413) 525-0023

SpeedScript-\$11.95 COMPUTE PUBLICATIONS Gazette Disks 324 W. Wendover Ave. Greensboro, NC 27408 (919) 275-9809

The Write Stuff-\$19.95 **BUSY BEE SOFTWARE** P.O. Box 2959 Lompoc, CA 93438 (805) 736-8184

### World Geography

for Commodore 64 and Apple II



### Full-color 3-D rotating globe!

World Geography is the fun way to learn the world's countries, flags, capitals, populations, languages and currencies in an entertaining 1- or 2-player educational game for the whole family.

"The entire presentation is outstanding . . . This is really an achievement!"


-Commodore Magazine

"An awesome achievement . . . the execution is flawless." -COMPUTE!'s Gazette

C64 only \$19.95, Apple II \$24.95 postpaid! Also available in Spanish and German \$14.95 Injured Engine (C64 only) An engine diagnostic simulation by IMAGIC Fish-Ed (C64 or Apple II) \$17
Elementary spelling and number concepts
Speller's Duel (C64 only) \$12
Spelling program in a game show formal \$17.95 \$12.95 Full refund if not completely satisfied!

800 829-5551

Outside US call 408 462-1551 **BOBCO** Interactive Software 200 7th Ave., Suite 111, Santa Cruz, CA 95062



# COMPUTE

# NET



- About COMPUTE/NET
- Product Ordering
- Feedback Board
- Coming Events
- Monthly Contest



Welcome to the grand opening of COMPUTE/NET. A wealth of information awaits you. Back issues of COMPUTE, hard-to-find computer books, super software, dazzling pictures, challenging games, prizes, a complete bulletin board, and much more are here. You can even talk to the editors and authors of the magazine. Lots of surprises are planned, so keep your eyes on us.



# FIND US ON Q-LINK

# FREE Q-LINK STARTER KIT. FREE TIME. ORDER TODAY!

Just call our toll-free number or return the coupon, and we'll send you the Q-Link Starter Kit and software free, waive your first month's membership fee, and credit you with one hour of "Plus" time to try the service. Your \$9.95 monthly fee gives you unlimited access to all of our "Basic" services online, including a searchable encyclopedia, AND one free\*hour of "Plus" services. After your free hour, you'll pay only \$4.80/hour-just 8 cents per minute-for additional use of the service.

Q-Link is a registered service mark of Quantum Computer Services, Inc.

\*Long-distance charges may apply. Surcharges apply if you are a resident of Alaska, Hawaii, or Canada. Allow four to six weeks for delivery.

☐ YES! Send me my FREE Q-Link software, waive my
first month's membership fee, and credit me with one
FREE* hour of Plus time to explore the service and try
COMPUTE/NET.

Name \_\_\_\_\_Address\_\_\_\_\_

City\_\_\_\_\_ State\_\_\_ Zip \_\_\_\_\_ Home Phone\_\_\_\_

Q.

Use of Q-Link requires a VISA, MasterCard, or checking account. MAIL TO

Q-Link

8619 Westwood Center Drive Vienna, Virginia 22182-9897

Call 1-800-782-2278, Ext. 2414 today

# **BIBLE SEARCH**

"The apple of his eve" and "Escaped with the skin of my teeth." Recognize these phrases? They are two of the most common clichés-the kind that got you into trouble with your high school English teacher. Do you know what else they have in common? Their origin is the Bible, and now they can also be found on disk for your 64 or 128.

"Let all the people say, 'Amen,'" is another commonly used phrase.

SOGWAP Software presents Bible Search 3.1 in which Michael Miller has achieved the remarkable by offering the complete King James Version of the Bible on four double-sided 1541/ 71 disks, with an exhaustive cross-referenced concordance on two more. The program itself uses one disk.

Bible Search can search for and display words or verses easily and swiftly, even allowing for disk swaps. This speed allows you to spend more of your time meditating on scripture rather than looking for it.

The program opens with a setup menu that allows you to manipulate screen colors. In addition, you can alter the colors that indicate italics. the words of Christ, basic Bible text, the computer prompts, and the user's responses. After you have set your colors, pressing Return takes you into the program, where you can request to see a specific verse or begin a search for a word or specific phrase.

When a verse is displayed, you can view it in context with the verses that immediately precede and follow it. You can scroll forward and backward through surrounding text or skip to the first verse of the previous or next chapter. You can request a range of verses, too. Output can be directed to screen, disk, or printer. By successive moves you could print out the entire Bible straight from the program or save it to disk for use with a word processor, which would allow you to customize your printout.

Bible Search will find sin-

less than three minutes. Pressing f3 displays the first verse that contains the search words. Press f3 repeatedly to bring up more verses with matching words.

Bible Search utilizes a compressed database composed of eight relative (REL) files. It has the complete text of the King James Version of the Bible and an exhaustive

with the various drive configurations it offers, Bible Search provides a good excuse to buy more hardware. ble study groups, and Bible scholars don't have much money. Miller himself says that students for whom monev is no concern should

equip themselves with a PC and the IBM version of his program. For many people this is not a viable alternative. For them, the 64 version of Bible Search is a handy tool. It's fast, thorough, and easy to use. In fact, for some people, it would be worthwhile to buy a 64 just to run this program. Use it for Bible trivia quizzes. Print out passages of scripture to be highlighted, picked apart, crisscrossed, and written on. With a word processor's special fonts, you can print out

cards or posters of your fa-

vorite Bible quotes.

gram on our 64 with two FSD

Excelerator Plus drives and

a Star NX-1000 printer with

MW350 interface in Commo-

dore emulate mode. The two

drives made the program

quite comfortable to use, but

Generally, churches, Bi-

The manual is clear and well written. It even has a glossary that includes the definition of SOGWAP. Like many programs, Bible Search suggests you make and use a backup copy. A reasonably good copy program is included. Because of their size, however, the cross-reference disks cannot be copied on a 1541. There is a warning to this effect—but the suggestion to copy disks is on page 3, and the warning about the reference disks is buried on page 18.

We found only two other problems with the program. You have to pound Run/ Stop-Restore to get a response (its function is to reset the program to the first



Locate any phrase in the Bible in less than two minutes.

gle words or groups of words. It divides the Bible into four sections (hence the four disks) and searches one section at a time. Being a smart program, it not only tells you when you have inserted the wrong disk or side in the drive but also tells you which one to put in. When it has found all the verses in the section that contain the search word(s), it informs you of how many there are. You can display the reference list of verses in a search buffer. A screen dump allows you to print out the list.

For example, the word judge appears in 170 verses. To search the entire Bible for this information and print out the list of verses took English concordance of 12.800 words and 700.000 indexed verses. A single-disk word search takes five seconds. Miller has noted a worst-case word-search time, using the 1541, of two minutes for the whole Bible. This is believable, judging by our experience.

This program will run on several hardware configurations. The 128 version of Bible Search 3.1 supports REU and has an 80-column screen option. It is Fast Load/ JiffyDOS compatible, although they aren't really needed. Bible Search 3.5 (not reviewed) is available for the 1581 and hard drives. This version reputedly can search the entire Bible in five seconds. We ran the pro-

# GIANT-WAREHOUSE CLEARANCE SALE



First Book of Commodore 64 G	iames (37X)	☐ Mapping the Commodore 64 (0823)			
First Book of Commodore 64 (	34X)	<ul> <li>□ More Machine Language Games for the Commodore 64 (0947)</li> <li>□ Machine Language for Beginners (116)</li> <li>□ 40 Great Submarine Simulator Adventures (1722)</li> </ul>			
Third Book of Commodore 64 (	728)				
All About the Commodore 64,	V. 1 (040X)				
Beginners Guide to Commodore	64 Sound (54X)	☐ 40 Great Flight Simulator Adventures (0224)			
Commodore 64/128 Power Ba	sic (0998)	☐ 40 More Great Flight Simulator Adventures (0432)			
Commodore Collection (701)		☐ Flying on Instruments with Flight Simulator (0912)			
Creating Arcade Games on the	Commodore 64 (361)	□ Official Book of King's Quest (1552)			
Machine Language Games for t	he Commodore 64 (0610)				
Be sure to enclose a check or o	credit card information.	the form below and mail entire coupon to the address below.			
A Total number of		Enclosed is Check MC# VISA#  MC or VISA # Expiration date			
B Total cost of bo	oks ordered:				
1 book—\$6 3 books—\$15 2 books—\$11 4 books—\$19	5 books—\$22 6 books or more—\$4 each	Signature			
C Shipping and H book US, \$2 per book Canada,		Address State Code			
D NY, NJ, NC ord sales tax. Canadian orders add		Mail to: COMPUTE Books c/o CCC			
Total Cost (B+C+	D)	2500 McClellan Ave. Pennsauken, NJ 08109 Please allow 4 to 6 weeks for delivery. Offer expires December 31, 1991 or while supplies last.  CLEAR			

menu). And where is the Revised Standard Version of the Bible? The King James Version and New International Version are currently available; a Revised Standard Version would be a welcome addition to this series.

Bible Search is one of those programs so deceptively simple to use that its sophistication is overlooked. You have to think about the scope of what you're searching to appreciate just how good this program is. Michael Miller has transcribed the Word of God onto a new medium. As a Christian, he could not have spread God's Word better than he has by making use of his programming talents this way. Bible students, Christian or not, can be thankful he did.

Oh, yes. Our Bible references? "The apple of his eye" is found in Zechariah 2:8 and in Deuteronomy 32:10. "Escaped with the skin of my teeth" is from Job 19:20, and "Let all the people say, 'Amen'" is from Psalms 106:48.

DAVE and ROBIN MINNICK

Commodore 64 or 128—\$59.95 for KJV, \$69.95 for NIV, \$5.00 for gospel demo

SOGWAP SOFTWARE 115 Bellmont Rd. Decatur, IN 46733 (219) 724-3900

Circle Reader Service Number 344

# STAR CONTROL

The time: the twenty-seventh century. The place: outer space. The Ur-Quan Hierarchy, a confederation of intergalactic slave traders, is on a deadly rampage.

Held at bay for centuries by the Alliance of Free Stars, the Hierarchy is now on the verge of grinding the Alliance into space dust. Earth, formerly judged too weak to be part of the Alliance, is called upon for assistance in stemming the tide of the Ur-Quan menace. Is it a case of too little too late, or will the Alliance's newest member be up to the challenge? Blending strategic elements with arcade-style action, Star Control pits you (commanding either the Alliance's or Hierarchy's forces) against a hu-

er, for example, fires heatseeking tactical nuclear weapons and, for its special power, has a primarily defensive laser that also acts as a short-range offensive weapon. On the downside, the Cruiser is both slow and vulnerable.

Each player may operate one fleet of seven ships.

CHENJESU 25
EARTHLING 20
JEHAT
JEHAT
MICON
ID

GSTANIANSE

WINCON
ID

WI

Star Control is an outer space blend of strategy and action.

man or computer opponent in a fight for control of the other's star base. Initially, it's difficult to coordinate both strategic and combat elements, but you can have the computer do the thinking or fight the battles for you.

From your Fleet Command View—a gridlike, planet-filled screen—you and your adversary send ships out from your star bases. Your objectives are to develop colonies, build mines and fortifications, and attack the enemy or defend yourself.

All of the four Alliance and four Hierarchy races fly their own distinctive aircraft, each with unique weaponry, special powers, maneuvering characteristics, and weaknesses. The Earthling Cruis-

These may be replaced as long as there is money to pay for them. The prices of spacecraft vary, so deciding whether to buy a less expensive but weaker ship immediately or risk possible annihilation while waiting for the cash to purchase the best is a strategic choice.

Colonies, mines, and fortifications, though equally important, provide different benefits. Colonies are recruiting
areas for new members and
quick routes for ship movement. Mine production
earns you star bucks, which
may be spent at the star
base to purchase new
ships. Fortifications make it
difficult for your opposition to
destroy your mines and colonies and reach your strate-

gically important star base.

Because you can perform only three actions per turn, determining whether to construct a ship, move a piece, build a mine or fortification, develop a colony, or attack an enemy requires an accurate reading of the situation. To further complicate matters, you can't build on or develop some planets.

After a player has completed a turn and has placed a ship on one or more planets containing enemy craft, the screen shifts from the Fleet Command View to the Combat Transition Screen. In this mode all opposing ships occupying the same sector go at each other until a victor emerges.

Most combat screens consist of a star-laden canvas occupied by a pair of ships. Two gauges—one measuring crew strength and the other fuel usage—fill the bottom quarter of the screen. Your crew is depleted with every hit you take; however, it's possible to recruit new members. Fuel is expended by firing weapons or by using special powers and is replenished when your ship stops moving. Unfortunately, the more you stand still, the more vulnerable you are.

At first there are no pushovers among the competition, so you'll need to build to the challenge slowly. For this reason it's best to begin in the practice mode and in the easiest of three difficulty levels. Without having to worry about the strategy required in the full game, you can set your mind to inflicting destruction on enemy spacecraft.

When you've tired of practicing, you may engage in a melee with the enemy fleet. This pits your four ships against your adversary's four, one pair at a time. The

# GAZETTE D\SKL/BRARY

# VALUE-PACKED SOFTWARE AT AFFORDABLE PRICES

All Gazette disks are menu-driven for ease of use—and they feature complete documentation. Just load and you're ready to go!

SpeedScript

\$11.95

\$9.95

COMPUTE Publications' most popular program ever. Powerful word processing package includes SpeedScript for the 64, SpeedScript 128, spelling checkers for both 64 and 128 versions, plus an additional dozen support programs, including mail-merge and word-count utilities.

Gazette Index

\$7.95

Every article and department from Gazette—July 1983 through December 1989 issues—is indexed: features, games, reviews, programming, "Bug-Swatter," "Feedback," and the other columns. Disk features pull-down menus, help screens, superfast searching/sorting capabilities, and much more.

**Best Gazette Games** 

\$9.95

Best dozen arcade and strategy games ever published in Gazette all on one disk. All games for Commodore 64. Titles: Crossroads II: Pandemonium, Basketball Sam & Ed, Delta War, Heat Seeker, Omicron, Powerball, Q-Bird, Trap, Arcade Volleyball, Mosaic, Power Poker, and Scorpion II.

Fourteen of the most important utilities for the 64 ever published in Gazette. For serious users. Titles: MetaBASIC, Disk Rapid Transit, Mob Maker, Ultrafont+, Quickl, Disk Editor, Basically Music, PrintScreen, 1526 PrintScreen, Fast Assembler, Smart Disassembler, Comparator, Sprint II, and Turbo Format.

The GEOS Collection

**Gazette's Power Tools** 

\$11.95

Gazette's best 13 programs for GEOS and GEOS 128 users. Selection includes utilities, applications, and games. Titles: Super Printer Driver, Skeet, File Saver, Help Pad, Word Count, Directory Printer, Quick Clock, SlideShow, File Retriever, Screen Dumper, Font Grabber, GeoPuzzle, and GeoConverter.

128 Classics

\$11.95

Thirteen of Gazette's best 128 programs, including utilities, games, and applications. Titles:

MetaBASIC 128, RAMDisk 128, 80-Column Disk
Sector Editor, MultiSort, Block Out, Miami Ice,
The Animals' Show, Cribbage, XPressCard, Sound
Designer, Video Slide Show, Math Graphics, and
3-D BarGrapher.

SPECIAL OFFER! All	6 DISKS FOR	ONLY \$49.95! A	\$13.00 SAVINGS!
All prices include shipping & handlin	g.	Name	
SpeedScript	□ \$11.95	Address	
Gazette Index	□ \$ 7.95		
Best Gazette Games	□ \$ 9.95	City State	ZIP
Gazette's Power Tools	□ \$ 9.95	Amount Method	of
The GEOS Callection	\$11.95	enclosed \$paymen	
128 Classics	□ \$11.95		□ VISA or MasterCard
Special 6-Disk Offer	□ \$49.95	Mail to Gazette Disks	(for orders over \$20).
Subtotal		324 W. Wendover Ave. Greensboro, NC 27408	, Ste. 200
Tax*.		Credit card no.	Exp. date
Outside U.S. or Canada** .	The same	Signature (required)	
Total .		Daytime phone number	
* Residents of North Carolina and New York add appl ** For delivery outside the U.S. or Canada, add \$1 for		orders, add 7% goods and services tax.	

winner of each dogfight continues against another from the loser's roster until one side has eliminated all opposing vessels.

Though fast moving and exciting, the battle sequences are a throwback to the early days of electronic gaming. In fact, the graphics, animation, joystick control, and play action are reminiscent of that venerable videogame antique Asteroids—except now asteroids shoot back.

Graphically, the strategic screen is less sophisticated than the combat screen. Star bases, ships, mines, and the like are represented by simple, two-dimensional shapes. Stars are represented by simple dots.

Documentation consists of a 30-page illustrated manual that does a good job of setting forth the rules and describing the races of participants and their spacecraft.

As a solo contest, Star Control is a disappointment. Even with the difficulty settings favoring the computer, you'll soon find it relatively easy to outwit and outfight it. The game shines in the two-player mode, where equals can battle it out or mismatched opponents can balance the odds by playing at different difficulty settings.

The bad news about *Star Control* is that it has little to offer anyone looking for something new or original. The good news about it is that players who like an outer space setting, a capture-the-flag-style challenge, and an emphasis on action and strategy will not be disappointed. LEN POGGIALI

Commodore 64 or 128-\$39.95

ACCOLADE 550 S. Winchester Blvd. San Jose, CA 95128 (800) 245-7744

Circle Reader Service Number 345

# DRAGONS OF FLAME

Imagine an Advanced Dungeons & Dragons session coming to life on the computer screen, and you'll have *Dragons of Flame*. It's an exciting combination of magic and might.

Strategic Simulations' roleplaying epics in the gold boxes take a traditional approach to role-playing games (RPGs). They present an overhead view of the landscape and a side view of the action during combat. Silver box action games, such as *Dragons of Flame*, rely heavily on arcade combat in addition to the skills, magic, and monsters found in other RPGs.

Unlike its predecessor, Heroes of the Lance, Dragons of Flame is not too difficult and, as a result, is a lot more enjoyable. Other features and changes make Dragons the better of the two and an example for the future.

The appeal of Dragons and Heroes is the quick action found in both games. When you play AD & D on paper, there is no way to see the results of slaying a giant spider or defeating a hobgoblin. The gold box AD & D games show combat, but it's not controlled by a joystick. Dragons brings to life the imagined action and adds a lot of neat elements to round out the adventure. This is no arcade game, and you'll have the large amount of time spent solving the game as proof.

The goal of *Dragons* is to rescue a number of slaves held by the evil Draconians in the fortress of Pax Tharkas. Along the way, you'll befriend the elves of Qualinesti and travel through the wilderness and caves of Sla-Mori.

This game is based on the second AD & D Dragon-lance game module and reflects the thought and preparation that goes into these modules. The wilderness maze is large and keeps you from reaching the fortress and caves. Many challenges await before you must tackle the maze, so don't feel lost if you don't find it immediately.

More than half of the screen is filled by the action window. It can show either the wilderness view or combat view. The overhead wilderness view depicts your immediate surroundings and helps to guide you through the landscape. This view is new to *Dragons*.

When enemies draw near, it's necessary to switch to the combat view. You view combat from the side and only see the leader of your party and the opponent. Using the joystick and the keyboard for spells, you battle it out with the monster. This is the fun part of the game. It's very rewarding to take out a monster and watch it disappear after a few well-placed blows. It makes all those years spent playing arcade games worthwhile.

The other parts of the game screen are a collection of icons for up to ten members of your party and a compass rose that indicates the party's current orientation. The icons indicate player status and damage. You can rearrange the party at any time except during battles. Rearranging your party becomes necessary at times because only certain characters have the abilities, skills, or magic to defeat particular monsters. You have to exercise your brainpower to decide on the proper leader. but these decisions in realtime are exactly what would happen if the AD & D world actually came to life.

You use the joystick to move the party icon around the landscape or to fight battles. The space bar activates other options and commands, such as Take, Drop. Open, Shut, and Save Game. It takes no time at all to learn the game system. The game relies heavily on how quickly you can make decisions, win battles, and complete miniquests. Dragons will send you to many locations to look for special objects and weapons. Major goals reveal themselves at the appropriate time.

Graphics in Dragons are very nice, particularly in the combat view. This side view shows a lot of detail, both indoors and outdoors. The monsters move well, although a lot of them are the same size as your party leader. The wilderness view accurately reflects the overall map found on the back of the game manual. You won't need this view for much more than orientation. The animation of the monsters and characters is smooth. You'll need to move quickly to defeat your opponents.

Sounds and music are not extensive in *Dragons*, but they keep the atmosphere of the game ominous. After seeing this game on more powerful computers, I was surprised with the power that the designers pulled out of the 64. SSI does the machine justice.

Once again, SSI's manual in *Dragons* serves as an example of fine documentation. Unlike other AD & D computer games, there is not a lot to read. The bulk of the manual is for background information and character descriptions. Game commands and controls are on a quick-start card. The end re-

# The Lowest Prices in the World on Commodore-Ready Printers! Really!!



ONLY

Full color & Commodore-ready!

# **NX-1000C Rainbow**

ONLY

Print in full color! Near-letter quality at 36 cps and highspeed draft at 144 cps features the new paper parking function. Convenient front panel controls. Great for extra-impact graphics and text. This is the Commodore-ready version—no additional interfaces or cables

NX-1000C Rainbow Color Printer, Commodore Ready 75783 \$249.95 LOWEST PRICE EVER! \$159.95 \$219 95

# **Printer Accessories**

Black Ribbon for NX-1000C/NX-1000C Rainbow Color Printer 75471 \$5.95 Color Ribbon for NX-1000/NX-1000C Rainbow Color Printer 75485 \$9.95 Dust Cover for NX-1000C/NX-1000C Rainbow Color Printer 77789

Ready to plug into your Commodore and go!

# NX-1000C

This is the Commodore-ready version of the NX-1000. You can just plug it in and start printing—no additional interfaces or cables are required. Sug. Retail

Printer 75060 **\$179.95** LOWEST PRICE EVER! **\$139.95** NX-1000C Printer

# **Quality TENEX** Power Supplies



# Lifetime Warranty!

TENEX MW 701-A. Conservatively rated at 5V and 1.8A, this unit for the C64 features a doublefused system. Its new heat-sink design allows cooler operating temperatures inside the case. Lifetime warranty.

Sug. Retail \$49.95

TENEX MW 701-A

84513 \$34.95

TENEX MW 705. Perfect for your C-128! This is a heavy-duty, switching power supply rated at 3 amps at 5VDC. Lifetime warranty. Sug. Retail \$69.95 **TENEX MW 705** 90686 \$49.95

Don't miss out on the hottest new products and great prices on the most popular hardware and software!! Call Today for your FREE catalogs!!



**IBM Compatibles** 



Commodore & Amiga



TENEX Computer Express P.O. Box 6578 South Bend, IN 46660 (219) 259-7051 - FAX (219) 259-0300

We gladly accept mail orders!







*Shipping, Handling	, Insurance
Order Amount	Charge
less than \$19.99	\$4.50
\$20.00-\$39.99	5.75
\$40.00-\$74.99	6.75
\$75.00-\$98.99	7.75
\$99.00-\$149.99	8.75
\$150.00-\$299.99	9.75
\$300.00 & up	SCALL

# GRAPEVINE GROUP

# COMMODORE UPGRADES

#### NEW POWER SUPPLIES

 A super-heavy, repairable C-64 power supply with an output of 4.3 amps (that's over 3x as powerful as the original). Featuring 1 year warranty, ext. fuse, schematics, UL approved. This supply is used for multiple drives, additional memory and "packet." Cost is \$37.95 and includes as a bonus either the Commodore Diagnostician II (valued @ \$6.95) or the "programmers utility" plug-in cartridge (valued @ \$9.95).

#### Our Biggest Seller

- 1.8 amp repairable heavy duty supply for C-64, (Over 120,000 sold.) ................................\$24.95
- 4.3 amp supply for C-128. Same features as above—\$39.95 (includes bonus package)
- 1541 Commodore Power Supply . . . . . . \$34.95
- 1541 II/1581 ..... \$26.50

#### PRINTHEAD REFURBISHING

Save time and money by having your tired, worn-out or damaged printhead refurbished or remanufactured at a fraction of the cost of a new one. Features low cost, 5 day service and 1 year warranty......Call for prices/info.

#### COMMODORE DIAGNOSTICIAN II

Originally developed as a software package, then converted to a readable format, the Diagnostician has become a fantastic seller. With over 32,000 sold worldwide, Diagnostician II utilizes sophisticated cross-reference grids to locate faulty components (ICs) on all C-64 and C1541 computers (C-128/64 mode). Save money and downtime by promptly locating what chip(s) have failed. (No equipment of any kind needed.) Just updated with 30 changes to take advantage of the new 64C combination chip/RAM changes found on new CBM boards. Success rate from diagnosis-to-repair is 98%. Includes basic schematic. \$6.95 (Avail. for Amiga computers with 3½" disk at \$14.95.)

#### PROGRAMMERS UTILITY CARTRIDGE

#### RIBBONS

MPS801/2/3, 1526, MX80/100 .....\$2.95

# + EMERGENCY STARTUP KITS +

Repair your own Commodroel Amiga and save lots of money. Originally blister packaged for government PXs worldwide, these kits are now available to you (no soldering). Kits for Amiga, C64 and drives. Each kit contains all chips, 4164 memories, schematic, Commodore Diagnostician II, fuse, chip puller and diagnostic test diskette with 9 programs. Send for full details.

# REPLACEMENT/UPGRADE CHIPS & PARTS


	6510 CPU \$11.50	C-128 Serv. Manual44.50
?	4164 (C-64/RAM)60	1541 Serv. Manual34.95
	6526 CIA12.25	1750 RAM Expander 159.95
	6581 SID12.25	C-64 Keyboard (new)19.95
	6567 Video14.95	C-64 Case (new) 14.95
	PLA 90611412.95	SX64 Kybd/Cable 49.95
	8563 CRT19.95	1541/1571 Parts Call
	All 901/225-6-7 10.95	Commodore Cables Call
	1571 Upgrd ROM11.95	Super Graphics 57.50
	C-128 ROMs 24.95	Super Graphics Jr 49.95
	C-128 RAM Upgrd. 56.95	300 Baud Modem 6.95
٢	C-64 Serv. Manual34.95	C-64 & 1541 Pc BrdsCall
	CBM to IBM Printer Cable	Adapter 34.95
	Computer Saver (C-64 prot	ection system) 17.95

All Commodore chips in stock. See catalog.

COMMODORE REPAIRS—CALL FOR PRICES

#### Send For Free Catalog

36 page FREE catalog containing parts, upgrades, memories, power supplies, diagnotics, and other items not found anywhere else.



Fax 914-357-6243 Hours: 9-6 E.S.T. M-F 914-357-2424
We Ship Worldwide Prices subject to change

Circle Reader Service Number 128

# **REVIEWS**

sult is that you'll be playing *Dragons* shortly after you open the package, and the blend of action and adventure will make you forget about your pen-and-paper AD & D sessions. *Dragons of Flame* takes the spirit of AD & D adventures and the action of imaginative battles and colorfully blends them on your computer's screen.

RUSS CECCOLA

Commodore 64 or 128-\$29.95

STRATEGIC SIMULATIONS Distributed by Electronic Arts 1820 Gateway Dr. San Mateo, CA 94414 (415) 571-7171

Circle Reader Service Number 346

# **CENTAURI ALLIANCE**

As a member of the rebel coalition, you must complete a series of dangerous missions in *Centauri Alliance*. Michael Cranford, designer of *Bard's Tale*, has set this role-playing adventure in the Star Wars-like world of the twenty-third century. Missions entail journeying to various planets, where you will negotiate mazes, combat menacing aliens, encounter deadly traps, and locate valuable items.

You assemble a party of eight individuals from six races of beings. Friendly aliens and mechanoids you meet along the way may also join your party. Characters differ not only racially but in terms of their attributes (strength and IQ, for example) and disciplines.

The four disciplines are an expertise in weapons and fighting, skills in maintaining and repairing biological and mechanical systems, metamorphic ability (being able to change shapes), and psionic talent (the ability to focus brain waves to achieve desired ends).

Most interesting are the over 80 psionic skills. Some are as simple as being able to slow down an opponent. Others are more exotic, such as encasing enemy forces in shifting sheets of rubble or bringing on earthquakes that affect only your adversaries.

No single race is competent in all four disciplines. Donsai, for instance, are capable warriors; Praktors are the only beings able to change shape. As a result of this specialization, it is essential that you assemble a well-balanced team, if you hope to succeed.

Initially, a character is skilled in one aspect of a single discipline. For example, a warrior might be adept at hurling weapons or using explosives but not at close-quarter fighting in a melee. Only by gaining experience can a character become trained in other disciplines.

Gameplay is made easy by a series of menus accessed via joystick, keyboard, or mouse. The game's combat system is also uncomplicated—if uninspired. A single figure representing your party and one or more enemy figures are placed on a small hex grid. From this position you can attack, move to an adjoining space, or flee. Before attacking, you may command individuals to engage in a melee, fire a weapon, dodge, or use psionic or metamorphic powers. After all options are chosen, the message screen displays the results of the battle.

You travel through and view your surroundings in either the first-person perspective, 3-D mode, or from overhead. Although the 3-D perspective is more attractive, the top view is more practical. It provides a better overall sense of your location and includes an automapping feature. Unfortunately, when you move to another maze, the program does not retain your previous map for later use. Fortunately, you can save a game in progress.

Centauri Alliance comes on three double-sided disks, so players will spend dozens of hours with the game. Less worthwhile is the time spent waiting for each battle to load. Use those occasions to study the lengthy manual and field guide, which do a good job of providing atmosphere and explaining the rules. The manual itself is an entertaining addition to this software package.

Before long, some players will grow tired of searching rooms, traveling between planets, increasing weaponry, and fighting battles. Diehard fans of role-playing games, however, will consider *Centauri Alliance* a solid addition to their software libraries.

LEN POGGIALI

Commodore 64 or 128-\$29.95

BRØDERBUND 17 Paul Dr. San Rafael, CA 94903 (415) 492-3200

Circle Reader Service Number 347

# **SCREEN-PRO 64**

If you're looking for a useful program to help you design screens and simple animated sequences, consider *Screen-Pro 64*. You'll find it handles these chores easily.

One of its many features is that *Screen-Pro 64* allows you to save load screens you have designed. BASIC doesn't give you this freedom. In addition, it lets you copy screens so that minimal changes are required when chaining together screens for animation. *Screen-Pro* augments the editing commands that are built into the 64 and makes them easier to use.

Screen-Pro 64 comes

packaged with two disks. One is for the different color modes available on the 64 and the other is for single color only. The color version lets you chain a maximum of 17 screens in an animation sequence. The monotone version lets you use 34.

Demonstration programs show how to design for a 3-D effect, change colors of key screen elements, and other effects. The program is great for creating dynamic and colorful title screens.

Commodore 64 or 128-\$24.95

ACCUTONE PRODUCTIONS 36 Myers Ct. Medford, OR 97501 (503) 772-4890

Circle Reader Service Number 348

# Big Blue Reader 128/64

Read & Write IBM PC Disks!

Big Blue Reader 128/64 is a fast, easy-to-use, menu driven program for novice and expert alike. Transfers word processing, text, ASCII, and binary files between Commodore 64/128 and IBM PC compatible 360K 5.25" and 720K 3.5" disks. Includes both C64 & C128 programs. Requires 1571 or 1581 Disk Drive. Does not work using 1541. BBR 128 Version 3.1 upgrade, \$18+ original BBR disk.

Big Blue Reader 128/64 only \$44.95

# Bible Search 3.1

The only Bible Study Program with:

- 1) Entire Old and New Testament on (4) 1541/71 or (2) 1581 disks.
  2) An Exhaustive English Concordance on (2) 1541/71 or (1) 1581 disks; includes more than 700.000+ references.
- disks; includes more than 700,000+ references.

  3) Incredible five (5) second look-up time, per/word, per/disk.

  4) Instant. automatic spell checking of more than 12,800 words.
- 4) Instant, automatic spell checking of more than 12,800 words.
  5) Boolean Search operators including AND, OR & NOT logic.
  6) Search entire Bible in 5 seconds with 1581 or Hard Drive (v3.5).
- 6) Search entire Bible in 5 seconds with 1581 or Hard Drive (v3.5).7) A Money Back Guarantee!

Includes: Easy-to-use, C64 and C128 (40/80 column) programs, printer and disk output, users guide, disk case, and more.

Available on (7) 1541/71, or (4) 1581 disks. (Demo disk \$5)

KJV \$49.95 公公公公公 NIV \$59.95

Any questions? Call or write for more information. NOW Available! AMIGA Bible Search

Order by check, money order, or COD. US Funds only.

FREE shipping in North America. No Credit Card orders.

Foreign orders add \$5 S/H (\$12 whole Bible)

SOGWAP Software = (219)724-3900

115 Bellmont Road; Decatur, Indiana 46733

# SINTERINE SINTERINE AND SINTERINE SINTERINE AND SINTERINE AND SINTERINE AND SINTERINE SINTERIN

Yes, save time and money! Subscribe to the Gazette Disk and get all the exciting, fun-filled Gazette programs for your Commodore 64 or 128—already on disk!

Subscribe today, and month after month you'll get all the latest, most challenging, and fascinating programs published in the corresponding issue of *COMPUTE*.

New on the Gazette Disk! In addition to the programs that appear in the magazine, you'll also get outstanding bonus programs. These programs, which are often too large to offer as type-ins, are available only on disk—they appear nowhere else.

As another Gazette Disk extra, check out

"Gazette Gallery," where each month we present the very best in original 64 and 128 artwork.

So don't waste another moment. Subscribe today to *COMPUTE's Gazette Disk* and get 12 issues for only \$49.95. You save almost 60% off the singleissue price. Clip or photocopy and mail completed coupon today.

Individual issues of the disk are available for \$9.95 (plus \$2.00 shipping and handling) by writing to COMPUTE, 324 West Wendover Avenue, Suite 200, Greensboro, North Carolina 27408.

YES! Start my one-year	r subscription
to COMPUTE's Gazette Disi	k right away
for only \$49.95.*	

□ Payment	enclosed (check or	money order)
Charge	□ MasterCard □	1 Viea

Acct. No. \_\_\_\_\_ Exp. Date \_\_\_\_\_

Signature \_\_\_\_\_\_(Required)
Name \_\_\_\_\_

Address \_\_\_\_\_

Mail to COMPUTE's Gazette Disk, P.O. Box 3250, Harlan, IA 51593-2430
\*Residents of NC and NY, please add appropriate sales tax for your area. Canadian orders, add 7% goods and services tax.OCTOBER 1991 COMPUTE G-15

# FEEDBACK

**Bug-Swatter** 

SpeedScript users who've been editing their dictionaries with the SPEEDCHECK.DM program have been seeing SYNTAX ERROR IN 260. The problem is the part of program line 260 which follows the colon and looks like this:

#### **IFSTORFTHENRETURN**

Commodore BASIC tries to make sense of it with the interpretation

#### IF S TO RF THEN RETURN

Since this statement is meaningless in BASIC it results in a SYNTAX ERROR. It's a textbook illustration of the danger of running together the elements of a BASIC instruction, even though the 64 and 128 allow you to do so. The actual logic should read:

#### IF ST OR F THEN RETURN

To make the correction, just load SPEEDCHECK.DM like any other BASIC program, list line 260, make the change above by adding spaces, and save the program back again. If you have any uncertainty about how to do any of these steps, either experiment with a copy of the SpeedScript disk or ask someone who is certain.

Several readers have written to complain that William Chin's Memo Card program (September 1989 and the 1991 Gazette PowerPak disk) will not reload data from disk without occasional an STRING TOO LONG ERROR appearing. The problem can easily be fixed by replacing line 1350 in the Memo Card BASIC program with the following and adding some additional code.

1350 INPUT#1,HR

1352 FOR I=0 TO HR:T\$="" 1354 GET#1,A\$:IF A\$=CHR\$(13) **THEN 1358** 1356 T\$=T\$+A\$:GOTO 1354 1358 IF T\$="←"THENT\$=" " 1359 MS\$(I)=T\$

I would like to commend the author of CoilCalc. which ran in the June 1991 issue. It is a fine program that will be of interest to many electronic hobbyists. However, the program will not function in Option 1 because of errors in lines 580 and 585. Here are the corrections that should fix the problem.

580 IN=INT(100\*((.5+VAL(CD\$)) 12)\*((TN(GA)\*VAL(CL))12)) 585 IN+INT(IN/((4.5\*VAL(CD\$))+ (10\*VAL(CL\$))))

ROLAND BURGAN HANCOCK, MI

More Niche Programs

Robert Marcus' CoilCalc (June 1991) is one of the best and most useful programs you've published in years. In the user group of which I am a member (and "stuckee" called the president), a substantial percentage of members are radio amateurs, technicians, or engineers. Many of us are photographers, pilots, rebuilders of elderly automobiles, model airplane flyers, chemists, and otherwise technically interested in the world around us. How about some more niche programs of interest to any or all of the above? B. CHANDLER SHAW (WA6EWY)

GRANADA HILLS, CA

We'll be happy to consider such programs. So how about it, readers? Do you use your 64 with some hobby or avocation? If you've written a program that helps you get more enjoyment out of some other activity, send a copy of it with instructions on disk to the Gazette Submissions Reviewer | number is 276-1533.

for possible publication. We pay for programs we publish.

Graphs Wanted

There is a program called 128 Graph Designer written by Danny Komaromi in the July 1987 issue. I would like to see it written for the 64. RUSSELL WRIGHT MILWAUKEE, WI

128 Graph Designer is a good program that lets users create pie charts, graphs, and line charts on the 128, but there is no 64 version. If a bar chart will fill your need, Tim Ruiz wrote a program called EZ Bar Charter (September 1989) that works with either the 64 or 128. It plots up to eight items on a vertical bar chart and prints the resulting graph to screen or printer. If someone would like to submit a good chart program for the 64, we'll consider it for publication.

## Printer Ribbons

Where can I obtain ribbons for my VIC 1525 printer? I understand the printer is no longer made. DON SYWASSINK SIERRA VISTA, AZ

Try Ramco Computer Supplies, P.O. Box 475, Manteno, Illinois 60950; (800) 522-6922. Canadian readers can call (800) 621-5444. Ramco has them in stock, but call for the latest prices and shipping information.

**Printer Plug Revisited** 

In July's "Feedback" Bob Chalfant said he was looking for a 36-pin plug so he could print documents in Epson mode with his SR 2000 Dual Interface printer. Radio Shack stocks a connector that they apparently use for their own printers. It might work. It's called a 36-Position Male Printer Connector and the catalog

**Ouestions** and


about previous

printer ribbons.

answers

programs,

and more



Memo Card—Unleashes the power of a full-blown database without the fuss! Nothing's easier—it's a truly simple computerized address file. Just type in your data on any one of the index cards. Need to edit? Just use the standard Commodore editing keys. Finished? Just save the data to floppy. What could be easier?

Financial Planner—Answers all of those questions concerning interest, investments, and money management that financial analysts charge big bucks for! You can plan for your children's education and know exactly how much it will cost and how much you need to save every month to reach your goal. Or, decide whether to buy or lease a new car. Use the compound interest and savings function to arrive at accurate estimates of how your money will work for you.

Compute the answer at the click of a key!

DON'T MISS OUT ON THIS POWERFUL WORKHORSE!

(MasterCard and Visa accepted on orders with subtotal over \$20).

YES! Please send me _	Productivity Manager disk(s)
(\$14.95 each).	
Subtotal	
Sales Tax (Resident priate sales tax for 7% goods and service	s of NC and NY please add appro- your area. Canadian orders, add ces tax.)
Shipping and Handl surface mail, \$5.00	ing (\$2.00 U.S. and Canada, \$3.00 airmail per disk.)
Total Enclosed	
Check or Money Order	MasterCard VISA
Credit Card No.	
Signature	
	(Required)
Daytime Telephone No.	
Name	
Address	
Address	
City	

Send your order to Gazette 1991 Productivity Manager, 324 W. Wendover Ave., Ste. 200, Greensboro, NC 27408.

# FEEDBACK

My only quarrel with it is that the back shell is plastic. This is no good for shielding if the connector is to be used in a radio frequency environment, such as around amateur radio equipment.

A second solution would be to contact Newark Electronics about a line of Amphenol "Micro-Ribbon" connectors. These have metal shells and may be obtained in styles that come straight out of the connector or at right angles. I am not sure if there is a Newark store in Mr. Chalfant's town of Renton, Washington, but I know there are two of them in nearby Bellevue. WALTER C. WARMAN S. BURLINGTON, VT

Questions about calendars, expanded memory, and static If Bob Chalfant is still looking for a 36-pin plug for his printer, he doesn't need it. Leave the printer connected as it is now for Commodore mode, then turn off all the DIP switches except for number 8.

This works because the necessary interface is already built into the printer and it would be the same as connecting a serial cable to an interface, then running a 36-pin cable to the printer.

In my opinion the SR 2000 is one of the best 9-pin dot matrix printers available because of this dual interface. If some utility program requires a Commodore printer, you can change back by turning on DIP switches 3, 6, and 8. Any time you change the DIP switches, you must turn the printer off and on again for the changes to take effect, otherwise the printer will continue to operate in whatever mode it was in before you changed them. JACK STANTON MARTINEZ LAKE, AZ.

# More Calendar Comments

Apparently Gazette's most famous lament has become Monthly Calendar (March 1989). For the record, here's one more change. If you are using the program from *Gazette Disk* with a Panasonic KX-P1090 printer with a PPI serial to parallel interface (CBM 801 equivalent), you will get a scrambled calendar printout. Line 1280 is one character too long. Delete one Shifted \* from the end of line 1280 and insert one at the beginning of line 1290's string. PETER KUBISCHTAL FOUNTAIN VALLEY, CA

Why Expand Memory?

What exactly is the purpose of expanding the 64's memory, using cartridges such as the 1750? On an IBM, certain amounts of memory are required to use certain software. Is there any software for the 64 that requires more memory than what the 64 has?

JOHN VEILLEUX ORRINGTON, ME

There's no software that we know of that requires a 64 to have more memory than was built into it. On the other hand, several software packages, such as GEOS, can make use of RAM expansion if it's available. And many programs—games particularly—use the disk drive for virtual storage when either the program or its data is too large to be loaded and maintained in memory all at one time.

Games are one example of why more memory is better, but here are some others. Business applications can use larger spreadsheets and data bases. Programmers can write larger programs which allow for more highly-developed code and more sophisticated interpreters or compilers.

Extra memory can help graphics when several scenes must reside in memory at once for smooth screen updates. A computer can do great things with digitized sound, but a lot of storage space is needed to contain reasonable sound samples

Where speed isn't a critical factor, disk drives are a practical means of extending the 64's 64K limit. But where speed and quick responses are needed, more memory is very handy indeed.

## Monitor Static

I've noticed that whenever I put my hand near the screen of my 1701 monitor I can feel the hairs on the back of my hand stand up. Is this something I should be worried about?

GEORGE W. BLACK ATLANTA, GA

What you feel helps your monitor's screen to glow, but it won't induce the same effect in humans. You're feeling static electricity, a natural phenomenon produced on every monitor. You can also feel the same tingling sensation by touching the back of your hand to a television screen. An electron tube in a TV or monitor fires a bearns of electrons at the screen which causes portions of it light up. producing the image you see. This process causes a static electric charge to build up on the screen and this charge acts like a magnet, either attracting or repelling the hairs on your arm. It won't harm you, but static electricity can damage semiconductor materials. That's why it's a good idea to touch something metal to drain away the charge before you touch any computer chips or components.

If you have a question, comment, or problem, we want to hear from you. Send your letters to Gazette Feedback, COMPUTE Publications, 324 West Wendover Avenue, Suite 200, Greensboro, North Carolina 27408.

# MACHINE LANGUAGE

Jim Butterfield

# SIX COMMANDS **ARE KEYS TO** INPUT/OUTPUT

Input and output are easy from BASIC-the authors of BASIC made it that way. Trying to comprehend them in machine language, however, can make a grown programmer cry.

It doesn't have to be that hard. Commodore made it confusing by including several Kernal jump locations that are generally only used by the Kernal itself-calls like UNTALK and UNLISTEN. Most programmers could code for a career and never use them. Why? Because you can do almost all your ML input and output with just six Kernal calls. You might need a little help from the BASIC language, which is always in place on the 8-bit machines; but it's not hard to learn six system calls. The programmers' manuals often list dozens of calls, but most of them are rarely needed. That's confusing to a beginner. CHROUT or BSOUT (\$FFD2) sends a character to the output stream. GETIN (\$FFE4) gets a character from the input stream. STOP (\$FFE1) scans the Run/Stop key. CHKIN (\$FFC6) switches the input stream to a logical file. CHKOUT or CKOUT (\$FFC9) switches the output stream. CLRCHN or CLRCH (\$FFCC) restores input/output streams to defaults.

Mnemonics vary among the manuals, but the routines' locations-and their jobs-are the same for all Commodore 8bit machines. You'll even find them on the original PET computer from clear back in 1977.

To use these call addresses, all you need to do is set up any needed registers and then make the call with a JSR instruction. Some of these your registers; you'll need to know about this and preserve the register contents if you need to use them later.

To output a character, load the ASCII character code into the A register, and JSR \$FFD2. The character will go to the output stream (the screen, if you haven't changed things by using \$FFC9). All three data registers (A, X, and Y) have their values preserved.

To get an ASCII character into the A register from the input stream, use JSR \$FFE4. If you haven't changed the input stream (with \$FFC6), the character will come from the keyboard input buffer. This call will not wait; it always returns immediately. If there's no character available (often the case when you're reading the keyboard), A will contain a value of binary 0. When reading data files (with the input stream switched via \$FFC6), system call \$FFCF, CHRIN, performs an identical action to that of GETIN. All three data registers may have their contents changed by this call. Save these values to memory if you will need them.

To check Run/Stop, use \$FFE1. If the Run/Stop key is being pressed at this instant. the call will return with the Z flag set. A BEQ (Branch EQual) instruction allows you to take appropriate action. such as stopping the program. A machine language program will not respond to a press of the Run/Stop key unless you include calls to \$FFE1 in your code. The contents of registers A and X will be affected by this call. You'll find that register A contains information about a few other important keys.

Switch your computer's input/output streams with \$FFC6 and \$FFC9. Load the logical file number into the X calls destroy the contents of I register, and then call \$FFC6

to switch the input stream or \$FFC9 to switch the output stream. The stream should be restored to its default later by means of a call to \$FFCC. The logical file number means that the file should previously have been opened: this may be done from machine language, but you'll find that it's often easier to use the BASIC OPEN command.

Once the file is open, you may switch the input or output stream to it as many times as you wish.

When you're finished with the file, you must always remember to close it. If you have both input and output streams switched at the same time, it would cause confusion on the serial bus. All three data registers may be changed by this call. Save their contents in memory if you expect to need them later.

Restore default input/output streams with \$FFCC. This command sets the input stream to the keyboard input buffer and the output stream to the screen. It takes care of all necessary cleanup work. For example, devices on the serial bus may be told to untalk or unlisten. Registers A and X will be affected by this call.

To demonstrate how this procedure operates, here's a short program to enter that accepts input characters from the keyboard and then processes them. If you tap the B key, the letter A will print, tap the C key and B will print, and so on. A will transform to Z.

JSR \$FFE4 CMP #\$41 BNE NEXT LDA #\$5B **NEXT** BCC PASS SBC #\$01 PASS **JSR** \$FFD2 CMP #\$0D BNF GO RTS

**Manuals list** dozens of machine language calls. but you can handle most input and output requirements with six Kernal calls.

# **BEGINNER BASIC**

Larry Cotton

# CRASHPROOF **DATA ENTRY**

Last month we started working on a way to make the most user-friendly programs ever written. This subroutine would let computer novices enter data into your programs without a chance of their crashing them or being presented with a cryptic REDO FROM START.

Continuing with crashproof program, let's have another look at line 150.

## 150 IFA\$<CHR\$(32)ORA\$> CHR\$(95)ORA\$=CHR\$(34) THEN120

Make your programs so friendly that even beginners can input data without strife or hassle.

We want to restrict the user's input to numbers, letters and certain punctuation. The above line will do just that. Here's how to analyze what it will and will not accept.

Refer either to your computer's User's Guide or Programmer's Reference Guide for an ASCII and CHR\$ Code chart. This list shows what characters will show on your TV or monitor screen if you type PRINT CHR\$(X), for most of the values of X from 0 to 255.

Conversely, the list also shows the values which would be obtained by typing PRINT ASC("X"), where X is any keyboard character. Type in a few examples of each in immediate mode.

As mentioned last month, each character has a unique ASCII value. The ASCII value of E, for instance, is 69.

GET A\$ in line 120 waits for user input. If he or she types E, A\$ could be thought of as either E or CHR\$(69); likewise 6 can be treated as either 6 or CHR\$(54).

ASCII values 32-47 and 58-64 print a space and most of the punctuation. Values 48-57 print the numbers,

while 65-90 cover the capitalized alphabet. You could cut it off there, but I included five more printable characters with ASCII values 91-95.

The symbols < (less than) and > (greater than) are usually used to compare numeric values; for example, IF A < 5 THEN . . . means if the value of A is less than five, then some action is taken. You can also use < and > to compare strings' CHR\$ values.

Thus IFA\$ < CHR\$(32) OR A\$ > CHR\$(95) THEN 120 means if the ASCII value of the entered character is less than 32 or greater than 95, then program control jumps back to line 120 for another GET. If the value falls in the range 32-95, the character will be accepted, and control will fall to the next line.

We don't want the cursor to move if the user enters a quotation mark, thus the statement ORA\$=CHR\$(34) near the end of line 150. The routine will accept apostrophes.

Also, we don't want the cursor to move if the first character entered on a line is a space, so we add this line:

# 160 IFA\$=CHR\$(32)THENIFL=0 THEN120

L is line length, which is set to zero in line 100-the cursor appears in the leftmost screen position. If it's there when the space bar is pressed, program control just goes back for another GET. If the ASCII value of the entered character falls within the range 33-95, inclusive, control passes to the next line.

#### 170 PRINTD\$A\$;:B\$=B\$+A\$:L=L+1: IFL=80THENPRINTCHR\$(32);: GOT0190

This rather long BASIC line first deletes the cursor, then prints the entered character with PRINTD\$A\$. Note the semicolon, which keeps the printed information on the same line.

B\$ will be the sum of all the individual A\$s until the Return key is pressed. It starts out life as nothing, then begins lengthening as the A\$ characters are added. L increments by 1 as the line gets longer. The IF-THEN tests for an arbitrary maximum line length of 80 characters (two screenwidth lines). If L becomes 80, a space is printed and control is passed to a line which waits for either the Return or Del key to be pressed.

After the character is printed to the screen, we want to advance the cursor one position to the right and wait for another character to be typed. Go back to line 110.

# 180 GOTO110

The next line was called from line 170. Two full screen lines have been entered without a press of the Return key; L is 80. The only two things we want the user to press are the Return key itself or the Del key.

# 190 GETA\$:IFA\$< >R\$AND A\$< >D\$THEN190

This line will loop indefinitely until one of the above-mentioned keys is pressed, in which case control passes to the next line:

#### 200 IFA\$=D\$THENGOSUB210: GOT0110

Pay close attention now. If the Del key is pressed (defined in line 20 as D\$), we call a subroutine to take the necessary action.

If the Return key is pressed (A\$=R\$), control just falls through to line 210 or 220, which then becomes the end of the subroutine called in line 30.

The last two lines are the

subroutine for pressing the Del key.

# 210 IFL=OTHENPRINTD\$;:RETURN 220 PRINTD\$A\$;:L=L- 1:B\$=LEFT\$(B\$,L) :RETURN

The first line checks to see if L=0. If so, the cursor is at its beginning position, it's deleted, and control returns to 110.

If L is anything but zero, line 220 kicks in, prints two deletes and decrements L. B\$ becomes the L-length left end of B\$ and control returns to line 110 (sent there by line 140 or 200).

Try running the program now. A nonblinking horizontal-line cursor will greet you. Try typing anything, randomly, as fast as possible, including spaces, deletes, and so on. Just don't press the Shift Lock key. After typing several characters, press Return.

Then, in immediate mode, type PRINT X\$. You should see an exact clone of the originally input characters. X\$ is the input string, with which you may do as you wish.

Remember, any key repeats. The routine accepts all capital letters, all numbers, and most punctuation except double quotes. It will not accept lower case letters, cursor control characters, and so forth. Once you've hit Return, there's no going back.

# 3-D GRAPHICS DESIGN

☆ Voted Best Graphics Program

—Run Magazine 1988

For Commodore 64/128 in 64 mode View Designs in Multiple Perspectives

CAD-3D!! enter me into the fastest growing field in graphic technology. At a special introductory price \$53.95. Add \$4.00 for shipping and handling, for C.O.D. add an additional \$4.00, (California residents please include 6% sales tax). Professional-Educational-Home Applications Architects, Engineers, Designers, Programmers, Students

iht Software
2269 CHESTNUT STREET
SUITE 162
SAN FRANCISCO, CA 94123

ORDER LINE • (415) 923-1081 FAX • (415) 923-1084 Dealers/Distributors inquiries welcomed

Circle Reader Service Number 177

n minmin

Use the handy
Reader Service Card
in the back of the
magazine to receive
additional information
on our advertisers.



- Automotive Dwell/Tach Diagnostics Program with Interface Schematics \$5.00
- Home Sentry Residential Security On Disk with Interface Schematics \$20.00

Send Check or Money Order to:

CREATIVE SPECIALTIES
P. O. Box 7361
Richmond, VA 23221
Allow 3-4 Weeks for Delivery

Circle Reader Service Number 139

# COMPUTE'S SpeedScript Disk

A powerful word processing package for Commodore 64 and 128 owners

# A Great Deal for Commodore Users!

- SpeedScript for the 64
- SpeedScript 128-80-column version
- Spelling checkers
- · Mail merge
- · Date-and-time stamp
- 80-column preview for the 64
- · Turbo save and load
- Plus more than a dozen other SpeedScript support utilities all on one disk (including full documentation)

	ot Disk 195
	YES! Send me copies of COMPUTE's SpeedScript Disk.
1	I've enclosed \$11.95 plus \$2.00 postage and handling. (Outside U.S. and Canada add \$1.00 for surface mail or \$3.00 for

# **ORDER NOW!**

airmail.)

-	Amount
	Sales Ta
	123

Mail personal check or money order to

Commodore SpeedScript Disk 324 W. Wendover Ave., Ste. 200 Greensboro, NC 27408

Residents of North Carolina and New York, add appropriate tax for your area. Canadian orders, add 7% good and services tax.

Please allow 4-6 weeks for delivery. Program available only on 54-inch disks.

# PROGRAMMER'S PAGE

Randy Thompson

# SYS CALLS, UNTIMELY BUGS, AND MORE

Towering stacks of "Programmer's Page" submissions are taking over my computer room. It must be time for another column of reader tips (cleaning my room wouldn't hurt, either).

# SYS 128

SYS calls such as the ones below are an important addition to any programmer's bag of tricks. The following are specific to the Commodore 128.

10 INPUT "A = ";A 20 INPUT "B = ";B 30 A = A XOR(A,B)40 B = A XOR(A,B)50 A = A XOR(A,B)60 PRINT "A = ":A 70 PRINT "B = ";B

Since the 64 lacks an exclusive OR (XOR) function. here's how the program can be entered on that computer:

10 INPUT "A = ";A 20 INPUT "B = ";B 30 A=(A OR B) AND NOT(A AND B) 40 B=(A OR B) AND NOT(A AND B) 50 A=(A OR B) AND NOT(A AND B) 60 PRINT "A = ";A 70 PRINT "B = ":B

Here are some tips from readers about 128 SYS calls, the midnight bug, and more.

SYS Command	Function
SYS 42977	Calls the ARE YOU SURE? message and re-
	turns the ASCII code of the key pressed in the
	accumulator
SYS 57416	Goes directly to 64 mode (does not collect
	\$200)
SYS 51069	Cancels quote mode and reverse mode
SYS 51328	Switches to lowercase mode
SYS 51346	Switches to uppercase mode
SYS 51598	Rings bell
SYS 50341,,x	Clears screen line x (0-24)
SYS 51794	Clears the current screen line
SYS 51830	Clears from cursor to the end of the line
SYS 51851	Clears from the start of the line to the cursor
SYS 51871	Clears from the cursor to the end of the
	screen
SYS 51900	Scrolls the screen up one line
SYS 51954	Enables block cursor
SYS 51966	Enables underline cursor

ROD BENNETT BALTIMORE, MD

Strange Swap

Here's a trick that's sure to make you think-think about how it works, that is. It's an unusual way to swap the values of two variables, something that's quite common in sorting algorithms. What's unique about this method is that it doesn't use a third variable. It uses the XOR function instead. Here's how the swap works in BASIC 7.0 on a 128: This program takes advantage of the fact that (A OR B) AND NOT(A AND B) produces the same result as A XOR B.

MARK LINTON BALTIMORE, MD

#### What Time Is It?

Shortly after completing August's column, I received a letter that further explains the inconvenient CIA chip midnight bug documented in that column. This letter, sent by Anthony Garza of Creative

Specialties, has been edited slightly for size:

As you know, the 64 contains two 6526 CIA chips. each having an independent TOD clock. Each clock's hour register has an a.m./p.m. flag that's controlled by bit 7. You clear bit 7 when it's a.m. and set bit 7 when it's p.m. When setting one of the hour registers, I noticed that bit 7 is reversed whenever you select a time within the hour of 12:00. A simple cure for this is to set the a.m./p.m. flag to the incorrect value when choosing times between 11:59 and 1:00. For example, if you set the time to 12:47 p.m., you must set the hour register to a decimal 18 (that's 12 in binary coded decimal) instead of 146 (18 + 128). Interestingly, if you read the hour register after setting it to 18, the CIA chip returns the desired value of 146! This a.m./p.m. flag reversal occurs only during the hour of 12:00.

I thought that this quirk in the TOD chip might be a problem with my 64, but the a.m./ p.m. bug occurs on a backup 64 that I use as well as seven other machines that belong to some of my friends and associates. Programmers should add this information to their Commodore 64 Program-Reference Guide. mer's since it's not mentioned in that book or in any other book that I can find.

Thanks for all the great tips, guys. It's always a pleasure to share such useful information as this with our readers.

"Programmer's Page" is interested in your programming tips and tricks. Send all submissions to Programmer's Page, COMPUTE's Gazette, 324 West Wendover Avenue, Suite 200, Greensboro, North Carolina 27408. We pay \$25-\$50 for each tip we use.

Steve Vander Ark

# FIGHTING THE JAGGIES

A friend of mine recently commented that he could spot a *GEOS* document a mile away. With those blocky fonts, he jeered, there wasn't one yet he'd care to use for his own correspondence.

As a bona fide GEOS fanatic, I felt compelled to impart a little of the gospel according to Berkeley, to share with him the delight one can experience from a proportional font coming off a 9-pin printer.

A 9-pin printer is capable of some truly remarkable printouts. Then why is it necessary for GEOS to use such a jaggy

print routine?

The GEOS system does all its work, whether graphics or text, on an internal hi-res "screen" in RAM. This bitmapped image is larger than the screen displayed by geoPaint or geoWrite; the only way to see it all is with a preview option. The printer routine puts a dot on the page wherever there was one on this internal screen, producing a faithful dot-for-dot image of what was created with the application.

Two factors affect the resulting printout from any application: the printer doing the printing and the software telling it how to do it. A laser printer can print astoundingly clear images, but it will still have the jaggies unless you use one of the ten or so GEOS laser fonts. A 24-pin printer has built-in fonts as crisp and clean as any you'll see from a daisywheel printer or fancy typewriter, but GEOS can't use them. Your best bet, actually, is still a 9-pin Epson-compatible dotmatrix printer, using a new ribbon for nice dark printing. The rest of the responsibility then lies with the software. In GEOS's case, the job is assigned to printer drivers.

Perhaps an explanation is in order as to what drivers really do. The world of computers has never settled on a standard way of doing things in the way that video recorders have pretty much settled on VHS. Each device comes preset with its own set of codes and commands for operation; each piece of software has to know them all if it wants to communicate with all these different devices. This is true of hard drives, light pens, and printers. The code one printer uses to initialize itself might switch on the boldface option for another model.

GEOS was designed to be as generic as possible, whether you use an Okidata or an Epson printer. It's up to you to customize GEOS with the translation routine it needs for your particular setup. Those routines are called device drivers-input drivers for light pens and joysticks, printer drivers for printers. Each driver contains the needed codes for GEOS to tell the device what to do. In the case of printers, it's supposed to put dots on paper wherever there are dots on the screen.

Those jaggies, which are the stairstep pattern along any diagonal line or curve in a dotmatrix printout, are the necessary product of creating lines out of individual dots. Of course, the closer the dots can be squished together, the cleaner the printout should look, but a GEOS screen contains dot location information for only 60 or 80 dots per inch, no more. The fancier fonts some packages offer get their slick appearance simply from having more dot data for each area of the page. Since GEOS has no such capability, we are out of luck.

But we can cheat. Instead of putting a dot for each screen dot and leaving it at that, we can go back over

those dots with another set that's just a little bit off from where we printed on the first pass. This process will smooth out the printing by filling some of the jaggies with extra dots. Printer drivers which tell the printer to print the image more than once, each time offset by a fraction of an inch, are called multistrike drivers. There are a number of them available for GEOS. Most are double-strike drivers, which add one set of dots to the original set. There are also quad-strike drivers, which produce a total of four dot images, each slightly offset.

There is even a six-pass driver called EX-800 available for Epson and compatible printers. It's a program by Kevin McConnell that's available for downloading from Quantum-Link and many BBSs. Its printouts are impressive, sometimes rivaling a laser printer's for clarity, especially on smaller fonts. The extra dots take a while to print, so printing time is noticeably longer.

It is also possible to turn the printing chore over to a program called *Lasermatrix*, which interprets the page as it prints it. You have to customize the basic driver with a number of technical details related to your printer for it to do the job, but the resulting printout is very clean with a minimum

of jaggies.

Lasermatrix comes with an elaborate and rather technical customizer routine for use with your particular printer. The procedure takes some time and requires a careful reading of your printer manual, but the results are worth it. If you use an Epson compatible, which includes the Panasonic line, there is a Lasermatrix version already worked out for you. This ingenious shareware program is available on QuantumLink and on local bulletin boards.

Here are some tips to help you eliminate the jaggies from your GEOS documents.

# **D'IVERSIONS**

Fred D'Ignazio

# VIRTUAL REALITY HITS THE SHOPPING MALLS

Recently I was a speaker at the National Educational Computing Conference (NECC) in Phoenix, Arizona. While at the conference. I stopped at the Commodore booth and saw the Mandala Exhibit.

Mandala is a virtual music studio, complete with several virtual (computer-synthesized) instruments that you play by whisking your hands through thin air. By making the right movements, you can play instruments that only exist on a mosaic of computer screensand in your imagination.

I immediately saw a use for Mandala-type exhibits in the entranceways of large stores at shopping malls. There already are touchscreen kiosks inside all major department stores that tell you where to buy jewelry, china, wedding dresses, and blue jeans. A Mandalastyle kiosk would go one step further. It would let you select items in the store for possible purchase, then try them on in virtual space. You could combine your image with that of anything in the store. You could try on new hats, shoes, coats, and coiffures.

Smaller virtual-space kiosks could also be inside retail stores in the mall. Virtual dressing rooms would let customers see themselves in clothing much faster than having to enter a real room, take off old and try on new garments. There would be no more twisting and turning in front of mirrors, trying to see how a garment looks from all directions.

Virtual-reality kiosks and rooms in the mall's stores would attract customers for their novelty value and for the sheer convenience of being able to see yourself in the | would feature cut-and-paste re-

store's products in a fraction of the time it would normally take to try things on.

Game arcades at the mall would be revolutionized by Mandala-style videogames. The small boxes that attract kids and their quarters would be replaced by game walls where one or more players or combatants would stand, ready to be blasted into a virtual game world where they could interact with objects appearing on the game wall's picture screens.

Other kids would prefer renting bodysuits that included virtual sunglasses. These glasses would actually be tiny flatscreen computer monitors that let you see, in color and 3-D, the game world that you had paid to enter. Each time you moved in your body suit, you'd see that movement reflected in your player's position inside the computer's virtual game world. You would literally see the world through the eyes of a player inside that world!

Down the road I see Kinko's photocopying stores transformed into virtual-reality service bureaus. Who could resist the opportunity to enter a store and experience a thrilling vacation in the Himalayas or a hang-gliding journey over the Smoky Mountains or a white-water rafting expedition down the Colorado River?

These stores could shape a reality for you that is so vivid, so multisensory, so complete that you would swear you were there-where there could be anywhere from the driver's seat of a souped-up Ferrari to the helm of Donald Trump's yacht. You could replace J.R. on the TV soap "Dallas" and be surrounded by beautiful stars, or have Arnold Schwarzenegger's body with vour head on it.

Virtual-reality copy stores

alities that you could sample in the store; copy onto videotape, disk, or CD; and take home to show your friends.

You want to sing like Madonna, Sting, or Pavarotti? You could go to a virtual-reality copy store and create a videotape of you singing in the Houston Astrodome or the Toronto Skydome, where your stage high jinks and your favorite singer's voice would ignite a crowd of thousands.

Like the Kinko's of today. many of the virtual-reality workstations would be self-service. You could pop in a videotape, disk, or optical disc and make several virtual-reality copies. Virtual-reality copy stations could be a hit with people looking for a gift to give someone on their birthday, wedding, graduation, or other special occasion. They would also be used to create virtual-reality postcards, letters, and multimedia faxes to family and friends in distant locations. Show them the fun you're having.

Virtual-reality klosks, arcades, and copy stores might be a hit in future malls. The only danger is that they would be too delicious and seductive ("Create a new reality in ten minutes for only \$9.95!") that those people who drop in to a new virtual reality may elect to drop out of their dreary, humdrum real reality.

Chain-hopping from reality to reality may become a new social disease. Reality hoppers may eventually become as ubiquitous as today's drug addicts and panhandlers.

"Can you just spare two bucks?" pleads the wild-eyed reality hopper to a passerby in a late 1990s shopping mall. "I was on the Orient Express racing across Europe toward Istanbul, and my quarter ran out. I've got to get back on that train, man. Someone committed a murder, and only I can figure it out."

Try on a new coat, a hairstyle. or even a new life at a virtual reality kiosk.

# **SPEEDWAY**

Daniel Lightner

Speedway is a SpeedScript file reader and disk management program. You can view any information that may be in a SpeedScript file while you are writing a BASIC program or even while another program is running.

Speedway also gives you access to a command window that allows you to enter disk commands or view a disk di-

rectory.

Speedway is written in machine language. To enter it, use MLX, our machine language entry program. See "Typing Aids" elsewhere in this section. When MLX prompts, respond with the following values.

Starting address: CA71 Ending address: CFB8

Be sure to save a copy of the program before exiting *MLX*.

# Put It to Use

To use *Speedway*, load it with the ,8,1 extension. After it has loaded, type NEW and press Return. Then type SYS 51825 to activate the program. Right away you'll see a prompt for a *SpeedScript* file. To view a file, place the proper disk in drive 8, enter the filename, and press Return. The listing can be halted for easy reading by pressing any key. Then press any key to continue. A listing can be aborted by pressing the Run/Stop key. This will also return you to BASIC. Enter SYS 51825 to activate the program again at any time.

To activate the disk command window when the program is asking for a SpeedScript file, enter \$ and press Return. You'll then be presented with a menu of seven commands.

- 1. Directory
- 2. Scratch
- 3. Rename
- 4. Copy
- 5. Validate
- 6. Format
- 7. Quit disk

Simply enter the number of the command. To see a directory, press 1.

Should a directory have more files than can be displayed on one screen, press any key to halt the listing and press any key to restart it.

Press 2 to scratch a file. If you change your mind after making this selection, simply enter a name that

doesn't exist on the disk.

The Copy and Rename commands will ask you for new and old filenames. For example, to rename COMPUET to COMPUTE, press 3, enter COMPUTE as the new name, and press Return. Enter COMPUET (the old name) and press Return again. The Copy function works in a similar manner.

The Format command will format a disk, asking first for a disk name and then an ID. If you should accidentally enter Format, Rename, or Copy, just enter an asterisk (\*) at the first prompt to

abort the command.

Press 6 to validate a disk in drive 8. The Quit option will return you to the SpeedScript filename prompt. To abort this screen and return to BASIC, enter an asterisk and press Return.

# **SPEEDWAY**

CA71:AØ ØØ A9 ØØ 8D 2Ø DØ 8D A8 CA79:21 DØ A9 93 20 D2 FF A9 38 CA81:9A 20 D2 FF 20 D0 CB 20 C2 CA89: AC CB AØ ØØ B9 A9 CF 20 B0 CA91:D2 FF C8 CØ ØC DØ F5 20 65 CA99:BE CB 20 49 CB AD 35 03 9C CAA1:C9 24 FØ Ø7 C9 2A FØ 99 CAA9:4C B3 CA 20 DE CB 4C 71 DD Ø3 A2 ØØ BD FD CAB1:CA 60 AC 34 99 35 03 EE 34 CAB9:B5 CF CAC1:C8 E8 EØ Ø5 DØ F1 CE 34 82 CAC9:03 AD 34 Ø3 A2 35 AØ Ø3 31 CAD1:20 BD FF A9 02 A2 08 A0 CC CAD9:02 20 BA FF 20 CO FF A2 CAE1:02 20 C6 FF 20 CF FF 20 B9 CAE9:CF FF AØ ØØ 20 42 CB A5 C2 C9 40 DØ 37 20 CF FF CAF1:CB CAF9:C9 1B BØ ØD 18 69 4C 55 CBØ1: ØA CB C9 5B BØ ØA 18 69 C6 CBØ9:10 C9 1F FØ 17 20 D2 FF CB11:20 B7 FF C9 00 DØ Ø3 4C D8 CB19:FØ CA A2 ØØ 2Ø C6 FF A9 F5 FF ØD 20 D2 09 CB21:02 4C C3 A9 CB29:FF 4C 11 CB A5 CB C9 3F E1 CB31:FØ E8 20 42 CB A5 CB C9 F9 CB39:40 FØ FA 20 42 CB FØ CB41:CA A5 CB C9 40 D0 FA 60 59 ØØ 8D 34 Ø3 20 C9 CB49: AØ ØØ A9 CB51:E4 FF C9 ØØ FØ F9 C9 14 AB 38 C9 ØD FØ CB59:FØ 20 C9 7R 98 CB61:BØ ED C9 20 90 E9 C9 22 E9 CB69:FØ E5 C9 2C FØ El AC 34 8B CB71:03 CØ 14 FØ DA 20 D2 FF 49 CB79:20 89 CB 4C 50 CB AC 34 01

CB81:03 CØ ØØ FØ CA 4C D2 FF 35 Ø3 EE 34 Ø3 99 46 CB89:AC 34 CB91:03 60 AC 34 Ø3 CØ 20 D2 FF 38 CB99:03 4C 50 CB 01 8D 34 93 E9 CBA1:AD 50 CB A9 0D CBA9:4C 20 D2 FF 12 CBB1:20 D2 FF A9 CBB9:A9 96 4C D2 FF A9 an 20 63 20 D2 FF A9 CBC1:D2 FF D2 FF AØ CBC9:D2 FF A9 3E 4C CBD1:00 B9 5B CF 20 D2 FF C8 60 EA A0 DØ F5 CBD9:CØ 4E CBE1:B9 8F CE 20 D2 FF C8 C9 20 E4 ØA CBE9:00 D0 F5 20 66 CE FØ CB C9 38 1E C9 CBF1:FF A5 Ø8 FØ 22 C9 20 C9 CBF9:3B FØ FØ 2E C9 CC01:0B F0 28 C9 10 18 FØ C9 CC09:13 F0 30 4C E4 FF 20 6F CD CC11:EF CB DF 20 42 CC 4C CC19:4C DF CB CC Ø1 85 FB 20 77 A9 CC21:CB CC29:4C DF CB A9 00 85 FB 20 23 4C DF CB 20 CC31:77 CC 4C DF CB 20 ØF CD CC39:4C DF E4 FF A9 ØD 20 D2 F9 CC41:CB 20 CB AØ CC49:FF 20 20 CE 20 49 51 CF 99 48 03 C8 CC51:00 B9 CC59:CØ Ø3 DØ F5 AØ ØØ B9 35 4B Ø3 C8 CC CC61:03 99 CC69: DØ 18 AD 34 03 69 03 Ø3 4C Ø2 CE CC71:8D 34 20 3C 34 CC79:FF A9 ØD 20 D2 FF 20 49 CB AD 35 03 C9 CC81:CE 68 A5 FB C9 Ø1 DØ B5 CC89: 2A FØ 57 CF 99 48 ØØ B9 CC91:10 A0 F5 4C AF D5 CC99:03 C8 Ca 93 DØ 00 B9 54 CF 99 48 C2 CCA1:CC AØ CCA9:03 C8 CØ 03 DØ F5 AØ 00 CC CCB1:B9 35 Ø3 99 4B Ø3 C8 34 Ø3 DØ F4 AD 34 Ø3 85 61 CCB9:34 CCC1:FB A9 ØD 20 D2 FF 20 2E CCC9:CE 20 49 CB A0 00 A6 FB 9D 4B Ø3 E8 B9 35 CCD1:A9 3D CCD9:03 9D 4B 03 E8 C8 CC 34 CCE1:03 DØ F3 8A 8D 34 Ø3 18 69 03 8D 34 03 CCE9: AD 03 CCF1:4C Ø2 CE 6Ø 2Ø E4 FF AØ 48 Ø3 C8 CCF9:00 B9 4E CF 99 CDØ1:CØ Ø3 DØ F5 AØ 00 A9 03 Ø3 4C Ø2 CE 2Ø E4 CDØ9:8D 34 CD11:FF A9 ØD 2Ø D2 FF 2Ø 4A Ø3 CD19:CE 20 49 CB AD 35 C9 CD21: 2A FØ DØ AØ ØØ B9 4B CF CD29:99 48 Ø3 C8 CØ Ø3 DØ F5 CD31:AØ ØØ B9 35 Ø3 99 4B CD39:C8 CC 34 Ø3 DØ F4 AD 34 CD41:03 85 FB A9 ØD 20 D2 FF 58 CE 20 49 CB A6 CD49:20 9D 4B Ø3 E8 AØ ØØ CD51:A9 2C Ø3 9D 4B Ø3 E8 C8 CD59: B9 CD61:CØ Ø3 DØ F4 18 8A 69 Ø3 4C Ø2 CE A9 ØD CD69:8D 34 CD71:20 D2 FF A9 01 A2 5A A0 CD79:CF 20 BD FF A9 02 A2 08 00 20 BA FF 20 C0 FF CD81:AØ 20 C6 FF A9 9A 2Ø CD89: A2 02 CD91:D2 FF AØ ØØ 2Ø CF FF CD99:CF FF 20 CF FF 8D BØ 02 B7 CDA1: 20 CF FF ØD BØ Ø2 FØ CA CDA9: 20 CF FF AA 20 CF FF 20

CDB1:CD BD A9 20 20 D2 FF 20 47 CDB9:CF FF FØ 26 20 D2 FF 4C 56 CDC1:B8 CD A5 CB C9 3F FØ 29 F4 CDC9:C9 40 F0 1E 20 DC CD A5 10 CDD1:CB C9 40 F0 FA 20 DC CD BC CDD9:4C EB CD A5 CB C9 40 D0 81 CDE1:FA 60 A9 ØD 20 D2 FF 4C B1 CDE9: C3 CD A9 ØØ 85 C6 4C 9B 8B CDF1:CD A5 CB C9 40 F0 FA A9 59 CDF9:00 20 C6 FF A9 02 4C C3 28 CEØ1:FF A9 ØF A2 Ø8 AØ ØF 20 16 CEØ9:BA FF AD 34 Ø3 A2 48 AØ DØ CE11:03 20 BD FF 20 CØ FF 9D A9 CE19: 0F 20 C3 FF 4C CC FF AØ F4 CE21:00 B9 2C CF 20 D2 FF C8 C4 CE29:CØ Ø7 DØ F5 60 A0 ØØ B9 Al CE31:16 CF 20 D2 FF C8 C0 0B AE CE39:DØ F5 60 AØ 00 B9 21 CF CB CE41:20 D2 FF C8 CØ ØB DØ F5 F9 CE49:60 A0 00 B9 33 CF 20 D2 C6 CE51:FF C8 CØ ØC DØ F5 6Ø AØ B9 CE59:00 B9 3F CF 20 D2 FF C8 5F CE61:CØ ØC DØ F5 6Ø 2Ø CC FF F8 CE69: A5 BA 20 B4 FF A9 6F 85 E2 CE71:B9 20 96 FF ØD A9 20 D2 5B CE79:FF A9 20 20 D2 FF 20 D2 31 CE81:FF 20 A5 FF C9 0D D0 F6 F6 CE89:20 D2 FF 4C AB FF 93 an 42 CE91:20 44 49 53 4B 20 43 4F CE99:4D 4D 41 4E 44 20 4D 45 C0 CEA1:4E 55 ØD ØD 20 31 20 2E 62 CEA9: 2E 2E 2E 20 45 E2 44 49 52 CEB1:43 54 4F 52 59 ØD 2Ø 32 CEB9: 20 2E 2E 2E 2E 20 53 43 77 CEC1:52 41 54 43 48 ØD 20 33 81 CEC9: 20 2E 2E 2E 2E 20 52 45 87 CED1: 4E 41 4D 45 ØD 2Ø 34 2Ø 56 CED9: 2E 2E 2E 2E 2Ø 43 4F 50 BF CEE1:59 ØD 2Ø 35 2Ø 2E 2E 2E CEE9: 2E 2Ø 56 41 4C 49 44 41 D6 CEF1:54 45 ØD 2Ø 36 2Ø 2E 2E 6B CEF9: 2E 2E 20 46 4F 52 4D 41 42 CFØ1:54 ØD 2Ø 37 2Ø 2E 2E 2E C9 CFØ9: 2E 2Ø 51 55 49 54 2Ø 44 67 CF11:49 53 4B ØD ØØ 2Ø 4F 4C CF CF19:44 20 4E 41 4D 45 20 3E CF21:20 4E 45 57 20 4E 41 4D 8C CF29:45 20 3E 20 4E 41 4D 45 94 CF31:20 3E 20 44 49 53 4B 20 07 CF39:4E 41 4D 45 20 3E 20 55 DD CF41:4E 49 51 55 45 20 49 44 5B CF49:20 3E 4E 30 3A 56 30 3A 1B CF51:53 30 3A 43 30 3A 52 30 61 CF59:3A 24 ØD 54 48 45 2Ø 53 FØ CF61:50 45 45 44 57 41 59 0D E6 CF69:43 4F 50 59 52 49 47 48 CF71:54 20 31 39 39 31 20 43 0F CF79:4F 4D 50 55 54 45 0D 50 95 CF81:55 42 4C 49 43 41 54 49 8B CF89:4F 4E 53 20 49 4E 54 4C 49 CF91:20 4C 54 44 0D 41 4C 4C 75 CF99:20 52 49 47 48 54 53 20 D5 CFA1:52 45 53 45 52 56 45 44 35 CFA9:53 50 45 45 44 20 46 49 7C CFB1:4C 45 20 3F 2C 50 2C 52 0E

Daniel Lightner lives in Sidney, Montana. He is the author of *Plotter*, which was published in September.

# **MOB MOVER**

Brian Schkerke and Dave Farquhar Have you ever tried to position sprites onscreen? At best it is a tedious and frustrating process, and you can waste hours in a futile attempt to use direct POKEs to position them. Even 128 owners with built-in sprite commands at their fingertips face an uphill battle.

To alleviate this problem and reduce the time required for this vital but difficult task from hours to minutes, we give you MOB Mover.

MOB Mover allows programmers to position and manipulate up to eight sprites onscreen; then it prints the BA-

SIC code required to duplicate the screen for use in other programs. The program even lets you enter text and position the sprites around the text.

Every sprite register can be manipulated, and the program is packed with features! The coordinates of each sprite are displayed onscreen, and upon quitting the program, you are given all the necessary commands (POKEs in the 64 version and various others in the 128) to achieve the same effects that you had before exiting.

# Typing It In

Both MOB Mover 64 and MOB Mover 128 are written in BASIC. To avoid typing mistakes, use The Automatic Proofreader to type them in. See "Typing Aids" elsewhere in this section. When you've finished, save the program to disk before running.

Note to 128 owners: You can type in either version of the program in 128 mode, but it requires the following direct mode command after running *The Automatic Proofreader*.

# **POKE 828,173**

This command sets the function keys to return the same values as in 64 mode. To return the keys to their previous definitions, enter POKE 828,183.

# Using the Program

Before loading and running MOB Mover, you should consider several things. First, if you wish to use your own sprite definitions, you must load them with a binary load (,8,1), define them by using direct POKEs, or use a

sprite editor, such as *Sprite Magic*, which resides out of the way of BASIC memory. (Owners of 128s should use the BLOAD command or use the built-in sprite editor.)

If you wish to use a custom character set, load and activate it, also. MOB Mover doesn't clear the sprite definition area unless so commanded, so your sprite definitions will remain safe in memory, and unless your character set lies on a page of memory you command MOB Mover to fill, it should also be in no danger of being overwritten.

# A Few Terms

Some terms used within the program need explaining. The active sprite is the sprite which is currently being moved and whose data line appears in reverse video. The header is made up of the topmost two screen lines and is where all prompts appear. The operating screen is the screen which is normally seen, and the display chart is the table of numbers on the left side of the screen. In the 64 version only, an asterisk that appears before a sprite's data line signifies that the sprite is beyond x-coordinate 255 onscreen and must have the MSB X set for it. No need to worry-the POKEs given when you exit the program will tell you how to set that.

After loading and running MOB Mover, you'll see the title screen briefly, and then the operating screen will appear. In the 64 version, sprite 0 will be set to the middle of the screen and appear as garbage unless page 192 is the location where you defined your sprites.

In the 128 version, if sprite 1 is activated, it will be black (and thus invisible) and will "hide" all sprites below it. Sprite 0 is the only sprite currently on, so only its data line is displayed. The numbers in the data line represent the sprite number, x-coordinate, and y-coordinate, respectively.

Help is available at any time by pressing the H key. As a convenience to 128 owners, help screens are also printed to the 80-column screen. This screen is otherwise unused by the program and can be activated by simply switching your display. For those of you who don't have an 80-column display, the H command is still available.

# Commands

The first command to learn is how to move a sprite. This is done by using either the cursor keys or a joystick in port 2. In the 128 version, the keypad may also be used. This moves the sprite by one pixel at a time. Because this could become tedious, the step value may be increased. Press S and enter the new value you wish to have sprites move by. You can also press I and directly enter x- and y-coordinates for the sprite. However, using this method, you cannot move the sprite beyond the first 255 positions onscreen; you must do this manually. (The 128 version, due to its sprite commands, doesn't have this limitation.)

To change the active sprite, press A. You'll be prompted to enter a number from 0 to 7 (1 to 8 in the 128 version), and that sprite will then be switched on. Due to its coordinates, definition, and/or color, this sprite may not be visible onscreen. Any sprite whose data line appears onscreen is activat-

ed. however.

If you wish to center all sprites, press the Up Arrow key. This will position all sprites onscreen at the original location of sprite 0.

Turn On, Fill, and Cycle

To turn on all sprites, press the Asterisk key. This will instantly turn on all eight sprites, which again may not be visible due to no definition, screen coordinates, or color.

If you want to fill a sprite, press F. This will turn the active sprite into a solid single-color box, making it visible.

Hit B to cycle through the available background colors. To cycle through the foreground colors, press C. *MOB Mover* will not allow these two colors to be the same. To change sprite color, press the space bar. This, too, will cycle through the available colors. To cycle through multicolors one and two, press < and > respectively. Sprite colors are not limited in any way by this program's parameters.

# Chart, Poke, and Multicolor

To toggle the display chart on and off (and have full use of typing on the screen), press D. If the display chart is off, OFF will appear in the header. Otherwise, the position is empty.

If for some reason you need to poke to a location in direct mode, you can use the Back Arrow key. This will allow you to poke any number from 0–255 into any location from 1–65535. While values outside these boundaries are ignored, no other error checking is done, so use this command with caution.

Multicolor mode can be toggled by using the f1 key. Nothing noticeable will happen if you have filled the sprites in; however, it may have a very noticeable effect if you have your own sprite definitions in memory.

Use f3 and f5 to toggle x- and y-expansion, respectively. These affect only the active sprite, as does f1.

If your sprite definition lies at a page other than 192, you can use the P command to set the pointer to the location of your own definitions. To reset all sprite pointers to their default values, press Clr/Home.

# **Enter Text**

To type onscreen, you can use the T command. This will allow you to type on the screen as necessary. If, however, you type over the display chart without first turning it off, your text will be damaged when the chart is updated. To exit this mode, press Shift-Return.

Turning sprites on and off is done by using the Plus and Minus keys. Note that when you switch to a sprite,

it's automatically turned on.

Toggling sprite priority is achieved by pressing the Equal Sign. This allows you to determine whether the foreground or sprite has display priority. Thus, you can decide whether a sprite will appear on the plane in front of (default) or behind the text screen. Due to the limitations of the VIC-II, lower-numbered sprites always appear in front of higher-numbered sprites, regardless of priority.

When you want to exit the program, press E. You'll be asked whether you want the necessary commands to duplicate the screen you have just created to be sent to the screen or printer. Press P for a hardcopy or any other key for screen output. Remember to first turn on your printer before selecting this option. After the program finishes, it will exit to BASIC with your sprite definitions unaffected.

Hints and Tips

When all eight sprites are onscreen at once, chart updates can slow down the program's responsiveness. To avoid this, turn the display chart off except when needed. *MOB Mover* is relatively unaffected by fast loaders, RAM disks, ML monitors, extensions, and other similar memory-resident programs. However, to be safe, test *MOB Mover* with your favorite set of utilities before attempting anything important.

# **MOB MOVER 64**

- AS Ø CLR
  KP 5 REM COPYRIGHT 1991 COMP
  UTE PUBLICATIONS INTL LTD
- ALL RIGHTS RESERVED
  PJ 10 POKE53280,.:POKE53281,.:
  PRINT"{N}{WHT}{CLR}
  {10 DOWN}";:PRINTTAB(13)
  "{M}{RVS} MOB MOVER!
  {OFF}{G}
- AE 20 FORX=1T01000:NEXT:V=5324 8:B1=2040:B2=192:PRINT" {CLR}{N}";:GOSUB40
- KA 30 GOSUB850:GOSUB90:GOSUB13 30:GOTO30
- CQ 40 C(1)=.:C(2)=1:FORX=.TO7: S(X)=.:FORY=1TO2:CO(X,Y) =V+(X\*2+C(Y)):NEXTY,X
- XH 50 SV=1:BC=.:CC=1:S(.)=1:AS
  =.:FORX=.TO7:POKE(B1+X),
  (B2+X):NEXT
- MM 60 SPS="{40 SPACES}":POKEV+ 21,1:POKEV+16,.
- HA 70 FORX=.TO7:ID\$(X)=" ":NEX
- SQ 80 POKEV+21,1:POKEV+28,.:PO KEV+23,.:POKEV+29,.:RETU
- SM 90 PRINT"{HOME}{RVS}MOB

  {SHIFT-SPACE}MOVER!{OFF}

  {2 DOWN}";:IFCO=1THENPRI

  NT"{2 UP}{10 SPACES}OFF"

  :RETURN
- XB 110 PRINT:FORX=.TO7:IFAS=XT HENPRINT"{RVS}";
- DF 120 IFS(X) = 1THENPRINTID\$(X)
   ;X;":";STR\$(PEEK(CO(X,1
  )))" /";STR\$(PEEK(CO(X,
  2)));
- BD 130 IFS(X)=1THENPRINT"{OFF} {5 SPACES}"
- MM 135 PRINT"{OFF}";:NEXT:RETU
- QS 140 BC=BC+1:IFBC=16THENBC=.
- FG 150 IFBC=CCTHENBC=BC+1
- HP 160 POKE53280,BC:POKE53281, BC:RETURN
- HF 170 CC=CC+1:IFCC=16THENCC=.
- PK 180 IFCC=BCTHENCC=CC+1
- QE 190 POKE646,CC:RETURN
  RE 200 MSG\$="NEW STEP VALUE":G
  OSUB820:INPUTA\$:SV=VAL(

			A\$):IFSV<=.THENSV=1	1		SV>255ANDXP(AS)=.THEN76	1		":GOSUB820:INPUTAS:LO=
			RETURN	10		Ø	H.		VAL(A\$)
E	EJ	220	MSG\$="FILL SPRITE #"+ST R\$(AS)+": [Y/N]":GOSUB8			IFMV+SV>255THENRETURN	HX	1050	IFLO<=.ORLO>65535THENR
			20:GOSUB870	MQ	150	MV=MV+SV: POKE (CO (AS,1)) ,MV: RETURN	FC	1060	ETURN GOSUB850:MSG\$="NUMBER
:	JD	230	IFAS="Y"THEN250	ME	760	POKE (V+16), PEEK (V+16) OR	ES	TAGA	{SPACE}TO POKE":GOSUB8
			RETURN		100	(2 TAS): MV=MV+SV: MV=MV-2			20: INPUTA\$: NU=VAL(A\$)
E	BF	250	SP= (PEEK (B1+AS)) *64:FOR	1 81		55: POKECO ((AS,1)), MV: XP	XK	1070	IFNU<@ORNU>255THENRETU
			X=.TO63:POKESP+X,255:NE			(AS) = 1		Nu.	RN
R	cD.	260	XT: RETURN PRINT" (RVS) (OFF) (LEFT)			ID\$(AS)="*":RETURN MV=PEEK(CO(AS,2)):IFMV-			POKELO, NU: RETURN
		200	";:GETA\$:IFA\$="{DOWN}"O	GE	700	SV<.THENRETURN	1.2	1090	IFAO=.THENAO=1:POKEV+2 1,255:FORX=.TO7:S(X)=1
			RAS="{UP}"ORAS="{RIGHT}	AG	790	MV=MV-SV: POKE (CO (AS, 2))	111		:NEXT:RETURN
			"ORA\$="{LEFT}"THEN320	1 3		,MV:RETURN	GJ	1100	IFAO=1THENAO=.:POKEV+2
F	EB	270	IFA\$="{HOME}"THENPRINT"	GM	800	MV=PEEK(CO(AS,2)):IFMV+	F		1,.:FORX=.TO7:S(X)=0:N
N	1C	280	";:PRINTA\$;:GOTO260 IFA\$=CHR\$(13)THEN310	FU	910	SV>255THENRETURN	l litt		EXT: PRINT" {CLR}": RETUR
			IFA\$=CHR\$(141)THENPRINT	ЕП	OIA	MV=MV+SV: POKE (CO (AS, 2)) ,MV: RETURN	EH	1110	FORX=.TO7:POKECO(X,1),
			" ";:RETURN	SK	820	PRINT" {HOME}"; SP\$; SP\$;	1		155: POKECO (X, 2), 130:NE
P	D	300	PRINTAS;:GOTO260			FORX=1TO40:PRINT"*";:NE	The state of		XT: RETURN
J	F	310	PRINT" ";:PRINTA\$;:GOTO			XT	RP	1120	MSG\$="SCREEN OR PRINTE
R	M	320	260 PRINT" {LEFT}";:PRINTA\$	МН	840	PRINT" {HOME}"; MSG\$; : RET URN			R?":GOSUB820:WAIT198,1 :GETA\$
		320	;:GOTO260	нв	850	PRINT" {HOME}"; SP\$; SP\$; S	FA	1121	IFAS<>"P"THENS=1
J	E	330	MSG\$="CHANGE ACTIVE SPR		055	P\$;SP\$			OPEN4, (4-S),7
			ITE'S POINTER TO": GOSUB	RQ	860	PRINT" {HOME}"; : RETURN			PV=PEEK(V+21):POKEV+21
-		210	820:INPUTA\$	GH	870	POKE198,.:WAIT198,1:GET			, .: PRINT#4, "{CLR}LOCAT
H	Œ	340	A=VAL(A\$):IFA<=.THENRET URN	DM	000	A\$:RETURN SC=(PEEK(V+39+AS)):SC=S	1200		ION", "POKE", "OBJECTIVE
M	Œ	350	POKEB1+AS,A: RETURN	PM	000	C+1:IFSC=256THENSC=.	CM	1130	PRINT#4,V+21,PV,"TURNS
В	P	360	MSG\$="CHANGE TO SPRITE	MX	890	POKE ((V+39) +AS), SC: RETU	0.,	1100	ON SPRITES
			{SPACE}# [0-7]":GOSUB82			RN	XJ	1140	FORX=.TO7: IFS (X) =. THEN
-	D	270	Ø:GOSUB87Ø:A=VAL(A\$)	MF	900	IFMC (AS) = . THENMC (AS) = 1:		1150	NEXT:GOTO1160
	1000		IFA>7THENA=AS AS=A:S(AS)=1:POKEV+21,P			POKEV+28, PEEK (V+28) OR (2 ÎAS): RETURN	AH	1150	PRINT#4,B1+X,PEEK(B1+X),"SPRITE"X"POINTER":N
	-	300	EEK(V+21)OR(2 AS): RETUR	SK	910	IFMC (AS) = 1THENMC (AS) = .:			EXT
d			N		SIRO	POKEV+28, PEEK (V+28) AND (	FB	1160	FORX=.TO7:IFS(X)=.THEN
D	G	390	MSG\$="INPUT X COORDINA		Name of State	255-2 AS): RETURN			NEXT:GOTO1180
			TE":GOSUB820:INPUTI\$:C1 =VAL(I\$)	GX	920	IFXE (AS) = . THENXE (AS) =1:	SE	1170	PRINT#4, (PEEK(B1+X)) *6
J	E	391	IFC1<ØORC1>255THENRETUR			POKEV+29, PEEK (V+29) OR (2 TAS): RETURN	P 1		4, "DATA", "SPRITE"X"DAT A": NEXT
		-	N	CA	930	IFXE (AS) = 1THENXE (AS) = .:	RG	1180	IFSTHENPK\$="{2 DOWN}PR
' B	J	400	GOSUB850:MSG\$="INPUT Y			POKEV+29, PEEK (V+29) AND (	1		ESS ANY KEY TO CONTINU
			{SPACE}COORDINATE":GOS		VISION	255-2 AS): RETURN			E":PRINTPK\$:GOSUB870
			UB820:INPUTI\$:C2=VAL(I\$	JF	940	IFYE (AS) = . THENYE (AS) =1:	DG	1190	IFSTHENPRINT" (CLR) LOCA
R	F	410	IFC2<ØORC2>255THENRETUR			POKEV+23, PEEK (V+23) OR (2 ^AS): RETURN	1		TION", "POKE", "OBJECTIV
			N	AG	950	IFYE (AS) = 1THENYE (AS) = .:	QQ	1200	FORX=.TO7:IFS(X)=.THEN
G	G	420	POKECO (AS,1),C1:POKECO (			POKEV+23, PEEK (V+23) AND (	1.5		NEXT:GOTO1220
-	v	CER	AS,2),C2:RETURN	3.00	000	255-2 AS): RETURN	PB	1210	PRINT#4, (V+39+X), PEEK(
S	K	020	POKEV+21, PEEK (V+21) OR (2 TAS): RETURN	AK	960	IFPR (AS) = .THENPR (AS) =1: POKEV+27, PEEK (V+27) OR (2	N.B		V+39+X),"SPRITE"X"COLO R":NEXT
A	F	660	POKEV+21, PEEK (V+21) AND (			TAS): RETURN	SC	1220	IFPEEK (V+28) THEN1250
			255-2 AS) : RETURN	AH	965	IFPR (AS) = 1THENPR (AS) = .:			PRINT#4, (V+28), PEEK (V+
S	В	670	FORX=.TO7:POKEB1+X,B2+X			POKEV+27, PEEK (V+27) AND (	1		28), "SET MULTICOLOR MO
	P	690	: RETURN	711	070	255-2 AS): RETURN	PC	1240	DE DELIMINA (VI-27) DEEV (VI-
K	n	000	MV=PEEK(CO(AS,1)):IFMV- SV<@ANDXP(AS)=1THEN71@			IFCO=.THENCO=1:RETURN IFCO=1THENCO=.:RETURN	KC	1240	PRINT#4, (V+37), PEEK (V+37), "MULTICOLOR 1"
Q	K	690	IFMV-SV<ØTHENRETURN			FORX=.TO7:FORY=1TO2:POK	PG	1245	PRINT#4, V+38, PEEK (V+38
Q	X	700	MV=MV-SV: POKE (CO (AS,1))	1		ECO(X,Y),.:NEXTY,X:RETU			),"MULTICOLOR 2
		71.0	, MV: RETURN			RN	RX	1250	PRINT#4,V+29,PEEK(V+29
F	H	110	POKE (V+16), PEEK (V+16) AN D (255-(2 AS)): ID\$ (AS) ="	XD	1000	MC=PEEK(V+37):MC=MC+1:	FC	1260	),"SPRITES X EXPAND PRINT#4, V+23, PEEK (V+23
			":MV=(MV-SV)+255:XP(S)	so	1010	IFMC>256THENMC=. POKEV+37,MC:RETURN	L	1200	), "SPRITES Y EXPAND
			= .			MC=PEEK(V+38):MC=MC+1:	FE	1270	IFSTHENPRINTPKS: GOSUB8
Q	J	720	POKE (CO (AS, 1)), MV: RETUR			IFMC>256THENMC=.			70
	-	720	N MV-DEEK/CO/AS 1)) · TEMV+			POKEV+38,MC:RETURN	MD	1280	IFSTHENPRINT" (CLR) LOCA
F	L	130	MV=PEEK(CO(AS,1)):IFMV+	טע	1040	MSG\$="LOCATION TO POKE			TION", "POKE", "OBJECTIV

```
1141:AD 13 CF C9 Ø4 BØ 14 AD 4E
                                      1371:07 AD 00 D0 C9 1E F0 19 55
                                       1379:CE
         DØ C9
                D5
                   DØ
                       ØD
                              15
                                                   CF
1149:05
                          AD
                                  E3
                                                2D
                                                       AD
                                                           2D
                                                              CF
                                                                  10
                                                                     08
                                                                        F7
1151:DØ
         29
            F3
                8D
                   15
                       DØ
                          A9
                              00
                                  BC
                                       1381:A9
                                                07
                                                   8D
                                                       2D
                                                          CF
                                                              CE
                                                                  2C
                                                                     CF
                                                                         A4
1159:8D
         Ø3 CF
                60 AD ØF
                           CF
                              29
                                  75
                                       1389:CE
                                               aa
                                                   DØ
                                                      CE
                                                           02
                                                              DØ
                                                                  4C
                                                                     C7
                                                                        D1
            Øl
                60
                       09
                              69
1161:04
         DØ
                   AD
                           DØ
                                  7C
                                       1391:13
                                                AD
                                                   57
                                                       CF
                                                           49
                                                              ØC
                                                                  8D
                                                                     57
                                                                         81
1169:0D CD 05
                DØ BØ
                      01
                                      1399:CF
                           60 AD
                                  2B
                                                4C
                                                   C7
                                                          A9
                                                       13
                                                              21
                                                                  80
                                                                     F8
                                                                         CA
1171:13
         CF
            CD
                ØR
                   CF
                       FØ
                           91
                              60
                                  20
                                       13A1:07 8D F9
                                                       97
                                                              00
                                                                     C9
                                                                         37
                                                          AD
                                                                 DØ
1179:CE
             CF
                A9
                    Ø1
                       8D
                                  76
         11
                           46
                              CF
                                       13A9:F5
                                                FØ
                                                   E6
                                                       EE
                                                           2D
                                                              CF
                                                                     2D
                                                                  AD
                                                                         04
                   17
                          FØ
                              01
1181:4C
         AF
            14 CE
                       CF
                                  FF
                                                C9
                                                   ga Da
                                      13B1:CF
                                                          as
                                                              A9
                                                                  aa
                                                                     80
                                                                        B4
                                                          CF
1189:60 AD
            16
                CF 8D 17
                          CF AD
                                  10
                                      13B9:2D CF
                                                   EE
                                                       2C
                                                              EE
                                                                  00
                                                                     DØ
                                                                        16
1191: ØE
         CF
             FØ
                ØB
                    AD
                       01
                           DC
                              8D
                                  36
                                       13C1:EE
                                                02
                                                   DØ
                                                       4C
                                                          C7
                                                              13
                                                                 CE
                                                                     07
                                                                         ED
1199:ØD
         CF
            A9
                91
                    8D
                       16
                          CF
                                  96
                              AD
                                                   01
                                      13C9:CF
                                               FØ
                                                       60
                                                          A 9
                                                              93
                                                                  80
                                                                     07
                                                                        B 5
                                                       CF
                                                                 FØ
                                                                     Ø3
11A1:0D CF
            29
                08
                   FØ
                       2A
                          AD
                              ØD
                                  70
                                                   02
                                                          29
                                                              02
                                      13D1:CF AD
                                                                         BE
                    ØB
                           25
11A9:CF
         29
             04
                FØ
                       A9
                              8D
                                  64
                                      13D9:4C
                                                04
                                                   14
                                                      A9
                                                          02
                                                              80
                                                                  a1
                                                                     CF
                                                                         5C
11B1:FC
         97
                FD
                   07
                       4C
                          E9
                                  F3
                                                       C9
            80
                              11
                                      13E1:AD
                                                aa
                                                   CF
                                                          11
                                                              DØ
                                                                 9
                                                                     AD
                                                                         91
11B9:A9
            8D FC
                   Ø7 8D
                          FD 07
                                  2D
                                      13E9:57
                                               CF
                                                   49
                                                      02
                                                          8D
                                                              57
                                                                 CF
                                                                     60
                                                                        C2
         26
11C1:AD
         08
            DØ
                C9
                    1E
                       FØ
                           06
                              CE
                                  03
                                      13F1:EE
                                                ØØ
                                                   CF
                                                       CE
                                                           01
                                                              DØ
                                                                 AD
                                                                     01
1109:08
                ØA
                   Da
                       40
                          E9
                              11
         Da
            CE
                                  3 B
                                      13F9:DØ
                                                29
                                                   91
                                                      FØ
                                                          93
                                                              CE
                                                                 02
                                                                     Da
                                                                         2A
11D1:A9
         24
            8D
                FC
                   07
                       8D
                          FD
                              07
                                  C4
                                      1401:4C
                                               21
                                                   14
                                                      CE
                                                          01
                                                              CF
                                                                 DØ
                                                                     21
11D9:AD
         98
            DØ
                C9
                   F7
                       FØ
                           96
                              EE
                                  ØA
                                      1409:EE 01
                                                   CF AD
                                                          aa
                                                              CF
                                                                 FØ
                                                                     1A F8
                ØA DØ
                                  57
11E1:08
         DØ EE
                       4C
                          E9
                              11
                                      1411:CE
                                                ØØ
                                                   CF
                                                           Øl
                                                       EE
                                                              DØ
                                                                 AD
                                                                     91
                                                                         31
                   Øl
11E9:CE
         08 CF
                FØ
                       60
                          A9 Ø3 5E
                                      1419:DØ
                                               29
                                                   Ø1 DØ Ø3
                                                                    Da
                                                                        C9
                                                             EE
                                                                 02
         08
            CF
                   ØD
                       CF
                           29
                              02
11F1:8D
                AD
                                  AD
                                      1421:AC
                                                gg CF
                                                      B9
                                                          47
                                                              12
                                                                  8D
                                                                     93
                                                                        D5
                                      1429:DØ
11F9:FØ
         03
             4C
                1E
                    12
                       A9
                           02
                              8D
                                  89
                                                60
                                                   20
                                                       5C
                                                          13
                                                              20
                                                                 E8
                                                                     13
                                                                         99
1201:0C
         CF
            AD
                ØB
                   CF
                       C9
                           11
                              DØ
                                 1E
                                      1431:4C
                                                7C
                                                   aF
                                                          03
                                                              CF
                                                       AD
                                                                 DØ
                                                                     46
                                                                         9A
                ØB
                   CF
                       CE
                           09
                              DØ
                                  FØ
1209:01
         60
            EE
                                      1439:AD
                                               15
                                                   DØ
                                                       29
                                                          01
                                                              FØ
                                                                 ØF
                                                                    AD
                                                                        C1
1211:AD
         99
            DØ
                29
                   Ø1 FØ
                           03
                              CE
                                  9B
                                      1441:54
                                                CE
                                                   DØ
                                                       Ø3
                                                          4C
                                                              50
                                                                  14
                                                                     AD
                                                                         ØB
1219: ØA DØ 4C
                3B
                   12 CE
                           ØC CF
                                  67
                                      1449:00 DC
                                                          FØ
                                                   29
                                                      10
                                                              al
                                                                 60
                                                                     A 2
                                                                        BD
                ac
                           ØB
                              CF
                                  30
1221:DØ
         23
            EE
                   CF
                       AD
                                      1451:03 BD
                                                   00
                                                      DØ 9D
                                                              04
                                                                 DØ
                                                                     CA
                                                                         EØ
            CE
                ØB
                   CF
                       EE
                           09
                              DØ
                                  34
1229:FØ
         1B
                                      1459:10
                                                F7
                                                   AD
                                                       2C
                                                          CF
                                                              80
                                                                  2E
                                                                     CF
                                                                         EØ
1231:AD
        99
            DØ
                29
                   91
                       DØ
                          03
                             EE
                                  5B
                                      1461:A9
                                                01
                                                       03
                                                   80
                                                          CF
                                                              8D
                                                                  3A
                                                                     CF
                                                                         79
1239: ØA
         DØ
            AC
                OB CF
                       B9
                           47
                              12
                                  E 2
                                      1469:A9
                                                27
                                                   8D
                                                      FA
                                                          07
                                                              8D
                                                                     97
                                                                         FE
                           E2
1241:E9
            8D
                ØB
                   DØ
                       60
                                 CE
         81
                              E 3
                                                   DØ
                                                       09
                                                          ØC
                                      1471:AD
                                               15
                                                              80
                                                                 15
                                                                     DØ
                                                                        F1
1249:E4 E4 E5 E5 E6 E6 E7
                              E7
                                 BE
                                      1479:AD
                                               aa
                                                   CF
                                                      80
                                                          13
                                                              CF
                                                                 CE
                                                                     94
                                                                        CA
1251:E8 E8 E9 E9 EA EA EB EB
                                 C6
                                      1481:CF DØ
                                                   2A AD
                                                          4D CE
                                                                     04
                                                                        AA
1259:AD
         ØA
            CF
                DØ
                    60
                       AD
                           15
                              DØ
                                  92
                                      1489:CF
                                                   07
                                                       DØ
                                                CE
                                                          CE
                                                              05
                                                                 DØ
                                                                     DØ
                                                                        38
            FØ
                       ØE
                          CF
                              FØ
1261:29
         10
                17
                                  E3
                   AD
                                      1491:1C
                                               A9
                                                   00
                                                       8D
                                                          03
                                                              CF
                                                                 AD
                                                                     15
                                                                        D2
1269: ØB
            01
                DC
                   8D
                       ØD
                          CF A9
                                  56
        AD
                                      1499:DØ
                                               29
                                                   F3
                                                       80
                                                          15
                                                             DØ
                                                                 AE
                                                                     2E
                                                                         43
                              29
1271:23
         8D
            14
                CF
                   AD
                       ØD
                           CF
                                  74
                                      14A1:CF
                                                   53
                                                       94
                                                          C9
                                                                 DØ
                                                                     95
                                                                         79
                                               BD
                                                              2E
                                  ØB
1279:10
         FØ
            91
                60
                   AD
                       ØB
                          CF
                              C9
                                      14A9:A9
                                                20
                                                   9D
                                                       53
                                                          04
                                                              60
                                                                 A9
                                                                     02
                                                                         8E
1281:04
            01
                60
                   A2 Ø3 BD Ø8
                                  9E
        BØ
                                               2B DØ
                                                      8D
                                                          2A CF
                                                                 EE
                                                                     28
                                      14B1:8D
1289:DØ
         9D
             ØC
                DØ
                   CA
                       10
                          F7
                              AD
                                  40
                                      14B9:CE
                                               A2 Ø6
                                                      BD
                                                          23 CE C9
                                                                     ØA
                                                                        80
                       ØD
                          DØ AD
            69
                   8D
                                  2E
1291:0D
        DØ
                ØA
                                                   A9
                                                       aa
                                                          9D
                                                              23
                                                                 CE
                                                                    FE
                                                                        7F
                                      14C1:90
                                                08
1299: ØF
         DØ
            69
                ØA
                   8D
                       GF
                          DØ A9
                                  3B
                                                      10
                                      1409:22
                                               CE
                                                   CA
                                                          EE
                                                             AØ
                                                                 06 B9
                                                                        DØ
12A1:01
         80
            ØA
                CF
                    80
                       3A
                           CF
                              A9
                                  86
                                                                 04
                                                   9
                                                          99
                                                              70
                                                                     A9
                                                                        A 3
                                      14D1:23
                                               CE
                                                      30
                97
                   8D
                       FF
                           Ø7 AD
                                 3D
12A9:27
         8D FE
                                      14D9:07
                                               99
                                                   48
                                                      D8
                                                          99
                                                              70
                                                                 D8
                                                                     88
                                                                        4B
            Ø9 CØ 8D
                      15 DØ AD D1
12B1:15
         DØ
                                      14E1:10
                                               ED
                                                   60
                                                      78
                                                          AD
                                                             14
                                                                        72
12B9: ØB
         CF
            8D
                12
                   CF
                       CE
                           09
                              CF
                                  C5
                                                                    15 F0
                                                             8D
                                                                 13
                                      14E9:12
                                               15 AD
                                                      15
                                                          93
                                                          03
12C1:DØ
         3E
            CE
                2B
                   CF
                       AD
                           2B
                              CF
                                  C5
                                                              A9
                                                                 15
                                                                     8D
                                                                        5B
                                      14F1:A9
                                                ØC
                                                   8D
                                                       14
                              CD FB
                                                                     15
1209:29
            DØ
                19
                   AD
                       ØC
                           DØ
                                               03
                                                   58
                                                      60
                                                          78
                                                             AD
                                                                 12
                                                                        32
                                      14F9:15
                       9
                           EE
                              ØC
                                  EC
12D1:00
         DØ
            FØ
                11
                   BØ
                                      1501:8D
                                               14
                                                   03
                                                      AD
                                                          13
                                                             15
                                                                 8D
                                                                     15
                                                                        4F
12D9:DØ
            ØE
                DØ
                    4C
                       E6
                           12
                              CE
                                  E1
         EE
                                      1509:03
                                                58
                                                   60
                                                       20
                                                          16
                                                              15
                                                                 4C
                                                                     31
                                                                        A7
12E1:0C
        DØ
            CE
                ØE
                   DØ
                       AD
                          14
                              CF
                                  30
                                                00
                                                          aa
                                                                 35
                                                                    CF
                                                   aa
                                                      aa
                                                             AD
                                                                        Al
                                      1511:EA
                                  98
                       Da
                              GF
                    an
                          EE
12E9:8D
         9
            CF
                EE
                                      1519:FØ
                                               Ø3 EE
                                                      20
                                                          DØ CE
                                                                 4E
                                                                     CF
                                                                        8A
                A9
12F1:DØ
         DØ
            ØD
                    00
                       8D
                           ØA
                              CF
                                  99
                                      1521:DØ
                                               20
                                                   AC
                                                       50
                                                          CF
                                                             A9
                                                                 01
                                                                     99
                                                                        5A
12F9:AD
         15
            DØ
                29
                   3F
                       8D
                          15
                              DØ
                                 12
                                                             AC
                                                                     CF
                                                                        A5
                                                       4F
                                                          CF
                                                                 4F
                                      1529:53
                                               D8
                                                   EE
                CF
                   FØ
                       01
                           60
                              AD
            95
                                 A2
1301:60 CE
                                                      29
                                                          ØF
                                                             69
                                                                 04
                                                                     8D 6B
                                      1531:B9
                                               00
                                                   67
1309:70
            8D
                Ø5
                   CF
                       20
                           46
                              ØF
                                  B7
         CE
                                      1539:50
                                               CF
                                                   A8
                                                      AD
                                                          4F
                                                              CF
                                                                 29
                                                                     97
                                                                        82
         54
            CE DØ
                   Ø6 AD
                           57
                              CF
                                  6F
1311:AD
                                      1541:DØ
                                                95
                                                   A9
                                                      96
                                                          4C
                                                              4A
                                                                 15
                                                                    A9
                                                                        GA
1319:4C
         15
            13 AD
                   aa
                       DC
                           8D
                              92
                                  FA
                                                                 CF CE F3
                                      1549:03
                                               99
                                                   53
                                                      D8
                                                          8D
                                                              71
1321:CF
         29
             6F
                C9
                    6F
                       FØ
                           06
                              20
                                  6F
                                                       ØF
                                                          A9
                                                              aa
                                                                 8D
                                                                     20
                                                                        A7
                                               CF
                                                   DØ
                                      1551:49
            4C
                40
                   13
                           aa
                              CF
                                  EE
1329:5C
         13
                       AD
                                      1559:DØ
                                               A9
                                                   ØB
                                                      8D
                                                          21
                                                              DØ
                                                                 A9
                                                                     OF
                                                                        3F
1331:FØ F5
            EE
                1F
                   CF
                       AD
                           1F
                              CF
                                  60
                                      1561:8D
                                               49
                                                   CF
                                                      AD
                                                          00
                                                             CE
                                                                 DØ
                                                                     03
                                                                        59
1339:C9
         08
            DØ
                Ø3
                   CE
                       1F
                           CF
                              20
                                  43
                                                      C9
                                                          Øl
                                                             FØ
                                                                 51
                                                                        DF
                                                   16
                                                                     AD
                                      1569:4C
                                               AA
1341:7C
                Ø2
                   CF
                       29
                          98
                              FØ
                                  63
         ØF
            AD
                                      1571:4C
                                               CF
                                                   DØ
                                                      1A
                                                          20
                                                             EØ
                                                                 15
                                                                    AD
                                                                        CD
1349:53
         AD
            02 CF
                    29
                       a4
                          FO
                              19
                                 16
                                                                    F9 CA
                                      1579:3A
                                               CF
                                                   C9
                                                      01
                                                          DØ
                                                              03
                                                                 20
                F8
                    07
                       8D
                           F9
                              07
                                  7F
                                                                    03
1351:A9
         22
             8D
                                               AD
                                                   43
                                                      CF
                                                          C9
                                                              01
                                                                 DØ
                                                                       FD
                                      1581:15
         C7
            13
               CE
                   21
                       CF
                           AD
                              21
1359:4C
                                  AB
                                      1589:20
                                                25
                                                   16
                                                       4C
                                                          48
                                                             16
                                                                 AD
                                                                     4C
                                                                        D6
1361:CF 29
            ØF
                DØ
                   03
                       CE
                          1F
                              CF
                                  ØA
                                      1591:CF
                                               C9 Ø6
                                                      FØ
                                                          22
                                                             A2
                                                                 96
                                                                     8E
                                                                        1C
                       07
                           8D F9
                                  60
1369:60 A9
            23
                8D
                   F8
                                      1599:4C CF BD E1 16
                                                             9D
                                                                 gg D4 AF
```

15A1:9D Ø7 D4 CA 10 F4 A9 80 CB 15A9:8D 04 D4 8D ØB D4 A9 81 8F 15B1:8D D4 80 ØB D4 60 15B9:80 80 04 80 ØB D4 60 F7 D4 15C1:EE 91 CE FØ 14 AD 91 CE **B**4 15C9:8D D4 29 07 DØ Ø9 EE 64 02 CE 8D 01 D4 ØA 15D1:02 CE AD 15D9:60 A9 02 8D 00 CE 60 AD 61 15E1:02 CF C9 7F FØ ØC. C9 6F EC 15E9:FØ OD A9 aF 80 91 4C 5C D4 15F1:F8 15 A9 95 8D Øl D4 60 DD 15F9:AD CF FØ Ø1 60 A9 08 B9 1601:8D 80 CF 41 CF 42 8D 44 C7 A9 06 1609:CF 91 80 CF 25 43 A2 E8 CA 1611:BD 16 90 97 D4 10 1619:F7 A 9 80 8D ØB D4 A9 81 15 1621:8D ØB D4 60 AD 42 CF 69 F6 1629: ØA Ø8 CF 80 D4 CE 98 80 42 1631:41 CF DØ 12 A9 OF 8D 98 D9 1639:D4 A9 10 8D ØB D4 A9 00 1641:8D CF CF 60 AD 5D 3A 80 43 C9 1649:46 FØ 31 03 FØ 2E CF 1651:C9 01 FØ 3B A9 80 8D ØB E9 1659:D4 96 90 97 4F A 2 BD EF 16 10 A9 8D 1661:D4 CA F7 02 08 A4 1669:D4 A9 F8 8D 05 CD A9 03 18 1671:8D CF A9 80 80 ØB D4 46 AF 1679:A9 81 8D ØB D4 60 A9 80 39 1681:8D ØB D4 A9 aa 8D 46 CF FE A9 1689:8D 43 CF 8D 3A CF 60 9R 1691:80 8D ØB D4 A2 06 BD EF 1699:16 9D 07 A9 96 D4 CA 10 F7 6C 16A1:06 8D 08 D4 A9 F6 4C BØ 16A9:16 A9 01 8D ØØ CE 8D 02 9C 01 16B1:CE A9 96 8D 06 E9 CE A2 16B9:BD E1 16 90 aa D4 CA 10 D2 16C1:F7 A9 03 8D 15 D4 A9 01 DD 16C9:8D A9 8D 39 16 D4 11 17 D4 16D1:A9 1F 8D 18 D4 A9 80 8D A9 16D9:04 D4 A9 81 8D 04 D4 60 16E1:FF al 95 99 80 97 FC FF 99 16E9:07 09 09 80 07 78 FF 97 26 16F1:09 09 80 Ø7 F7 00 00 00

Mike Sedlezsky lives in Mississauga, Ontario, Canada.

# ADD CHECK

Daniel Lightner

This handy utility checks any program stored on a disk for the program's starting and ending addresses. Add Check, which is short for Address Checker, also gives the number of bytes the program occupies.

Add Check is written in machine language. To enter it, use MLX, our machine language entry program. See "Typing Aids" elsewhere in this section. When MLX prompts, respond with the following values.

Starting address: 0801 Ending address: 0A99 Be sure to save a copy of the program before exiting *MLX*.

Add Check loads and runs like a BA-SIC program. Provide the program name and make sure the disk with that file is in drive 8; then hit Return.

Add Check checks the disk and drive to make sure they're ready; then it reads the file and returns the starting address and the ending address plus 1. The number of bytes is then displayed. If you wish to check another program, just type RUN again and press Return.

# ADD CHECK

Ø8Ø1: ØB	08	ØA	00	9E	32	30	36	2E	
0809:32	00	00	00	00	A9	00	8D	66	
0811:20	DØ	8D	21	DØ	8D	B2	02	4D	
Ø819:A9	93	20	D2	FF	20	D7	09	4D	
0821:20	E5	09	AØ	00	B9	52	ØA	7B	
0829:20	D2	FF	C8	CØ	ØB	DØ	F5	54	
0831:20	F3	09	20	73	09	A9	03	87	
Ø839:A2	93	AØ	ØA	20	BD	FF	A9	D5	
Ø841:ØF	A2	08	AØ	ØF	20	BA	FF	FA	
0849:20	CØ	FF	AC	34	Ø3	A2	00	57	
Ø851:BD	96	ØA	99	35	Ø3	EE	34	88	
0859:03	C8	E8	EØ	05	DØ	Fl	CE	66	
0861:34	Ø3	AD	FF	FF	FF	FF	FF	02	
Ø869:FF	FF	7B	11	F2	FF	FF	FF	91	
Ø871:FF	FF	FF	7F	11	FF	AF	11	72	
Ø879:F2	FB	FF	FF	11	FF	F1	FF	6E	
Ø881:BC	11	FF	B1	11	FF	FF	11	E8	
Ø889:FF	B1	11	FF	FF	10	B3	FF	CF	
Ø891:FF	FB	FF	B1	11	FF	FF	10	54	
Ø899:B2	FB	FF	F6	FF	FF	FF	F3	65	
Ø8A1:10	3B	FF	FF	FF	3C	FF	17	90	
Ø8A9:48	08	FF	66	F8	FF	08	00	1E	
Ø8B1:88	6A	66	81	9A	6F	FF	7C	94	
Ø8B9:FF	76	81	9A	6F	FF	FF	FF	BC	
Ø8C1:7B	FF	88	FF	58	Ø8	FF	5C	DF	
Ø8C9:01	88	80	81	9A	6F	FF	17	4E	
Ø8D1:58	00	FF	8C	FF	58	01	17	51	
Ø8D9:5C	ØØ	FF	88	FF	5C	08	FF	22	
Ø8E1:8E	76	FF	8C	FF	77	8E	7A	15	
Ø8E9:FF	88	FF	7A	81	4E	6F	FF	E7	
Ø8F1:81	F8	ØC	9F	FF	FF	08	80	ØD	
Ø8F9:88	6A	67	FF	02	20	C3	FF	ED	
Ø901:A9	ØF	20	C3	FF	A5	FB	8D	08	
0909:BC	02	A5	FC	8D	BD	02	A9	8F	
Ø911:0D	20	D2	FF	AD	B2	Ø2	C9	12	
Ø919:FF	FØ	56	AØ	00	B9	5D	ØA	E7	
0921:20	D2	FF	C8	CØ	13	DØ	F5	6E	
Ø929:A6	FB	A5	FC	20	CD	BD	A9	6F	
Ø931:ØD	20	D2	FF	20	D2	FF	AØ	19	
0939:00	B9	70	ØA	20	D2	FF	C8	7D	
Ø941:CØ	11	DØ	F5	A6	FD	A5	FE	E8	
0949:20	CD	BD	A9	ØD	20	D2	FF	BF	
0951:20	D2	FF	AØ	00	B9	81	ØA	26	
0959:20	D2	FF	C8	CØ	12	DØ	F5	A2	
Ø961:AD	BB	Ø2	AE	BA	Ø2	20	CD	50	
Ø969:BD	A9	ØD	20	D2	FF	20	D2	12	
0971:FF	60	AØ	00	A9	00	8D	34	4C	
0979:03	20	E4	FF	C9	ØØ	FØ	F9	DB	
Ø981:C9	14	FØ	39	C9	ØD	FØ	20	B3	

Ø989:C9	7B	BØ	ED	C9	20	90	E9	2E
0989:C9	22	FØ	E5	C9	2C	FØ	El	50
Ø999:AC	34	Ø3	CØ	14	FØ	DA	20	B5
Ø9A1:D2	FF	20	B4	09	4C	7A	09	E3
09A9:AC	34	03	CØ	00	FØ	CA	20	Ø5
Ø9B1:D2	FF	60	AC	34	03	99	35	1A
Ø9B9: Ø3	EE	34	03	60	AC	34	Ø3	EØ
Ø9C1:CØ	01	BØ	Ø3	4C	7A	09	20	39
Ø9C9:D2	FF	38	AD	34	03	E9	01	A9
Ø9D1:8D	34	Ø3	4C	7A	09	AØ	00	16
Ø9D9:B9	06	ØA	20	D2	FF	C8	CØ	76
Ø9E1:4C	DØ	F5	60	A9	ØD	20	D2	A7
Ø9E9:FF	20	D2	FF	A9	96	20	D2	19
Ø9F1:FF	60	A9	ØD	20	D2	FF	20	8E
Ø9F9:D2	FF	A9	9A	20	D2	FF	A9	4A
ØAØ1:3E	20	D2	FF	60	ØD	41	44	94
ØAØ9:44	2E	20	43	48	45	43	4B	2C
ØA11:0D	43	4F	50	59	52	49	47	59
ØA19:48	54	20	31	39	39	31	20	AE
ØA21:43	4F	4D	50	55	54	45	ØD	EC
ØA29:50	55	42	4C	49	43	41	54	F5
ØA31:49	4F	4E	53	20	49	4E	54	D3
ØA39:4C	20	4C	54	44	ØD	41	4C	6F
ØA41:4C	20	52	49	47	48	54	53	B9
ØA49:20	52	45	53	45	52	56	45	45
ØA51:44	46	49	4C	45	20	4E	41	8F
ØA59:4D	45	20	3F	96	53	54	41	49
ØA61:52	54	49	4E	47	20	41	44	43
ØA69:44	52	45	53	53	20	9A	96	F8
ØA71:45	4E	44	49	4E	47	20	41	E9
ØA79:44	44	52	45	53	53	20	9A	22
ØA81:96	4E	55	4D	42	45	52	20	DF
ØA89:4F	46	20	42	59	54	45	53	F8
ØA91:20	9A	49	2F	4F	2C	50	2C	70
ØA99:52	00	00	00	ØØ	00	00	00	D6

Daniel Lightner, a frequent contributor, lives in Sidney, Montana.

# **SONG MACHINE**

Daniel Lightner

You don't have to know anything about musical theory in order to make music with this program and a 64. Song Machine is a program for designing sound and music or for entering music out of songbooks and playing it back. With the 64's three voices, you can enter chords as well, producing some rather sophisticated arrangements.

Song Machine is written in machine language. To enter it, use MLX, our machine language entry program. See "Typing Aids," found elsewhere in this section. When MLX prompts, respond with the following values.

Starting address: 0801 Ending address: 2277

Be sure to save a copy of the program before exiting *MLX*.

# **Making Music**

When you're ready to use *Song Machine*, load and run it as you would a BASIC program. Two staffs, a bass clef, and a treble clef will appear on the screen. Up the left side of the screen are the names of the notes that correspond to the various lines and spaces of the musical staffs. These notes represent the range of pitch for each level of the staff.

On the right side of the screen is an area that is framed off from the rest of the staff. This is where you edit notes. At the top of this area, you will see a note with two little flags extending from its stem. This is a sixteenth note. Press the N key, and you can scroll through the whole range of nine notes, five rests, and the flat and sharp accidentals. Hold the Shift key down as you press N to scroll back through them. Now scroll back to the sixteenth note.

Below the staffs you'll see a line indicating which of the 64's three voices you are editing and the instrument that the voice is set to emulate. Press O to toggle the voice on and off. Turn the voice on now.

# Play a Note

Use the cursor key to move the note up and down the staff. Make sure the volume on your monitor is turned up; then press P to hear what the note sounds like. Move the note and try again. Now use the N and P keys to scroll through the notes while playing them. Notice the different time values for the different types of notes; these time values and pitch values are based on figures found in *Commodore 64 Programmer's Reference Guide*.

When you first run the program, you'll see the number 0 at the top left of the screen. This indicates the number of the note being edited. Using the Cursor Right key, move the note off the work area. The note now being edited is number 1. There are 999 places per voice reserved for notes, from 0–998.

Now, using the steps mentioned above, adjust the note and move it off the work area. Repeat this process several more times. Hold down the Shift key and press P. The notes will play up to the last one before the work area. Use the Cursor Left key to move back

a few notes and play them again. Press the space bar if you wish to abort playing. There are seven different instruments from which to select. Press the I key to change them.

To move to another voice, press V. Remember that you cannot hear a voice until you turn it on and that if another voice is still on, you'll hear it, too. The voices will play only up to the number of notes indicated for each voice.

Sharps and Flats

There is no time lapse when using the sharp and flat accidentals. If a sharp, for instance, is placed on any F line, then all the notes on any F line will become sharp. Should *Song Machine* encounter another sharp accidental on the F line, notes on these lines will be returned to normal. To return the F to sharp, another sharp accidental must then be entered. Flats toggle on and off the same way.

When played, rests are silent, but their values correspond with those of notes of the same length. For example, a quarter rest will hold for the same length of time as a quarter note. A half rest will hold for the same length as a half note, and so on.

Copy a Range

Music quite often is repetitive, using the same range of notes again and again. Rather than having to reenter repetitive passages manually, you can use *Song Machine's* special command for copying them. To enter the Copy mode, press the Shift key and the C key simultaneously. Below the staffs a prompt appears indicating that the computer is ready for input.

First, enter a V and then either a 1, 2, or 3 for the voice that you'll be copying from. Next, press the colon (:) followed by a number less than 999 to indicate the note where you'll begin copying. Then press the Minus key (-) followed by another number less than 999 to indicate the last note in the copy range. Now enter TOV and the number 1, 2, or 3 for the voice that you want the range to be copied to. Then type another colon followed by a number to indicate where you want the range to start. The press Return.

The following example is how a typical copy line might look.

The So	ong Machine notes, s, and accidentals						
F	Thirty-second note						
5	Sixteenth note						
1	Eighth note						
1.	Dotted eighth note						
J	Quarter note						
J.	Dotted quarter note						
	Half note						
d.	Dotted half note						
0	Whole note						
	Whole rest						
=	Half rest						
1	Quarter rest						
7	Eighth rest						
7	Sixteenth rest						
# b	Sharp						

#### V1:0-467TOV3:734

This example copies the range of notes 0–467 of voice 1 and places them in voice 3 starting at note 734.

To copy a range of notes within the same voice, you might have a line that looks something like the following.

#### V3:0-15TOV3:16

Type a \$ at any time to list the disk directory. Pause the listing by hitting any key. The Run/Stop key aborts a listing.

Hold Shift and press S or L to enter the Save or Load mode. Just give the desired filename and press Return. The program saves the same amount of memory each time whether it's used or not.

To clear the current voice, press Clr/ Home. Press Shift–Clr/Home to clear all the voices. When you're ready to stop, press Shift-Q to quit the program.

#### COMMAND TABLE

N and Shift-N	Scroll through notes							
V	Change voices							
ISC SE ES SON	Change instruments							
P	Play edit note							
Shift-P	Play string of notes							
0	Toggle voice on/off							
Space bar	Abort Play mode							
Shift-C	Copy mode							
Shift-S	Save file							
Shift-L	Load file							
Clr/Home	Clear active voice							
Shift-Clr/Home	Clear all voices							
\$	Directory							
Cursor Up/Down	Move notes up/down staff							
Cursor Left/Right	Move note pointer left, right							
V2:0-15TOV2:16	Copy format							

Quit

# SONG MACHINE

Shift-Q

0801:22	08	ØA	00	9E	32	30	38	ВВ
0809:38	20	53	4F	4E	47	20	4D	B9
0811:41	43	48	49	4E	45	20	31	29
0819:39	39	31	20	20	20	20	20	1E
0821:00	00	00	EA	19	00	80	AD	57
0829:24	08	8D	B2	02	AD	25	08	43
Ø831:8D	B3	02	AD	26	08	85	FD	6A
Ø839:AD	27	08	85	FE	A9	8E	85	84
Ø841:FB	A9	08	85	FC	18	A5	FB	A2
Ø849:6D	B2	02	8D	B4	02	A5	FC	CB
Ø851:6D	B3	02	8D	B5	02	AØ	00	15
Ø859:B1	FB	91	FD	18	A5	FB	69	ØC
The state of the s								

G-35

```
Ø861:01 85 FB A5 FC 69 ØØ 85 40
                                      ØA91:FØ 37 A5 CB C9 4Ø FØ 13 A1
                                                                            ØCC1:AE 77 ØØ FF 22 2E A2 66
                                                                                                             84
                                                            2B A5 CB EB
Ø869:FC 18 A5 FD 69 Ø1 85 FD EA
                                      ØA99: A5 CB C9
                                                      3F FØ
                                                                             ØCC9:77 40 FF 22 2E A2 FF
                                                                                                          31
                                                                                                             FC
                                                             A5
                                                      FØ
                                                         FC
                                                                CB
                                                                    C9
                                                                       A3
                00
                    85
                       FE
                          A5
                              FR
                                 RO
                                      ØAA1:A8
                                               C4
                                                   CB
                                                                             ØCD1:70
                                                                                     16
                                                                                         FF
                                                                                            FØ
                                                                                                52
                                                                                                   A5
                                                                                                       13
                                                                                                          31
                                                                                                              37
0871:A5 FE
             69
                                                      A9
                                                         ØD
                                                             20
                                                                D2
                                                                   FF
                                                                       A2
                                      ann9:40
                                               FØ
                                                  FA
                                                                                                   A5
                                                                                                          77
0879:CD B4
            92
               Fa a3
                       AC
                          88
                             aa
                                 4F
                                                                             ØCD9:FF
                                                                                     16 FF
                                                                                            22
                                                                                                52
                                                                                                       16
                                                                                                              66
                                                         20
                                                                FF
                                                                    20
                                                                       6E
Ø881:A5 FC
             CD B5 Ø2 FØ
                          03
                             4C DE
                                      ØAB1:20
                                               E4 FF
                                                      AA
                                                             E 4
                                                                             ØCE1:CA FF
                                                                                         22
                                                                                            2F
                                                                                               FF
                                                                                                   31
                                                                                                       42
                                                                                                          57
                                                                                                              37
                                               87
                                                   A9
                                                      20
                                                         20
                                                             D2
                                                                FF
                                                                    20
                                                                       F. 4
Ø889:59
         08
             6C
                26
                    08
                       D8
                          AD
                              18
                                 4F
                                      ØAB9:23
                                                                             ØCE9:CA FF
                                                                                         22
                                                                                            2F
                                                                                                FF
                                                                                                    36
                                                                                                       77
                                                                                                          aa
                                                                                                              66
                                                  FØ
                                      GAC1:E4 FF
                                                      C9
                                                         20
                                                             D2
                                                                FF
                                                                    DØ
                                                                       20
                                                                             ØCF1:FF
                                                                                         2F
                                                                                            96
                                                                                                26
                                                                                                   CA
                                                                                                       8E
                                                                                                          D8
                                                                                                              2B
Ø891:DØ
         29
             Fa
                69
                    ac
                       8D
                          18
                              DØ
                                 AØ
                                                                                     22
                                                             FF
                                                                 20 CC
                                                                       11
0899:78
         A5
             01
                29
                    FB
                       85
                           01
                              AØ 9A
                                      ØAC9:F6 A9
                                                   91
                                                      20
                                                         C3
                                                                             ØCF9:02 EØ 00 FØ
                                                                                                1E AE D9
                                                                                                          02
                                                                                                             BB
             00
                DØ
                    99
                       00
                           30
                              B9
                                 14
                                      ØAD1:FF
                                               A5
                                                   CB
                                                      C9
                                                          40
                                                             FØ
                                                                FA
                                                                    A9
                                                                       CA
                                                                             ØDØ1:EØ
                                                                                     aa
                                                                                         FØ
                                                                                            20
                                                                                                CA
                                                                                                   8E
                                                                                                       D9
                                                                                                          02
                                                                                                              Fl
Ø8A1: ØØ B9
                                                  F3
                                                      03
                                                         4C
                                                             16
                                                                81 20 DD
                                      ØAD9: ØØ
                                               8D
                                                                                                AE EF
                                                                                                       02
                                                                                                          6C
                                 59
                                                                             ØDØ9:EØ ØØ FØ
                                                                                            18
                                                                                                             D8
Ø8A9:FF
         Da
             99
                FF
                    3Ø B9
                          FE
                             DI
                                                                    95
                                 7C
                                      ØAE1:E4 FF
                                                   85
                                                      FB
                                                         20
                                                             E4
                                                                FF
                                                                       72
                                                                             ØD11:11 Ø3 AE D4
                                                                                                92
                                                                                                   8E
                                                                                                       94
                                                                                                          D4
                                                                                                             BE
Ø8B1:99 FE
             31
               B9 FD
                       D2
                          99
                              FD
                                                          82
                                                                    FF
                                                                       7C
Ø8B9:32 B9
             FC
                D3
                    99
                       FC
                          33
                             B9
                                 aF
                                      ØAE9:FB
                                               60
                                                   20
                                                      60
                                                             20
                                                                E4
                                                                             ØD19:4C 61
                                                                                         84
                                                                                            AE
                                                                                                05
                                                                                                   92
                                                                                                       SE.
                                                                                                           ØB
                                                                                                              ac
                             05
                                 4C
                                      ØAF1:4C
                                                      20
                                                         39
                                                             8F AØ ØØ BØ
                                                                             ØD21:D4
                                                                                                   D6
                                                                                                       92
                                                                                                          SE.
                                                                                                              72
Ø8C1:FB
         D4
             99
                FB
                   34
                       B9
                          FA
                                               E4
                                                   FF
                                                                                     4C
                                                                                         70
                                                                                             84
                                                                                                AE
                              F9
                                      ØAF9:B9 E7
                                                   94
                                                      20
                                                         D2
                                                            FF
                                                                C8 CØ
                                                                       62
                                                                             ØD29:12 D4
                                                                                         4C
                                                                                            7F
                                                                                                84
                                                                                                   20 B8
                                                                                                          84
                                                                                                              90
Ø8C9:99 FA
             35
               B9 F9
                       D6
                          99
                                 FF
                                                      20
                                                             8F
                                                                 20
                                                                    52
                                                                       E2
                          4C
                              14
                                 20
                                      ØBØ1:06
                                               DØ
                                                   F5
                                                          60
                                                                             ØD31:20
                                                                                     5E
                                                                                         85
                                                                                            A9
                                                                                                aa
                                                                                                    8D
                                                                                                       F1
                                                                                                          02
                                                                                                              5A
                FØ
                    04
                       C8
Ø8D1:36 CØ
             FF
                                      ØBØ9:8F AØ ØØ
                                                         C6
                                                             02
                                                                 99
                                                                   21
                                                                       3D
                                                      B9
                                                                                                      20
                                                                                                          D8
                                                                                                              45
Ø8D9:8Ø A5
            01
                09 04
                       85
                          al
                              58
                                 D4
                                                                             ØD39:20 B9
                                                                                         85
                                                                                            20
                                                                                                32
                                                                                                   85
                       32
                          85
                             FC
                                 75
                                      ØB11:4E
                                               C8
                                                  CØ
                                                      06
                                                         Da
                                                             F5
                                                                 20 C0
                                                                       58
                                                                             ØD41:86
                                                                                     2Ø 6B
                                                                                            87
                                                                                                60 AD C2
                                                                                                          02
                                                                                                             CD
Ø8E1:A9
         80
            85
               FB A9
                                                      82
                                                          20
                                                             39
                                                                 8F
                                                                    AØ
                                                                       CD
                   95
                       91
                          FB
                              CR
                                 as
                                      ØB19:82
                                               4C
                                                   E3
                                                                             ØD49:C9 Ø1
                                                                                         FØ
                                                                                            29
                                                                                                C9
                                                                                                    92
                                                                                                       FØ
                                                                                                          4A
                                                                                                              BB
         aa
            B9
                2D
GRE9: AG
                                                      94
                                                          20
                                                             D2 FF
                                                                    C8
                                                                       40
                                                                             ØD51:AD CA
                                      ØB21:00 B9
                                                                                                CC
                                                                                                          CB
                       aa
                                 40
                                                  E1
                                                                                         92
                                                                                             8D
                                                                                                   92
                                                                                                       AD
                                                                                                             A 3
Ø8F1:CØ
         48
             DØ
                F6
                   A9
                          8D
                              E 5
Ø8F9: Ø3 A9
             ØØ 8D
                   21
                       DØ
                          8D
                             20 56
                                      ØB29:CØ Ø6
                                                   DØ
                                                      F5
                                                         20
                                                             60
                                                                SE
                                                                    20
                                                                       5C
                                                                             ØD59:02 8D CD
                                                                                            92
                                                                                               AD AF
                                                                                                       02
                                                                                                          8D
                                                                                                             6F
                                                      CØ
0901:D0 AD
                03
                    8D
                       11
                          03
                              AD
                                 FD
                                      ØB31:52
                                               8F
                                                   20
                                                          82
                                                             20
                                                                FC
                                                                    82
                                                                       75
                                                                             ØD61:B3 Ø2
                                                                                         AD
                                                                                            BØ
                                                                                                92
                                                                                                   8D
                                                                                                       B4
                                                                                                          92
                                                                                                              48
            14
                                                             99
                                                                C6
                                                                   02
                                                                       51
                       78
                                               aa
                                                   R9
                                                      21
                                                         4E
                                                                                               B5
                                                                                                          B2
0909:15
         03
            8D 12
                    03
                          A9
                              23
                                 A9
                                      ØB39:AØ
                                                                             ØD69:AD B1
                                                                                         92
                                                                                            8D
                                                                                                   92
                                                                                                      AD
                                                                                                             A3
                                                                       9D
                                      ØB41:C8
                                                   06
                                                      DØ
                                                         F5
                                                             A9
                                                                ØØ 8D
                                                                             ØD71:02 8D B6
                                                                                                      C6
                                                                                                          02
                                                                                                             30
Ø911:8D
         14
            Ø3 A9 84 8D
                          15
                             03
                                 71
                                               CØ
                                                                                            Ø2
                                                                                                60 AD
                                                                        2D
                       00
                          8D
                              BF
                                      ØB49:F3
                                               03
                                                   4C
                                                      36
                                                         81
                                                             20
                                                                 CC
                                                                    FF
                                                                             ØD79:8D CC
                                                                                         02
                                                                                                C7
                                                                                                   02
                                                                                                       80
                                                                                                          CD
                                                                                                              D7
9919:58
         20
            49
                83 A9
                                 E8
                                                                                            AD
                                                                   A9
                                                                90
                                                                       CØ
0921:02
         8D
             Ca
                92
                    8D
                       CI
                          92
                              8D
                                 D4
                                      ØB51:A9
                                               aa
                                                   8D
                                                      15
                                                         Da
                                                             85
                                                                            ØD81:02 AD
                                                                                         A7
                                                                                            92
                                                                                                80
                                                                                                   B3
                                                                                                       92
                                                                                                          AD
                                                                                                              ØA
                       8D
                          F3
                                      ØB59:00 A2
                                                         Øl
                                                             20 BA FF
                                                                       21
                                                                             ØD89:A8 Ø2
                                                                                         8D B4
                                                                                                  AD A9
                                                                                                          92
                                                                                                             91
0929:B7
         92
            8D
               B8
                    02
                              03
                                 06
                                                   08
                                                      AØ
                                                                                                02
                00
                    99
                       21
                          4E
                              CB
                                  7F
                                      ØB61:AD
                                               34
                                                   03
                                                      A2
                                                          35
                                                             AØ
                                                                 93
                                                                    20
                                                                       38
                                                                             ØD91:8D B5 Ø2 AD
                                                                                                   02
                                                                                                       8D
                                                                                                          B6
                                                                                                              2A
9931:AØ
         aa
            A 9
                                                                                               AA
               F6 AØ
                       aa
                          A9
                             aa ar
                                                   19
                                                      91
                                                         8D
                                                                 93 69
                                                                        46
0939:C0 06 D0
                                      ØB69:BD FF
                                                             F3
                                                                             ØD99:02 60
                                                                                         AD
                                                                                            CB
                                                                                               02
                                                                                                   8D CC
                                                                                                          92
                                                                                                              FA
0941:99
         00 D4 C8
                   CØ
                      19 DØ F6
                                 4A
                                      ØB71:A9 BØ
                                                   85
                                                      FB
                                                         A9
                                                             36
                                                                 85 FC
                                                                       27
                                                                             ØDA1:AD C9 Ø2 8D CD
                                                                                                   Ø2 AD
                                                                                                          AB
                                                                                                              9B
0949:20
             8F
                AØ
                    aa
                       A9
                          CØ
                              99
                                 31
                                      ØB79:A9
                                               FB
                                                   A2
                                                      29
                                                         AØ
                                                             4E
                                                                 20
                                                                    D8
                                                                       Al
         20
                                                                             ØDA9: 02 8D B3
                                                                                            92
                                                                                               AD AC
                                                                                                       02
                                                                                                          8D
                                                                                                              70
                                                                       55
                                      ØB81:FF A9
                                                   ØØ
                                                      8D
                                                         F3
                                                             03
                                                                 4C
                                                                    36
                      DØ F6
                                                                                            AD
Ø951:F8
         07
             C8
                Ca
                   as
                             AØ
                                 D8
                                                                             ØDB1:B4 Ø2
                                                                                                02
                                                                                                   80
                                                                                                      B5
                                                                                                          92
                                                                                         AD
                                                                                                              EA
                                                      A2
                99
                       DØ C8
                                      ØB89:81 A9
                                                   aa
                                                         FF
                                                             AØ FF
                                                                    4C C3
0959:00 A9
             97
                    27
                              CØ
                                 1F
                                                                             ØDB9:AD AE
                                                                                         92
                                                                                            8D
                                                                                               B6
                                                                                                   02
                                                                                                       60
                                                                                                          AD
                                                                                                              9B
                                                      00
                                                                 02
0961:08 DØ F6
                AØ
                   00
                      A9
                          46
                              99
                                 61
                                      ØB91:D5
                                               FF
                                                   AØ
                                                         AE
                                                             C2
                                                                    CA
                                                                       F5
                                                                             ØDC1:C2 Ø2 C9
                                                                                            al
                                                                                               Fa
                                                                                                   OF
                                                                                                      C9
                                                                                                          92
                                                                                                              50
                                      ØB99:BD
                                               99
                                                   95
                                                      85
                                                         FB
                                                             BD
                                                                9C
                                                                    95 A5
                          DØ F5
0969:01 DØ C8
                C8
                   Ca
                       10
                                 B3
                                                                             ØDC9:FØ
                                                                                     14
                                                                                         AD
                                                                                            Cl
                                                                                                02
                                                                                                   C9
                                                                                                       Ø1
                                                                                                          FØ
                                                                                                              5D
                                                                18 A5 D2
                                                         91
Ø971:AØ ØØ A2
               00 BD D5
                          95
                             99
                                 32
                                      ØBA1:85 FC
                                                  A9
                                                      19
                                                            FB
                                                                             ØDD1:17 4C
                                                                                         15 87
                                                                                                   BF Ø2
                                                                                                          C9
                                                                                               AD
                                                                                                             DF
                                      ØBA9:FB
                                               69
                                                   01
                                                      85
                                                         FB
                                                             A5
                                                                FC
                                                                    69
                                                                        6A
0979:00
         DØ
             C8
                C8
                   E8
                      EØ
                          09
                              DØ
                                 13
                                                                            ØDD9:01 FØ ØD
                                                                                            4C
                                                                                                15
                                                                                                   87
                                                                                                      AD
                                                                                                          CØ
                                                                                                             F9
         Aa
                                      ØBB1:00 85
                                                  FC
                                                      A5
                                                         FB
                                                            DD
                                                                9F
                                                                    95
                                                                       4F
Ø981:F3
             aa
                R9
                   DE
                       95
                          99
                              A7
                                 79
                                                                            ØDE1:02
                                                                                                Ø3
                                                                                     C9
                                                                                         Øl
                                                                                            FØ
                                                                                                    4C
                                                                                                       15
                                                                                                          87
                                                                                                              99
0989:02
                ØC DØ F5 A9
                              01
                                 5A
                                      ØBB9:FØ Ø3
                                                   4C
                                                      15
                                                         83
                                                            A5 FC DD 6E
        C8
            CØ
                                                                            ØDE9:4C Ø7
                                                                                         87
                                                                                            A9
                                                                                                10
                                                                                                   85
                                                                                                      D6
                                                                                                          A9
                                                                                                              65
Ø991:8D
         C2
             02
                8D
                   C3
                       02
                          A9
                              02
                                 AF
                                      ØBC1:A2 95
                                                  DØ
                                                         BD
                                                             A5
                                                                95
                                                                    85
                                                                       CB
                                                      DE
                                                                                                          FA
                                                                            ØDF1:00 85 D3
                                                                                            20
                                                                                                6C
                                                                                                  E.5
                                                                                                       20
                                                                                                              20
Ø999:8D C4 Ø2
               A9 Ø3
                          C5 02
                      8D
                                 5A
                                      ØBC9:FB BD
                                                  A8
                                                      95
                                                         85
                                                             FC
                                                                A9
                                                                    aa
                                                                       2F
                                                                            ØDF9:86
                                                                                     A9
                                                                                         10
                                                                                            85
                                                                                                D6
                                                                                                   A9
                                                                                                       00
                                                                                                          85
                                                                                                              FE
                                      ØBD1:91 FB
Ø9A1:20 DD 8E 20 66
                      83 2Ø 39 C9
                                                  C8
                                                      91
                                                         FB
                                                            60
                                                                AD C2
                                                                       61
                                                                            ØEØ1:D3 2Ø 6C E5 AØ
                                                                                                  98 B9
                                                                                                          94
                                                                                                              as
Ø9A9:8F
         A9
             an
                20
                   D2
                       FF
                          20
                              D2
                                      ØBD9: Ø2 48
                                 3B
                                                  A9
                                                      al
                                                         8D C2
                                                                92
                                                                    29
                                                                       F. 3
                                                                            ØEØ9:93 20 D2 FF
                                                                                                C8
                                                                                                   CØ
                                                                                                          DØ
                                                                                                      06
                                                                                                              77
09B1:FF
         20
                       aa
                          B9 ED
            D2
                FF
                   AØ
                                 8C
                                      ØBE1:05
                                               83
                                                   EE
                                                      C2
                                                          02
                                                             20
                                                                 05
                                                                    83
                                                                       83
                                                                            ØE11:F5
                                                                                     AD
                                                                                         C2
                                                                                            02
                                                                                                C9
                                                                                                   01
                                                                                                      FØ
                                                                                                          12
                                                                                                              52
Ø9B9:94 20 D2 FF
                   C8
                      CØ
                          40 D0 13
                                      ØBE9:EE C2
                                                   02
                                                      20
                                                         05
                                                             83
                                                                68 8D
                                                                       FE
                                                                            ØE19:C9
                                                                                     02 F0
                                                                                            1C
                                                                                                AØ
                                                                                                   aa
                                                                                                          EC
                                                                                                      B9
                                                                                                              DF
Ø9C1:F5
         AØ
             00
                20
                   AØ
                       84
                          20
                              E4
                                 35
                                                                       an
                                      ØBF1:C2 Ø2
                                                   60
                                                      20
                                                         12
                                                             84
                                                                A9
                                                                   1F
                                                                            ØE21:93 20 D2 FF
                                                                                                C8
                                                                                                   CØ
                                                                                                       07
                                                                                                          DØ
                                                                                                              91
Ø9C9:FF C9
            1D FØ
                   5F
                       C9
                          9D FØ
                                 4F
                                      ØBF9:20
                                                                                                      93
                                               D2
                                                   FF
                                                      A9
                                                          ØD
                                                             20
                                                                D2
                                                                    FF
                                                                       FD
                                                                            ØE29:F5
                                                                                     60
                                                                                        AØ
                                                                                            aa
                                                                                                B9
                                                                                                   E2
                                                                                                              ØD
                                                                                                          20
Ø9D1:5E C9
            11 FØ
                   60 C9
                          91 FØ F4
                                      ØCØ1:20 D2
                                                      20
                                                                20 FE B5
                                                  FF
                                                         D2
                                                             FF
                                                                            GE31:D2 FF C8 CG
                                                                                                95
                                                                                                   Da
                                                                                                      F5
                                                                                                          60
                                                                                                              93
Ø9D9:59
         C9
             4E
                FØ
                    5B
                       C9
                          CE
                              FØ
                                 74
                                      ØCØ9:83 A9
                                                  ØD
                                                      20
                                                         D2
                                                             FF
                                                                20 FE
                                                                       C6
                                                                            ØE39:AØ ØØ B9 E7
                                                                                                93
                                                                                                   20
                                                                                                      D2
                                                                                                          FF
                                                                                                             1E
Ø9E1:5A C9
                   5C
                      C9
                          49
            56 FØ
                             FØ FA
                                      ØC11:83
                                               AØ
                                                   00
                                                      A9
                                                         BE
                                                             85
                                                                FB
                                                                    A9
                                                                       5B
                                                                            ØE41:C8 CØ
                                                                                         Ø5
                                                                                            DØ
                                                                                                F5
                                                                                                   60
                                                                                                      AD
                                                                                                          C2
                                                                                                             EE
Ø9E9:5B C9
            4F FØ
                   39 C9
                          50 FØ 97
                                      ØC19:04 85
                                                  FC
                                                      85 FE
                                                             A9
                                                                    85
                                                                       34
                                                                            ØE49:02 C9
                                                                Cl
                                                                                        91
                                                                                            FØ
                                                                                                ØA
                                                                                                   C9
                                                                                                       02
                                                                                                          FØ
                                                                                                              74
Ø9F1:56
            DØ
         C9
                FØ
                    49
                       C9
                          C3
                             FØ
                                 B4
                                      ØC21:FD A9
                                                  78
                                                      85
                                                         30
                                                             A9
                                                                Ø4 85 BF
                                                                            ØE51: ØC AD C5
                                                                                            02
                                                                                                4C
                                                                                                   D3
                                                                                                      85
                                                                                                          AD
                                                                                                             22
Ø9F9:54 C9
            13
               FØ
                   1D C9
                          93
                             FØ 42
                                      ØC29:31 A9
                                                   78
                                                      85
                                                         32
                                                             A9
                                                                D8
                                                                    85
                                                                       18
                                                                            ØE59:C3
                                                                                     02
                                                                                        4C
                                                                                            D3 85
                                                                                                      C4
                                                                                                   AD
                                                                                                          92
                                                                                                             an
ØAØ1:1F C9 D3 FØ ØF
                      C9 CC FØ CA
                                      ØC31:33
                                                   aa
                                                             93
                                                                            ØE61:C9 Ø1 FØ
                                               A 2
                                                      BD
                                                         FC
                                                                 91 FR
                                                                       RC
                                                                                            18
                                                                                               C9
                                                                                                   92
                                                                                                      Fa
                                                                                                          27
                                                                                                             Al
ØAØ9: ØE
         C9
             24
               FØ
                   46
                      C9
                          D1
                             FØ
                                 18
                                                      91
                                      ØC39:BD Ø9
                                                  94
                                                         FD
                                                             BD
                                                                82 95
                                                                       9F
                                                                            ØE69:C9 Ø3 FØ 36
                                                                                               C9
                                                                                                   04 F0
                                                                                                          45
                                                                                                             32
ØA11:18 4C
            39
               81
                   4C
                             4C
                      66
                          82
                                 DØ
                                                                       A8
                                      ØC41:91
                                               30
                                                   A9
                                                      ØA
                                                         91
                                                             32
                                                                C8
                                                                   BD
                                                                            ØE71:C9
                                                                                     05
                                                                                        FØ
                                                                                            54 C9
                                                                                                   96
                                                                                                      FØ
                                                                                                          63
                                                                                                             C2
ØA19:8F 82
            20 05
                   83
                       4C
                          36
                             81
                                25
                                               95
                                      ØC49:75
                                                  91
                                                         A9
                                                             ØE
                                                                91 32
                                                                       91
                                                      30
                                                                            ØE79:C9
                                                                                     97
                                                                                         Fa
                                                                                            72
                                                                                               A9
                                                                                                   AE
                                                                                                       85
                                                                                                          30
                                                                                                             C4
                                 15
ØA21:20
         49
            83
                4C
                   36
                      81
                          4C
                             F7
                                      ØC51:88
                                               18
                                                  A5
                                                      FB
                                                         69
                                                             28
                                                                85 FB
                                                                       18
                                                                            ØE81:A9 93
                                                                                        85
                                                                                            31
                                                                                               A9
                                                                                                   16
                                                                                                      85
                                                                                                         32
                                                                                                             FD
ØA29:89 4C
            E2
               FC
                   4C
                      87
                          88
                             4C
                                 1F
                                      ØC59:A5
                                               FC
                                                   69
                                                      00
                                                         85
                                                             FC
                                                                18
                                                                    A5
                                                                       A6
                                                                            ØE89:A9
                                                                                     94
                                                                                         85
                                                                                            33
                                                                                               4C
                                                                                                   71
                                                                                                      86 A9
                                                                                                             62
ØA31:25
         89
            4C
               C9
                   89
                      4C CF
                             89
                                07
                                      ØC61:FD
                                               69
                                                  28
                                                             A5
                                                                FE
                                                                   69
                                                      85 FD
                                                                       1E
                                                                            ØE91:A7
                                                                                     85
                                                                                        30
                                                                                            A9
                                                                                               93
                                                                                                   85
                                                                                                      31
                                                                                                          A9
                                                                                                             42
ØA39:4C
         ØB
            8B
                4C
                   B2
                      8A
                          4C
                             C3
                                 88
                                      ØC69:00 85
                                                  FE
                                                      18
                                                         A5
                                                             30
                                                                 6B
                                                                   FF
                                                                       09
                                                                            ØE99:1C 85
                                                                                        32 A9
                                                                                               94 85 33
                                                                                                         4C
                                                                                                             73
ØA41:8C
            9A
        4C
               8A
                   4C
                      47
                          8A
                             20
                                 5F
                                      ØC71:FF
                                               FF
                                                  FF
                                                      FF
                                                         C2
                                                             FF
                                                                FF
                                                                    FF
                                                                       9F
                                                                            ØEA1:71
                                                                                     86 A9
                                                                                            9A
                                                                                               85
                                                                                                  30 A9
                                                                                                          93
                                                                                                             CA
            4C
ØA49:69 8B
               36
                   81
                      20
                          2D
                             8F
                                58
                                      ØC79:63 FF
                                                      C3
                                                         FF
                                                                FF
                                                  FF
                                                             FF
                                                                    FF
                                                                       7F
                                                                                                          94
                                                                            ØEA9:85
                                                                                     31
                                                                                         A9
                                                                                            22
                                                                                                85
                                                                                                   32
                                                                                                      A9
                                                                                                             09
ØA51:4C
         36
            81
               20
                   CC
                      FF
                                 C8
                          A5
                             CB
                                      ØC81:FF C2 FF
                                                      FF FF
                                                             FF
                                                                FF
                                                                   FB
                                                                       46
                                                                            ØEB1:85 33
                                                                                        4C
                                                                                            71
                                                                                               86
                                                                                                  A9 B5
                                                                                                          85
                                                                                                             C9
9A59:C9
        40 D0
               FA
                   A9
                      aa
                          8D
                             15
                                A9
                                      ØC89:AF
                                               F3
                                                  FF
                                                      FF
                                                         FF
                                                             FF
                                                                FF
                                                                    F6
                                                                       6D
                                                                            ØEB9:30 A9
                                                                                        93
                                                                                            85
                                                                                               31
                                                                                                  A9
                                                                                                      28
                                                                                                          85
                                                                                                             29
ØA61:DØ A9
            01
               8D
                   F3
                      03
                          A9
                             93
                                D3
                                      ØC91:9Ø 81
                                                             FØ
                                                                FF
                                                                   FØ
                                                  60
                                                      6F
                                                         FF
                                                                       ØA
                                                                            ØEC1:32 A9
                                                                                        94
                                                                                            85
                                                                                               33
                                                                                                      71
                                                                                                   4C
                                                                                                          86
                                                                                                             80
ØA69:20
        D2
            FF
               A9
                   91
                      A2
                          as
                             AØ
                                 20
                                      ØC99:FF FF
                                                  98
                                                     FF
                                                         F1
                                                             A6
                                                                90
                                                                    88
                                                                       98
                                                                            ØEC9: A9 CØ 85 3Ø A9
                                                                                                  93
                                                                                                      85
                                                                                                             76
                                                                                                         31
ØA71:00
        20
            BA
               FF
                   A9
                      24
                          8D
                             35
                                 13
                                      ØCA1:9B
                                               FF
                                                  88
                                                      81
                                                         FF
                                                             EB
                                                                FF
                                                                    27
                                                                       87
                                                                            ØED1:A9
                                                                                     2E 85
                                                                                           32 A9
                                                                                                  94
                                                                                                      85
                                                                                                         33 FF
ØA79: Ø3 A9 Ø1 A2
                   35
                             20
                      AØ
                          03
                                16
                                      ØCA9:FF C1
                                                  91
                                                      92
                                                         FF
                                                             ØF
                                                                   22
                                                                                     71
                                                                10
                                                                       aR
                                                                            ØED9:4C
                                                                                         86
                                                                                           A9
                                                                                               CB
                                                                                                  85
                                                                                                      30
                                                                                                          A9
                                                                                                             62
ØA81:BD FF
            20 C0
                   FF
                          01
                             20
                      A2
                                31
                                      ØCB1:57 FØ FF
                                                      7F FF FF
                                                                22
                                                                   2D
                                                                       1B
                                                                            ØEE1:93
                                                                                    85
                                                                                        31 A9
                                                                                               34 85
                                                                                                      32 A9
                                                                                                             AF
ØA89:C6 FF 20 60 82 20
                         52
                             82 C6
                                                                            ØEE9:94 85 33 4C 71 86 A9 D4 AA
                                      ØCB9: 03 FF 77 CA FF 22 2E A2 76
```

```
19E1:91 8E 86 FF A2 A2 A2 A2 D8
                                     17B1:00 99 4C 03 C8 C0 2A D0 6E
1581:00 99 E3 02 C8 C0 09 D0 DA
                                                                                               FF FF
                                                                                                          32
        A9
                              E3
                                 42
                                              60
                                                  20
                                                     39
                                                         8F
                                                             20
                                                                60
                                                                   SF
                                                                       60
                                                                            19E9:A3
                                                                                     FF
                                                                                         FF
                                                                                            73
                                                                                                      3A
1589:F8
            00
                8D
                   FØ
                       02
                          AD
                                      17B9:F6
                                                                   13
                                                                       74
                                                                            19F1:FF FF A2 AB FF FF FF
                                                                                                          FF
                                                                                                              33
                          20
                              29
                                 32
                                              99
                                                  90
                                                      4C
                                                             8F
                                                                A9
                   FØ
                      06
                                      17C1:20
                02
1591:02
        CD
            C6
                                                                20
                                                                    6C
                                                                       CD
                                                                            19F9:FF
                                                                                     FF
                                                                                         26
                                                                                            FF
                                                                                                22
                                                                                                   FF
                                                                                                       FF
                                                                                                          FF
                                                                                                              02
                                                         85
                                                             D3
                                                     99
1599:8E
         4C
            25
                8D
                   AD
                      E4
                          Ø2 CD
                                 6E
                                      17C9:85 D6 A9
                                                                                                   ØF
                                                                                                      71
                                                                                                          73
                                                                                               FF
                                                                                            FF
         92
            FØ
                96
                   20
                       29
                          8E
                              4C
                                 BD
                                      17D1:E5
                                               20
                                                  FA
                                                     86
                                                         A9
                                                             13
                                                                85
                                                                   D6
                                                                       3E
                                                                            1AØ1:FF
                                                                                     FF
                                                                                         22
15A1:C7
                                                                   A9
                                                                                                              CB
                      E9
                          02
                              4C
                                 73
                                      17D9:A9
                                               aa
                                                  85 D3
                                                         4C
                                                             6C
                                                                E5
                                                                       54
                                                                            1A09:FF
                                                                                     FF B2 FF AF FF A3
                                                                                                          73
                   80
15A9:25
         8D
            A 9
                al
                                                         00
                                                             85
                                                                    20
                                                                       4E
                                                                            1All:FF
                                                                                     FF
                                                                                         B3
                                                                                            C4
                                                                                                F8
                                                                                                   FF
                                                                                                       FF
                                                                                                          40
                                                                                                              10
                                                     A9
                                                                D3
               FØ
                   92
                      C9
                          al
                             FO CC
                                      17E1:13 85
                                                  D6
15B1:3D
         8D
            AD
                                                                            1A19:FØ
                                                                                        FF
                                                                                            44 FØ
                                                                                                   4E
                                                                                                      91
                                                                                                          17
                                                                                                              27
                                                                                     88
         18
            AD
                E3
                   02
                       69
                          01
                              8D
                                 AB
                                      17E9:6C
                                               E5
                                                  4C
                                                      FA
                                                         86
                                                             20
                                                                E 4
                                                                    FF
                                                                       7 F
15B9:11
                                                                   A9
                                                                                                       FF
                                                                                                          08
                                                                                                              6A
                       69
                          ØØ
                              8D
                                      17F1:AØ ØØ
                                                  A9
                                                      3E
                                                         20
                                                             D2
                                                                FF
                                                                       7F
                                                                            1A21:0D
                                                                                     Ø8 FF FF
                                                                                                95
                                                                                                   17
                   02
                                A5
15C1:E3
         02
            AD
               E4
                                                                                                   Ø8
                                                                                                       FF
                                                                                                          DF
                                                                                                              6F
                                                  D2 FF
                                                         A9
                                                             aa
                                                                8D
                                                                    34
                                                                       74
                                                                            1A29:FF
                                                                                     FF
                                                                                         05
                                                                                            17
                                                                                                FF
15C9:E4
         Ø2 A9
               00
                   8D FØ
                          g2 AD
                                FD
                                      17F9:9A
                                               20
                                                                FØ
                                                                    F9
                                                                       81
                                                                            1A31:05
                                                                                     17
                                                                                         18
                                                                                            08 FF
                                                                                                   FF
                                                                                                       ac
                                                                                                          97
                          06
                              20
                                 B5
                                      1801:03
                                               20
                                                  E4
                                                     FF
                                                         C9
                                                             aa
15D1:E5
         02
            CD
                C8
                   02
                       FØ
                                                  FØ 40 C9
                                                                                     FF 17
                                                                                                          95
                                                             7B
                                                                BØ F1 D4
                                                                            1A39:91
                                                                                            1C
                                                                                                Ø8 FF
                                                                                                       FF
                                                                                                              20
                              02
                                 3D
                                      1809:C9
                                               14
                   8D
                      AD
                          E6
15D9:65
         8E
            4C
                66
                                                         C9
                                                                FØ
                                                                    E9
                                                                       CD
                                                                                                       17
                                                                                                              47
                                      1811:C9
                                               11
                                                  FØ
                                                      ED
                                                             13
                                                                            1A41:17
                                                                                      8F
                                                                                         08
                                                                                            FF
                                                                                                FF
                                                                                                   05
                                                                                                          1F
15E1:CD C9
            92
               FØ
                   96
                       20
                          65
                             8E
                                 BE
                                                         C9
                                                                FØ El
                                                                       80
                                                                                               17
                                                                                                   19
                                                                                                       98
                                                                                                          FF
                                                             22
                                                                                            05
                                                                                                              FA
                   Øl
                              02
                                 36
                                      1819:C9
                                              1D
                                                  FØ
                                                      E5
                                                                            1A49:08
                                                                                     FF
                                                                                         DF
15E9:4C
         66
            8D
                A9
                       8D
                          EA
                   FØ
                                 92
                                      1821:C9 2C FØ DD
                                                         C9
                                                             ØD
                                                                FØ
                                                                    10
                                                                       B1
                                                                                     ØC 97
                                                                                            91
                                                                                                FF
                                                                                                   17
                                                                                                       ØF
                                                                                                          08
                                                                                                              17
                       92
                          C9
                              01
                                                                            1A51:FF
15F1:4C
            8D
               AD
         7E
                              Øl
                                 C9
                                      1829:AC
                                                   03
                                                      CØ
                                                          14
                                                             FØ
                                                                 D2
                                                                    20
                                                                       53
                                                                            1A59:FF
                                                                                     FF
                                                                                         05
                                                                                            17
                                                                                                C8
                                                                                                   98
                                                                                                       FF
                                                                                                          FF
                                                                                                              06
                       92
                          69
                                               34
15F9:FØ 11
            18
               AD E5
                                                                                                          17
                                                                    8F
                                                                       50
                                                                                        CC
                                                                                                      95
                                                                                                              98
                       Ø2
                          69
                              00
                                 9A
                                      1831:D2 FF
                                                   20
                                                      B5
                                                          SF
                                                             4C
                                                                74
                                                                            1A61:05
                                                                                     17
                                                                                            as FF
                                                                                                   DF
1601:8D E5
            02
                AD
                   E6
                                                   Ø3 CØ
                                                          00
                                                            FØ
                                                                C2
                                                                    4C
                                                                       CE
                                                                                                   81 FF
                                                                                                              E.9
               A9
                   00
                       8D FØ Ø2 AA
                                      1839:AC 34
                                                                            1A69:48
                                                                                     08
                                                                                        FF
                                                                                            FF
                                                                                                04
                                                                                                          FF
            02
1609:8D E6
                                                  AC
                                                      34
                                                          03
                                                             99
                                                                 35
                                                                    93
                                                                       9F
                                                                            1A71:FF
                                                                                     16
                                                                                         F1
                                                                                            18
                                                                                                FF
                                                                                                   16
                                                                                                       E9
                                                                                                          04
                                                                                                              18
            02 CD CA
                                      1841:D2 FF
                       Ø2 FØ Ø6
                                 71
1611:AD E7
                                                                                                          04
                                                                    CØ
                                                                                                75
                                                                                                   16
                                                                                                              6D
                                      1849:EE
                                               34
                                                   Ø3
                                                      60
                                                          AC
                                                             34
                                                                 Ø3
                                                                       61
                                                                            1A79:B6
                                                                                     FD
                                                                                         08
                                                                                            FF
                                                                                                       ED
            8E
                4C
                   A7
                       80
                          AD
                              E8
                                 ØC
1619:20 Al
                                                                                                              98
                                      1851:01 BØ
                                                   93
                                                      4C
                                                          74
                                                             8F
                                                                 20 D2
                                                                       48
                                                                            1A81:B6
                                                                                     69
                                                                                         08 FF FF
                                                                                                   FF
                                                                                                       16
                                                                                                          FF
1621:02 CD
            CB
                92
                   FØ
                       96
                          20
                             A1 DC
                                                                    8D
                                                                       DF
                                                                                            08
                                                                                                FF
                                                                                                    77
                                                                                                       16
                                                                                                          FF
                                                                                                              B7
1629:8E
                8D A9
                       Øl
                          8D EB D5
                                      1859:FF
                                               38 AD
                                                      34
                                                          93
                                                             E 9
                                                                 91
                                                                            1A89:04
                                                                                     B6 FD
        4C
            A7
                                                                                                    7R
                                                                                                       88
                                                                                                          81
                                                                                                              A 3
         4C
                8D
                   AD
                       FØ
                          02
                              C9
                                 41
                                      1861:34
                                               Ø3
                                                   4C
                                                      74
                                                          8F
                                                             4C
                                                                 20
                                                                    93
                                                                       BE
                                                                            1A91:04
                                                                                     B6
                                                                                         69
                                                                                            08
                                                                                               FF
1631:02
            BF
                                                                            1A99:FF
                                                                                                          FF
                             69
                                 40
                                      1869:AD
                                                  03
                                                      C9
                                                          91
                                                             FØ
                                                                 09
                                                                    C9
                                                                       B4
                                                                                     FF
                                                                                         Ø5 FF
                                                                                                EF
                                                                                                   ac
                                                                                                       FF
                                                                                                              1E
                          02
                                               7E
                      E7
1639:01
         FØ
            11
                18
                   AD
                                                                    60
                                                                       D8
                                                                            lAA1:FF
                                                                                      Ø5 FØ
                                                                                            F9
                                                                                                9F
                                                                                                    55
                                                                                                       FF
                                                                                                          91
                             69
                                                             FØ
                                                                 4F
1641:01
         8D E7
                Ø2 AD E8 Ø2
                                EC
                                      1871:02 FØ
                                                  14
                                                      C9
                                                          03
                                                                                                          FF
                                                                                                   94
                                                                                                       81
                                                                                                              02
1649:00
         8D
            E8
                02
                   AD
                       E9
                          02
                              C9
                                 F8
                                      1879:A9
                                               00
                                                   8D
                                                      F6
                                                          02
                                                             AD
                                                                 7F
                                                                    03
                                                                        68
                                                                            1AA9:1F
                                                                                     FF
                                                                                         ØC
                                                                                            FF
                                                                                                FF
                          C9
                             ØD
                                                             02
                                                                 60
                                                                    AD
                                                                        4D
                                                                            labl: FF FF 16 FØ
                                                                                               68
                                                                                                   FF
                                                                                                       16
                                                                                                          E9
                                                                                                              11
                                      1881:38 E9
                                                   30
                                                      8D
                                                         F5
                       8D
                                 EB
1651:01
         Fa
            ØA
                20
                   F2
                                                                                            08
                                                                                                FF
                                                                                                   Cl
                                                                                                          ED
                                                                                                              FE
                                                                A9
                                                                    00
                                                                       57
                                                                            1AB9:04 B6 FD
                                                                                                       16
1659:FØ
               FC 8C AD EA
                             02
                                 16
                                      1889:7F Ø3
                                                  38
                                                      E9
                                                         30
                                                             A8
        2F
            4C
                                                                CØ
                                                                                                              9C
                                                                    00
                                                                        98
                                                                            1AC1:04
                                                                                     B6
                                                                                         69
                                                                                            08
                                                                                               FF
                                                                                                   CC
                                                                                                       FF
                                                                                                          16
1661:C9
         01
            FØ
                ØA
                   20
                       F2
                          8D
                              C9
                                 23
                                      1891:8D
                                               F6
                                                   02
                                                      8D
                                                          F5
                                                             02
                                                                                                              8E
                             EB
                                 48
                                      1899:FØ
                                               16
                                                  18
                                                      AD
                                                         F5
                                                             92
                                                                 69
                                                                    ØA
                                                                       3A
                                                                            1AC9:FF
                                                                                      04 B6 FD
                                                                                                08
                                                                                                   FF
                                                                                                       41
                                                                                                          16
1669: ØD FØ
            1E
                4C
                   30
                       8D
                          AD
                                                                 69
                                                                    aa
                                                                       C3
                                                                            lAD1:FF
                                                                                      04 B6
                                                                                            69
                                                                                                08
                                                                                                   FF
                                                                                                       45
                                                                                                          80
                                                                                                              BF
               FØ
                       20 F2 8D D4
                                      18A1:8D F5
                                                  02
                                                      AD
                                                         F6
                                                             92
1671:02 C9
            Ø1
                   14
                                                                                                              77
                                                             00
                                                                 DØ
                                                                    EA
                                                                       B9
                                                                            1AD9:00
                                                                                     B9
                                                                                         89
                                                                                            93
                                                                                               99
                                                                                                   7F
                                                                                                       93
                                                                                                          C8
1679:C9
         ØD
            FØ
                ØD
                   4C
                       7E
                          8D
                              A5
                                 D9
                                      18A9:8D
                                               F6
                                                   02
                                                      88
                                                          CØ
                             ØD
                                                         E.9
                                                             30
                                                                18
                                                                    6D
                                                                        6A
                                                                            1AE1:CC
                                                                                     88
                                                                                         Ø3 DØ F4 AD 88
                                                                                                          03
                                                                                                              7E
                          A9
                                86
1681:CB C9
            3C
               FØ
                   01
                       60
                                      18B1:AD 80
                                                   03
                                                      38
                                                                                                   8F
                                                                                                       C9
                                                                                                          an
                                                                                                              8C
                                                                    02
                                                                       2D
                                                                            1AE9:8D
                                                                                         03
                                                                                            20
                                                                                               D8
1689:60 AD DA
               02 8D B3 02 AD B9
                                      18B9:F5 Ø2 8D
                                                      F5
                                                          92
                                                             AD
                                                                F6
                                                                                     7E
                                                          02
                                                             60
                                                                AD
                                                                    7F
                                                                       34
                                                                            1AF1:FØ
                                                                                     4F
                                                                                         18
                                                                                            AD
                                                                                                7A
                                                                                                    03
                                                                                                       6D
                                                                                                          F5
                                                                                                              01
1691:DB Ø2
            80
                B4
                   02
                       AD
                          DC
                              02
                                 AB
                                      18C1:69
                                               aa
                                                   8D
                                                      F6
                                      1809:03
                                                         A8
                                                             A9
                                                                 aa
                                                                    8D
                                                                       43
                                                                            1AF9:02 85
                                                                                         34 AD
                                                                                                7B
                                                                                                   93
                                                                                                       6D
                                                                                                          F6
                                                                                                              AB
1699:8D B5
               AD DF
                       Ø2 8D
                             B6
                                               38 E9
                                                      30
            92
                                ED
                                                                            1BØ1:02 85
                                                                 aa
                                                                                            18
                                                                                                   7C
                                                                                                       93
                                                                                                           6D
                                                                                                              94
16A1:02
            EØ
               02
                   8D C2
                          Ø2 AD 9F
                                      18D1:F5
                                               Ø2 8D F6
                                                          92
                                                             Ca
                                                                    FØ
                                                                       A2
                                                                                         35
                                                                                               AD
        AD
16A9:E1
         02
            8D
                CC
                   02
                       AD
                          E2
                              02
                                 54
                                      18D9:16
                                               18
                                                  AD
                                                      F5
                                                          02
                                                             69
                                                                 64
                                                                    8D
                                                                       3C
                                                                            1BØ9:F5 Ø2
                                                                                         85
                                                                                            36
                                                                                                AD
                                                                                                   7D
                                                                                                       03
                                                                                                           6D
                                                                                                              A5
                             A7
                                 D7
                                                          02
                                                             69
                                                                 00
                                                                    8D
                                                                       F5
                                                                            1B11:F6 Ø2
                                                                                         85
                                                                                            37
                                                                                               18
                                                                                                   AD
                                                                                                       7A
                                                                                                          93
                                                                                                              D6
            02
                4C
                   36
                       81 AD
                                               02
                                                      F6
16B1:8D
         CD
                                      18E1:F5
                                                   AD
                                                                            1B19:69 E7
                                                                                                          93
                                                                                                              20
16B9:02 8D B3 02 AD A8 02 8D 82
                                      18E9:F6
                                               02
                                                  88 CØ
                                                          ØØ
                                                            DØ
                                                                EA
                                                                    AD
                                                                       F9
                                                                                         8D
                                                                                            7A
                                                                                               03
                                                                                                   AD
                                                                                                       7B
                              02
                                 CC
                                                                    00
                                                                                         8D
                                                                                                Ø3
                                                                                                          30
                                                                                                              2A
16C1:B4
         02
            AD
                A9
                   02
                       8D
                          B5
                                      18F1:80
                                               03
                                                   38
                                                      E9
                                                          30
                                                             A8
                                                                 CØ
                                                                        6E
                                                                            1B21:69
                                                                                      Ø3
                                                                                             7B
                                                                                                    18
                                                                                                       A5
                       Ø2 A9
                             Ø1 A2
                                                                 69
                                                                    ØA
                                                                            1B29:69 Ø1 85
                                                                                                       69
                                                                                                          00
                                                                                                              CC
16C9: AD AA
            92
               8D B6
                                      18F9:FØ
                                               16
                                                  18
                                                      AD
                                                         F5
                                                             02
                                                                       9A
                                                                                            30
                                                                                               A 5
                                                                                                   31
                                 9F
16D1:8D C2
            92
               AD E3
                       Ø2 8D CC
                                      1901:8D F5
                                                   02
                                                      AD
                                                         F6
                                                             02
                                                                 69
                                                                    aa
                                                                       25
                                                                            1B31:85 31 A5 FC C5
                                                                                                   31 BØ Ø3
                                                                                                              52
                   8D
                       CD
                          92
                             AD
                                84
                                                                                         92
                                                                                                   C5
                                                                                                              83
16D9:02
         AD
            E 4
                02
                                      1909:8D
                                               F6
                                                   02
                                                      88
                                                          CØ
                                                             00
                                                                 DØ
                                                                    EA
                                                                        18
                                                                            1B39:4C
                                                                                      BB
                                                                                            A5
                                                                                                FC
                                                                                                       31
                                                                                                          FØ
         Ø2 C9
                Ø1 DØ
                       47
                          A9
                             Ø1 AF
                                      1911:AD 81
                                                                                                   30 BØ F9
16E1:BF
                                                   03
                                                      38
                                                         E9
                                                             30
                                                                18
                                                                    6D
                                                                        ØC
                                                                            1B41:01
                                                                                      60 A5 FB C5
                                                                                                              CE
                       85
                          20
                              69
                                 29
16E9:8D F1 02 20 B9
                                      1919:F5 Ø2 8D
                                                      F5
                                                         02
                                                             A9
                                                                00
                                                                    6D
                                                                       FB
                                                                            1B49:AØ ØØ B1 FB 91
                                                                                                   34 B1 FD
                                                                                                              84
16F1:8B
         60
            AD
                AB
                   02
                       8D
                          B3
                             Ø2
                                 1C
                                      1921:F6
                                               02
                                                   8D
                                                      F6
                                                          02
                                                             60
                                                                 AD
                                                                    34
                                                                        91
                                                                            1B51:91
                                                                                      36
                                                                                         18
                                                                                            A5
                                                                                                FB
                                                                                                    69
                                                                                                       01
                                                                                                           85
                                                                                                              48
               8D B4
                       Ø2 AD
                             AD F7
                                                             C9
                                                                       70
16F9:AD AC
            02
                                                      90
                                                                13
                                                                    BØ
                                      1929:03 C9
                                                   ØC
                                                         13
                                                                            1B59:FB A5 FC
                                                                                            69
                                                                                               99 85 FC
                                                                                                          18
                                                                                                              55
                          Ø2 8D 24
                                                      Ø3
                                                                                                              95
1701:02 8D
            B5
                Ø2 AD AE
                                      1931: ØF AD
                                                  36
                                                          C9
                                                             31
                                                                 FØ
                                                                    9
                                                                       4B
                                                                            1B61:A5 FD
                                                                                         69 Ø1 85 FD A5
                                                                                                          FE
                                 91
                                                                                                   A5
1709:B6
         02
            A9
                02
                   8D
                       C2
                          02
                              AD
                                      1939:C9
                                               32
                                                   FØ
                                                      20
                                                          C9
                                                             33
                                                                FØ
                                                                    37
                                                                        31
                                                                            1B69:69
                                                                                      aa
                                                                                         85
                                                                                            FE
                                                                                                18
                                                                                                       34
                                                                                                           69
                                                                                                              1E
               CC
                   Ø2 AD
                          E6
                             Ø2 C7
                                      1941:60
                                                             76
                                                                 93
                                                                            1B71:01
1711:E5 02
            8D
                                               AD
                                                   A7
                                                      02
                                                          8D
                                                                    AD
                                                                       1E
                                                                                      85
                                                                                         34
                                                                                            A5
                                                                                                35
                                                                                                    69
                                                                                                       aa
                                                                                                           85
                                                                                                              3F
1719:8D CD
            02
               AD CØ Ø2 C9
                             01
                                3F
                                      1949:A8 Ø2
                                                  8D
                                                      77
                                                          Ø3
                                                                A9
                                                                    02
                                                                       9D
                                                                            1B79:35 18 A5
                                                                                            36
                                                                                                69
                                                            AD
                                                                                                   01
                                                                                                       85
                                                                                                          36
                                                                                                              F8
1721:DØ
         ØB
            A9
                01
                   8D
                       Fl
                          02
                              20
                                 18
                                      1951:8D
                                               78
                                                   03
                                                      AD
                                                             02
                                                                 8D
                                                                    79
                                                                       95
                                                                            1B81:A5
                                                                                     37
                                                                                         69
                                                                                             00
                                                                                                85
                                                                                                    37
                                                                                                       A5
                                                                                                          FC
                                                                                                              D6
                                                         AA
            20
                69
                   8B 60
                             AF
                                 19
1729:B9
         85
                          AD
                                      1959:03
                                                  02
                                                      91
                                                                 02
                                                                    8D
                                                                       27
                                               4C
                                                          AD
                                                             AB
                                                                            1B89:C5
                                                                                     31
                                                                                         FØ
                                                                                            ØA A5
                                                                                                   34
                                                                                                       CD
                                                                                                          7A
                                                                                                              CI
1731:02 8D B3
               92
                   AD BØ Ø2
                             8D 1C
                                      1961:76 Ø3 AD
                                                      AC
                                                          02
                                                             8D
                                                                77
                                                                    Ø3
                                                                       48
                                                                            1B91:03 FØ
                                                                                         ØC 4C BD 92 A5
                                                                                                          FB
                                                                                                              4B
                   02
                       8D
                          B5
                              02
                                 C6
1739:B4
         02
            AD
                Bl
                                      1969:AD AD
                                                   02
                                                      8D
                                                          78
                                                             Ø3
                                                                 AD
                                                                    AE
                                                                       DØ
                                                                            1B99:C5
                                                                                     30
                                                                                         FØ
                                                                                             ØD
                                                                                                4C
                                                                                                   FF
                                                                                                       92
                                                                                                          A5
                                                                                                              DA
               8D
                   B6
                       02
                          A9
                             Ø3
                                 20
1741:AD B2
            02
                                      1971:02 8D
                                                   79
                                                             92
                                                                 91
                                                                            1BA1:35 CD
                                                                                         7R
                                                                                            93
                                                                                               Fa
                                                                                                   93
                                                      03
                                                          4C
                                                                    AD
                                                                       A2
                                                                                                       4C
                                                                                                          96
                                                                                                              B7
                       02
                          8D CC
                                 39
                                                         03
                                                                BØ
                                                                                                   AØ ØØ
1749:8D C2 Ø2
               AD E7
                                      1979:AF Ø2 8D
                                                      76
                                                            AD
                                                                    92
                                                                       4F
                                                                            1BA9:93 60 A9 0D 60
                                                                                                          B9
                                                                                                              07
1751:02
         AD
            E8
                02
                   8D
                      CD
                          02
                             AD
                                 7E
                                      1981:8D
                                               77
                                                   Ø3
                                                      AD
                                                         Bl
                                                             92
                                                                 8D
                                                                    78
                                                                       BC
                                                                            1BB1:7F
                                                                                      Ø3 C9
                                                                                            30
                                                                                                90
                                                                                                   F4
                                                                                                       C9
                                                                                                          3A
                                                                                                              CA
1759:C1 Ø2 C9
                Ø1 DØ
                      CF
                          A9
                             a1
                                 4C
                                                             79
                                                                            1BB9:BØ FØ C8
                                      1989:03 AD B2
                                                      02
                                                          8D
                                                                 93
                                                                    AD
                                                                       25
                                                                                            CC
                                                                                                7E
                                                                                                   93
                                                                                                      DØ
                                                                                                          EF
                                                                                                              FB
                   B9
                       85
                          20
                             69
                                A2
1761:8D F1
            92
                20
                                      1991:35 Ø3 C9
                                                                       81
                                                                            1BC1:4C DB 8F Ø8
                                                      56
                                                         DØ
                                                             AA
                                                                 AD
                                                                    37
                                                                                               10
                                                                                                   18
                                                                                                       20
                                                                                                          30
                00
                   A9
                       00
                          85
                             FB
                                 DD
1769:8B
         60
            AØ
                                      1999: Ø3 C9
                                                      DØ
                                                             AØ
                                                                 99
                                                                    B9
                                                                       6D
                                                                            1BC9:40
                                                                                      61
                                                                                         80
                                                                                             04
                                                                                                80
                                                                                                    40
                                                                                                       20
                                                  3A
                                                         A3
                                                                                                          10
                                                                                                              1E
                   A9
1771:A9
            85
               FC
                      EA
                          85
                             FD
                                 FE
         20
                                                  C9
                                                                    CC
                                      19A1:35
                                               93
                                                      3A
                                                         FØ
                                                             09
                                                                C8
                                                                       16
                                                                            1BD1:08 00
                                                                                         00
                                                                                            00
                                                                                                aa
                                                                                                   aa
                                                                                                       aa
                                                                                                          00
                                                                                                              ØC
                       FD
                          91 FB
                                 27
                                                                91
1779:A9 95
            85
               FE
                   B1
                                      19A9:34
                                               Ø3 FØ
                                                      94
                                                             12
                                                                    C8 B4
                                                                            1BD9:00 00
                                                          4C
                                                                                         00
                                                                                             00
                                                                                                80
                                                                                                   CØ EØ
                                                                                                          FØ
                                                                                                              C9
                   Øl
                       85
                              A5
                                 F6
1781:18
         A5
            FB
                69
                          FB
                                      19B1:A2
                                               aa
                                                  B9
                                                      35
                                                          93
                                                             C9
                                                                 20
                                                                    FO
                                                                       4A
                                                                            1BE1:F8 FC
                                                                                         FE
                                                                                            FF
                                                                                                ØF
                                                                                                    ØD
                                                                                                       ØB
                                                                                                          99
                                                                                                              7F
1789:FC
         69
                          A5
            aa
                85
                   FC
                      18
                             FD
                                 7A
                                                                CC
                                      19B9: ØE
                                              90
                                                  7F
                                                      93
                                                         E.S
                                                             C8
                                                                    34
                                                                       R2
                                                                            1BE9:07 05
                                                                                         03
                                                                                            01
                                                                                                46
                                                                                                   4A
                                                                                                       4E
                                                                                                          52
                                                                                                              9F
                          69
1791:69
         al
            85
               FD A5
                      FE
                              aa
                                41
                                      19C1:03 F0 03
                                                      4C
                                                         25
                                                             91
                                                                 60
                                                                    8E
                                                                       95
                                                                            1BF1:56
                                                                                     5A
                                                                                         5E
                                                                                            62
                                                                                                66
                                                                                                   6A 6E
                                                                                                          72
                                                                                                              98
                              03
1799:85
         FE
            A5
                FB
                   C9
                       00
                          FØ
                                 F1
                                      19C9:7E
                                               03
                                                  C8
                                                          00
                                                             B9
                                                                35
                                                                    03
                                                                       93
                                                                            1BF9:76
                                                      A2
                                                                                     7A
                                                                                         7E
                                                                                            82
                                                                                               86
                                                                                                   8A 8E
                                                                                                          92
                                                                                                             10
17A1:4C EF 8E A5 FC C9
                          24 FØ
                                 66
                                              54 FØ
                                      19D1:C9
                                                      ØD
                                                         9D
                                                            84
                                                                03
                                                                   E8 DA
                                                                            1CØ1:96 9A 9E
                                                                                            11 1E
                                                                                                   20
                                                                                                       20
                                                                                                          20
                                                                                                              E1
17A9:03 4C EF 8E 60 A0 00 A9 82
                                      19D9:C8 CC 34 Ø3 FØ E8
                                                                4C 4Ø 5E
                                                                            1009:20 20 20 20 20
                                                                                                   20 20
                                                                                                          20
                                                                                                              41
```

1C11:20 54 48 45 20 53 4F 4E 07 1E41:D9 Ø2 D6 Ø2 12 D4 4C Ø3 65 49 01 D4 00 D4 D7 Ø2 69 1C19:47 20 4D 41 43 48 4E D6 1E49:61 Ø3 96 56 4F 49 43 45 20 63 1E51:D4 02 04 D4 53 03 68 03 CØ 1C21:45 1C29:48 41 50 53 49 43 48 B3 1E59:08 D4 07 D4 D8 Ø2 D5 02 79 1C31:4F 52 44 2A 20 46 4C 55 D8 1E61:0B D4 37 55 73 91 AF CD A3 20 49 80 36 98 3A 80 42 1C39:54 45 2A 50 41 4E AC 1E69:EB ØA BØ 38 1C41:4F 20 58 59 4C 4F 50 20 50 46 4A aa DB 2A 1E71:3E 68 42 aa aa 1C49:48 4E 45 2A 20 41 43 2F 1E79:00 00 99 00 aa aa B5 4F ØØ 80 1C51:43 4F 52 44 49 41 4E 2A A 3 1E81:00 00 ØØ 00 00 BØ 00 aa BØ aa 00 80 aa 12 1C59:20 55 50 1E89:80 aa 54 52 4D 45 54 EØ 1C61:2A 20 53 54 45 45 4C 20 5E 1E91:00 80 aa aa Ra aa 1E 80 AE 55 1C69:47 49 54 41 52 2A 20 DØ 1E99:00 3F 80 00 3F 80 aa 1E CF 1EA1:00 00 00 00 00 aa DD 1C71:4F 4E 45 9A 20 54 57 4F 87 99 00 1C79:9A 1EA9:00 00 aa aa ØØ 99 aa aa E5 20 54 48 52 45 45 9A E2 1C 20 1EB1:00 00 00 00 00 00 ØØ ØØ ED 1C81:1C 20 4F 4E 4F 46 E4 ØØ aa aa F5 aa aa aa 1C89:46 70 6B 6B 6B 6D 20 70 E6 1EB9:00 aa 1C91:6B 6B 6B 6D 20 20 6E 73 70 1EC1:00 00 00 aa aa BØ aa aa CO 1099:73 1EC9:80 aa aa 80 00 ØØ 80 ØØ 4F 20 73 7D 6E 73 73 73 B5 80 aa 80 00 1E EE 1CA1:7D 20 00 41 09 00 D9 1ED1:00 80 aa 20 El 00 00 1ED9:00 3F 80 00 3F 80 00 1E 10 1CA9:40 00 00 11 60 10 36 00 1EE1:00 aa aa aa aa aa 00 1E 1CB1:00 21 9 aa 20 aa 99 11 65 00 ØØ 26 1CB9:00 10 00 00 00 1EE9:00 aa aa aa aa aa FØ 11 66 41 1CC1:10 00 00 60 00 1EF1:00 aa aa aa aa aa aa aa 2 E 21 20 E1 39 1EF9:00 ØØ ØØ 00 00 ØØ 00 00 36 1009:00 51 5A 09 50 32 2C 2A FF ØØ ØØ 92 00 00 BØ 1FØ1:00 00 aa 1CD1:25 21 1F 1C 19 16 15 12 E 7 1FØ9:80 ØØ 00 80 00 00 80 00 90 1CD9:10 ØF ØF. ac aB GA 9 98 FA 1F11:00 80 aa aa 80 aa 1E 80 30 1CE1:07 07 06 05 3C Cl 3E A2 78 aa 1E 51 1F19:00 3F 80 aa 3F 80 1CE9:87 30 1E 60 1F D1 C3 1E A5 aa 99 00 aa aa aa aa 77 1F21:30 E 9 1CF1:D2 18 8F 30 8F 68 61 59 1F29:00 aa 00 00 00 ØØ 00 00 67 35 1CF9: ØC 98 27 23 04 47 2F 2A aa aa 00 00 00 6F 1F31:00 aa aa 1DØ1:1F 17 15 13 11 ØF EC 1D 1A 1F39:00 00 aa ØØ 00 00 aa 77 aa 1DØ9:0E ØA 9 as 97 97 an an aR 00 81 1F41:00 00 aa aa aa 80 00 1D11:06 05 39 6B 3E DF 86 A5 91 ØØ DØ aa 80 aa aa 80 1D19:DF 9C **B**5 1F EF C3 D2 EF 37 1F49:80 99 1F51:00 80 00 00 80 aa 1E 80 70 77 1D21:4E DA 8F F7 E.1 E.9 A 7 F7 80 aa 3F 80 00 1E 91 1F59:00 3F 1D29:ED 2F 2C 27 23 21 1A 10 aa 9F 1F61:00 aa aa aa aa aa aa 1D31:17 16 13 11 10 ØE ØD ØB CD 00 A7 1F69:00 00 aa 00 00 00 00 1D39:0B 09 08 98 07 06 05 05 1C aa aa aa 00 00 00 AF 1F71:00 00 1D41:6B C1 DF 86 87 DF 9C **B5** BØ 1F79:00 00 00 00 ØØ aa aa ØØ B7 1D49:60 EF 4E 30 63 C3 C3 EF DA Cl 1F81:00 00 00 ØØ ØØ 80 ØØ ØØ 1D51:F7 E1 61 77 A7 ED 98 06 CF 00 80 aa 80 ØØ 11 06 05 1F89:80 aa 00 1D59:05 04 03 02 01 00 BØ 1F91:00 80 aa aa 80 aa 1E 80 BØ 1D61:04 03 02 01 ØØ 06 05 04 D4 3F 1F99:00 80 aa 3F BØ 00 1E 92 1D69:03 02 01 99 06 05 4C 4F Fl 99 00 00 00 F7 aa aa 1FA1:30 aa 1D71:41 44 20 3F 53 41 56 45 E6 1FA9:00 ØØ 00 00 ØØ aa aa ØØ E 7 50 59 49 CA 1D79:20 3F 43 4F 52 1FB1:00 99 00 ØØ ØØ 00 ØØ ØØ EF 1D81:47 48 54 20 31 39 39 31 10 aa 00 00 aa F7 aa aa 1D89:20 43 4F 4D 50 55 54 45 29 1FB9:00 aa 99 1FC1:00 aa 00 80 aa aa 02 aa 1D91:0D 50 55 42 4C 49 43 41 84 1FC9:80 aa aa 80 ØØ 00 80 ØØ 51 1D99:54 49 4F 4E 53 20 49 4E 18 00 1E 80 FØ 1FD1:00 80 aa aa 80 1DA1:54 20 4C 54 ØD Fa 4C 44 41 1FD9:00 21 00 21 80 aa 1E 99 80 1DA9:4C 4C 20 52 49 47 48 54 92 1FE1:00 00 00 00 00 00 ØØ 00 20 1DB1:53 20 52 45 53 45 52 56 E6 00 ØØ aa 28 aa aa 1DB9:45 44 ØØ ØØ ØØ 00 3C 66 86 1FE9:00 00 aa 1FF1:00 00 00 00 aa aa 00 00 30 1DC1:60 6E 66 66 3C aa 7E 60 3A 1FF9:00 00 00 00 aa aa aa gg 38 1DC9:60 78 60 60 7E aa 3C 66 37 aa 2001:00 00 aa 00 aa 80 aa 43 1DD1:60 60 60 66 3C aa 18 3C 15 80 00 92 2009:80 aa aa 80 ØØ 00 1DD9:66 7E 66 66 66 aa 7E 60 AA aa 80 32 2011:00 80 aa aa 80 1E 1DE1:60 78 60 60 60 00 78 6C DC 2019:00 21 80 aa 21 Ba aa 1E 98 6C 78 00 7C 66 A7 1DE9:66 66 66 2021:30 00 00 ØØ aa aa 99 00 79 1DF1:66 7C 66 66 7C 99 3C 66 74 aa aa aa 99 69 00 2029:00 00 00 1DF9:60 6E 69 60 60 aa 99 00 15 71 2031:00 00 99 aa aa aa aa aa 1E01:00 aa 20 96 02 97 95 DC 94 00 2039:00 aa aa 00 ØØ 00 00 79 1E09:03 01 Ø6 04 02 07 20 50 C4 2041:00 00 aa aa aa 99 aa 81 00 1E11:51 52 53 54 55 56 57 51 3E ØØ 89 aa aa aa aa 2049:00 00 aa 54 58 01 00 ØA 00 7F 1E19:52 53 00 00 CD 2051:00 00 00 00 00 1E 80 1E21:64 00 E8 03 10 27 DB BØ 00 1E 09 99 00 21 00 2059:00 21 1E29:50 36 3E 46 80 50 20 3E ØB 2061:00 00 00 00 00 00 00 00 Al C6 C8 CA Ø2 92 Ø2 ED 1E31:46 4E 2069:00 00 00 00 00 00 ØØ aa A9 1E39:5A Ø3 6F Ø3 ØF D4 ØE D4 3E

2081:00 00 00 00 ØØ BØ ØØ aa 84 2089:80 00 00 BØ ØØ 00 80 00 16 80 00 80 ØØ 1E BE 2091:00 BØ 00 2099:00 3F 80 aa 3F 80 aa 1E D3 20A1:00 aa aa aa 00 00 00 00 El 00 aa E9 20A9:00 aa aa aa 99 00 20B1:00 00 00 00 00 aa aa 99 F1 20B9:00 00 00 00 ØØ ØØ ØØ aa F9 Ø2 20C1:00 aa aa aa ØØ ØØ aa aa 2009:00 aa 00 aa aa aa aa aa ØA 20D1:00 00 00 ØF CØ 00 ØF CØ E 7 aa ØØ ØØ 00 00 aa 1A 20D9:00 aa 20E1:00 00 00 00 ØØ aa aa aa 22 20E9:00 00 ØØ 00 ØØ 00 ØØ 00 2A aa aa aa aa 32 20F1:00 aa aa aa 20F9:00 00 ØØ aa ØØ aa aa 99 3A 2101:00 00 aa aa aa aa aa aa 43 aa aa 4B 2109:00 00 aa aa aa aa ØØ 00 ØØ 00 00 00 53 2111:00 00 2119:00 00 00 00 aa aa ØF 6A aa aa aa aa aa B1 2121:CØ ØØ ar ca 2129:00 ØØ ØØ aa aa ØØ 00 00 6B aa aa aa aa aa 99 73 2131:00 00 93 2139:00 00 aa aa aa aa ac. aa 2141:00 96 ØØ 99 03 ØØ ØØ Øl 1E 2149:80 00 00 F4 07 C0 aa ØF aa 2151:ØE 00 aa 06 aa aa 93 99 01 2159:00 01 80 00 06 00 ØØ ØC 28 aa 3D 2161:00 00 ØC 00 00 06 00 2169:01 80 00 00 aa aa aa aa 4C 00 ØØ ØØ 2171:00 00 00 00 aa **B3** 00 aa aa 2179:00 aa 99 99 99 BB 2181:00 aa aa aa aa aa aa aa C3 2189:00 00 00 20 ØØ 00 20 00 ØE 00 20 FC 00 00 20 aa 2191:00 20 2199:00 ØC 20 00 1E 20 00 1E 72 21A1:AØ aa ac 20 aa 00 00 00 B7 21A9:00 aa aa aa aa aa 99 99 EB 21B1:00 00 00 ØØ aa aa aa aa F3 21B9:00 00 00 00 ØØ 00 00 00 FB 00 00 00 aa 04 21C1:00 00 00 00 2109:20 00 ØC 20 aa 1E 20 aa 58 21D1:1E AØ aa ØC. 20 aa 00 20 2D 20 aa 1E B2 21D9:00 ØC aa 1E 20 21E1:AØ ØØ ØC 00 00 00 00 F7 20 21E9:00 ØØ 00 00 ØØ 00 99 00 2C 21F1:00 aa aa aa aa aa aa aa 34 21F9:00 00 3C 00 ØØ 00 ØØ 00 aa 2201:00 00 99 00 ØØ 00 00 aa 45 2209:00 00 99 00 ØØ aa aa aa 4D 2211:00 00 00 ØC CØ 00 1F EØ 3B 2219:00 ØC CØ 00 ØC CØ 00 1F FA 2221:EØ aa ac Ca aa aa aa aa 63 2229:00 00 00 00 00 aa aa aa 6D 2231:00 00 00 99 00 ØØ FF aa 75 2239:00 ØØ ØØ 00 00 00 aa aa 7D 2241:00 00 aa aa aa aa aa ØØ 85 00 2249:00 aa 92 aa aa 92 aa D5 2251:02 aa aa 02 CØ aa 02 60 21 2259:00 02 60 ØØ 02 CØ 00 03 40 2261:80 ØØ 03 00 00 02 aa aa 4E 2269:00 00 00 00 00 00 00 00 AD 2271:00 00 00 00 00 00 00 00

2071:00 00 00 00 00 00 00 00 B1

2079:00

00 00 00 00 00 00 00 B9

Daniel Lightner, who lives in Montana, likes to fish and raise Himalayan cats when he's not programming.

# THE AUTOMATIC PROOFREADER

Philip I. Nelson

The Automatic Proofreader helps youl type in program listings for the 128 and 64 and prevents nearly every kind of

typing mistake.

Type in Proofreader exactly as listed. Because the program can't check itself, type carefully to avoid mistakes. Don't omit any lines, even if they contain unusual commands. After you've finished, save a copy before running it.

Next, type RUN and press Return. After the program displays the message Proofreader Active, you're ready to

type in a BASIC program.

Every time you finish typing a line and press Return, Proofreader displays a two-letter checksum in the upper left corner of the screen. Compare this result with the two-letter checksum printed to the left of the line in the program listing. If the letters match, the line probably was typed correctly. If not, check for your mistake and correct the line.

Proofreader ignores spaces not enclosed in quotation marks, so you can omit or add spaces between keywords and still see a matching checksum. Spaces inside quotes are almost always significant, so the program pays

attention to them.

Proofreader does not accept keyword abbreviations (for example, ? instead of PRINT). If you use abbreviations, you can still check the line by listing it, moving the cursor back to the

line, and pressing Return.

If you're using Proofreader on the 128, do not perform any GRAPHIC commands while Proofreader is active. When you perform a command like GRAPHIC 1, the computer moves everything at the start of BASIC program space-including the Proofreader-to another memory area, causing Proofreader to crash. The same thing happens if you run any program with a GRAPHIC command while Proofreader is in memory.

Though Proofreader doesn't interfere with other BASIC operations, it's a good idea to disable it before running another program. To disable it, turn the computer off and then on. A gentler method is to SYS to the computer's built-in reset routine (65341 for the 128,

64738 for the 64).

AS Ø CLR KK 10 VE=PEEK(772)+256\*PEEK(77 3):LO=43:HI=44:PRINT"

{CLR}{WHT}AUTOMATIC PROO FREADER FOR ";

- EB 20 IF VE=42364 THEN PRINT " 64"
- AA 30 IF VE=17165 THEN LO=45:H I=46:GRAPHIC CLR:PRINT"1 28"
- KK 40 SA= (PEEK (LO) +256\*PEEK (HI ))+6:FOR J=SA TO SA+166: READ B: POKE J, B: CH=CH+B: NEXT
- OF 50 IF CH<>20570 THEN PRINT {SPACE} "\*ERROR\* CHECK TY PING IN DATA STATEMENTS" : END
- PD 60 FOR J=1 TO 5: READ RF, LF, HF:RS=SA+RF:HB=INT (RS/25 6):LB=RS-(256\*HB)
- XB 70 CH=CH+RF+LF+HF: POKE SA+L F, LB: POKE SA+HF, HB: NEXT
- SB 80 IF CH<>22054 THEN PRINT {SPACE} "\*ERROR\* RELOAD P ROGRAM AND CHECK FINAL L INE": END
- PH 90 IF VE=17165 THEN POKE SA +14,22:POKE SA+18,23:POK ESA+29,224:POKESA+139,22
- JS 100 POKE SA+149, PEEK (772):P OKE SA+150, PEEK (773): PR INT" {CLR } PROOFREADER AC TIVE"
- FA 110 SYS SA: POKE HI, PEEK (HI) +1: POKE (PEEK(LO) +256\*P EEK(HI))-1,0:NEW
- PS 120 DATA120,169,73,141,4,3, 169,3,141,5,3,88,96,165 ,20,133,167
- PS 130 DATA165,21,133,168,169, 0,141,0,255,162,31,181,
- 199,157,227 XS 140 DATA3,202,16,248,169,19 ,32,210,255,169,18,32,2 10,255,160
- JC 150 DATA0, 132, 180, 132, 176, 1 36,230,180,200,185,0,2, 240,46,201
- XJ 160 DATA34,208,8,72,165,176 ,73,255,133,176,104,72, 201,32,208
- GM 170 DATA7, 165, 176, 208, 3, 104 ,208,226,104,166,180,24 ,165,167
- KH 180 DATA121,0,2,133,167,165 ,168,105,0,133,168,202, 208,239,240
- RM 190 DATA202,165,167,69,168, 72,41,15,168,185,211,3, 32,210,255
- BR 200 DATA104,74,74,74,74,168 ,185,211,3,32,210,255,1 62,31,189
- RM 210 DATA227,3,149,199,202,1 6,248,169,146,32,210,25 5,76,86,137
- HJ 220 DATA65,66,67,68,69,70,7 1,72,74,75,77,80,81,82,
- XR 230 DATA 13,2,7,167,31,32,1 51,116,117,151,128,129, 167,136,137

# ONLY

In addition to the type-in programs found in each issue of the magazine, Gazette Disk offers bonus programs and original 64 and 128 artwork.

### WorldMap 64/128 Bruce M. Bowden Greensboro, NC

WorldMap 64 and WorldMap 128 give you three different ways of looking at our planet. View it as seen in a Mercator projection, from any position above the equator, or from above either pole. You can save any of these high-resolution screens for use in paint programs or for creating your own slide shows

Order this disk (\$9.95 plus \$2.00 shipping and handling) from Gazette Disk, COMPUTE Publications, 324 West Wendover Avenue, Suite 200, Greensboro, North Carolina 27408. Save by calling (800) 727-6937 and ordering a year's subscription-12 disks and 12 magazines for only \$39.95.

# TYPING AIDS

MLX, our machine language entry program for the 64 and 128, and The Automatic Proofreader are utilities that help you type in Gazette programs without making mistakes. To make room for more programs, we no longer include these labor-saving utilities in every issue, but they can be found on each Gazette Disk and are printed in all issues of Gazette through June 1990.

If you don't have access to a back issue or to one of our disks, write to us, and we'll send you free copies of both of these handy programs. We'll also include instructions on how to type in Gazette programs. Please enclose a self-addressed, stamped envelope.

Write to Typing Aids, COMPUTE's Gazette, 324 West Wendover Avenue, Suite 200, Greensboro, North Carolina 27408.

# **REVIEWS**

Get a head start on Headline Harry's Great Paper Race, take a look at the sequel to Elvira, and scrutinize an abundance of other evaluations.

# HEADLINE HARRY AND THE GREAT PAPER RACE

You have only three hours left before your deadline. Miss it and Marvin Muckraker's devious reporters will print their falsified stories on the front page of the Diabolical Daily. Not only will you have to face your angry editor, Headline Harry, but the public will never learn the true story. Such is the life of a reporter in Headline Harry and the Great Paper Race, a game that combines lessons in modern history, geography, and problem-solving.

Both older children and adults will enjoy sifting through the abundant facts when they join Headline Harry's crusade to stop the presses of the scheming competition. Choose the region of the United States that you most want to tackle and decide which historical event from that area warrants a lead story. File the story before your deadline arrives. To make matters more difficult, you might lose time traveling, discovering information, or falling prey to one of Marvin Muckraker's reporters.

The animated adventures include digitized speech and music, and are available in 16- or 256-color versions. Players can only explore 12 stories, but the upcoming teachers' edition will allow for three times that many. A convenient save-game feature allows you to save stories in progress.

Headline Harry doesn't promise that scooping the Diabolical's reporters will be easy; it takes perseverance. But students, especially, will find this fact-chasing mission a welcome break from clunky history books. Com-

plex, but not frustrating, Headline Harry is good news for rookie reporters looking to build their problem-solving skills.

CHANTELLE OLIGSCHLAEGER

Scheduled for release: August 1991 IBM PC and compatibles, 512K RAM (640K for MCGA and VGA 256 col-

# ELVIRA II: THE JAWS OF CERBERUS

As a horror movie queen, Elvira seems to encounter more than her share of problems. In this impressive se-



Your interstate journey begins in Headline Harry's office where he assigns you a front-page story.



Elvira II: The Jaws of Cerberus will curdle your blood and raise your hackles with its strikingly morbid graphics.

or); CGA, EGA, MCGA, VGA, Tandy 16-color, and Hercules; requires hard drive; supports Ad Lib, Sound Blaster, PS/1 sound cards; supports mouse—\$49.95 for 16-color version, \$59.95 for 256-color version

DAVIDSON & ASSOCIATES 3135 Kashiwa St. Torrance, CA 90505 (213) 534-4070

Circle Reader Service Number 312

quel to the first Elvira adventure game, the demonic, three-headed Cerberus kidnaps our favorite delicate creature and makes off with her to a darksome location. As always, your job entails saving the day using your wits, a full complement of spells, and persistence.

Somewhere in the studios of Black Widow Productions, on one of three sound stages, you'll find the kidnapped Elvira. Whether she's prisoner within the traditionally haunted Victorian house, the spider-infested catacombs, or the foreboding graveyard, as her rescuer you can expect to encounter chilling special effects and surprises, including some decomposing corpses. Accolade intended Elvira II: The Jaws of Cerberus to out-shock and outcreep every other adventure game on the market and they succeed. The detailed, macabre sets and horrific, animated monsters engender an atmosphere of perfectly delightful dread.

As in the first game, you'll find the controls necessary to explore Elvira's world on screen at all times. New and notable, however, is a clever health icon in the shape of a human body that clearly indicates your character's status, including number of hit points per body part. This indicator becomes skeletal as you take damage. Eerie!

Better than a horror double feature, Elvira II: The Jaws of Cerberus will test the mettle of experienced adventurers. And while Elvira herself might offer some moments of comic relief, this frightfest packs more gasps than laughs.

DAVID SEARS


Scheduled for release: October 1991

IBM PC and compatibles, 512K RAM; CGA, EGA, VGA, or Hercules; supports Ad Lib, Game Blaster, Roland MT-32, and Sound Blaster; supports mouse and joystick—\$59.95

Also available for Amiga—\$59.95 and Atari ST—\$59.95

ACCOLADE 550 S. Winchester Blvd. San Jose, CA 95128 (408) 985-1700

Circle Reader Service Number 313



The greatest hero for the Hyborean Age was a fierce barbarian born of the harsh northlands,

# CONAN THE CIMMERIAN




ou have heard the tales of Conan's adventures. Only now will you have the opportunity to live the life of this fierce barbarian from the land of Hyborea.

Our odyssey begins with murder most foul. When Conan's village is massacred by the ravening hordes of Thoth Amon, high priest of the vile cult of Set, Conan vows to avenge the death of his family and friends.

In your search for vengeance, you as Conan, will explore Hyborea to seek out its hidden secrets and learn of its powers. Visit over 200 locations – taverns and inns, crypts and dungeons, temples and tombs, lavish homes and poor hovels – to learn the mysteries of Hyborea's sorceries to help Conan overcome its many natural and supernatural perils.

Only with luck, courage and constant struggle will Conan have the chance to force a reckoning with the powerful Thoth Amon.











AVAILABLE FOR THE IBM AND AMIGA THIS SUMMER. SUGGESTED RETAIL – \$49.99

TM and © 1991 Conan Properties Inc.
Cover illustration © 1990 Boris Vallejo.
© 1991 Virgin Games, Inc. All rights reserved.
Virgin© is a registered trademark of Virgin Enterprises, Ltd.
Virgin Games, Inc. 18061 Fitch Ave., Irvine, California 92714









n Spirit of Excalibur, the Knights of the Round Table fought to defend medieval Britain from the evil sorceress, Morgan Le Fay. Morgan, dabbling in dark arts beyond even her ability to control, had summoned a great Lord of Demons, the Shadowmaster.

With Morgan's death, the Shadowmaster was freed to work his evil will against the unprepared folk of Britain. Striking in the night, he imprisoned the King with a spell, stole the greatest treasures of the realm and kidnapped Nineve, the court enchantress. With the loss of the sword Excalibur and the newly recovered Holy Grail, Britain begins to sicken and die. The Shadowmaster must be stopped!

Command knights and whatever followers they are able to recruit to track the Shadowmaster through hazardous, beautiful and mysterious medieval Spain. Explore the hundreds of villages and cities, fortresses and castles, dungeons and palaces and all the secret places where the Shadowmaster may dwell.

Seek what aid you can as you acquire and learn the use of the sorceries of Moorish Spain, for only with the aid of enchantments and the loyalty of strong allies will you stand a chance of ridding the world of the demonic Shadowmaster once and for all.


AVAILABLE FOR THE IBM, AMIGA, ATARI ST AND MAC THIS SUMMER. SUGGESTED RETAIL - \$49.99


> Developed by Synergistic Software. © 1991 Virgin Games, Inc. Virgin® is a registered trademark of Virgin Enterprises, Ltd. Vengeance of Excalibur is a trademark of Virgin Games, Inc. Virgin Games, Inc. 18061 Fitch Ave., Irvine, California 92714





ALSO TAKING OVER A





# RE YOU TOUGH ENOUGH TO TAKE ON THE 21st CENTURY AND SAVE MANKIND FROM HIS UNTIMELY DESTRUCTION BY A GENETICALLY ENGINEERED

## WAR MACHINE?!?

Talk about your work-related stress! As a ZODIAC special agent, your job is to crack the complex security systems of the Universal Cybernetics Corporation and track down the mutant robot they have designed as the ultimate killing machine.

You'll arm yourself with a whole arsenal of weapons - everything from hologram projectors to special vision enhancement visors to thermal infra-red image intensifiers. If all else fails you'll have to rely on your own psychic powers! FEATURES INCLUDE:

- 16-level 3-dimensional environment complete with fast, smooth scrolling
- Realistic action control of six characters: 2 male, 2 female and 2 droid
- 360 degree vision
- Environmental sound effects

"Tension and unease, with danger lurking around every corner.... This Number One European Hit will keep you on your toes and coming back for more.



THE IBM, AMIGA AND ATARI ST THIS SUMMER. SUGGESTED RETAIL - \$49.99

TM and © 1991 Virgin Games, Inc. and Core Design.

All rights reserved. Corporation & Virgin® are registered trademarks of Virgin Enterprises, Ltd. Virgin Games, Inc. 18061 Fitch Ave., Irvine, California 92714



# PUBTECH FILE ORGANIZER

To judge from third-party developers' efforts, Microsoft really missed the mark with the Program Manager and File Manager in *Windows* 3.0. A dozen replacement file managers and shells (program launchers)—and a few products that do both—promise an improved *Windows* environment. One of the best of these, *PubTech File Organizer* 3.0, makes good on that promise.


File Organizer strives to simplify controlling the computer within Windows. As with many simplifications, it gets harder before it gets easier. If you have several hard disks and many files, for instance, the first screen you see after installing File Organizer is downright scary. The 320-meg hard drive on my Arche Legacy 386-33 is partitioned into ten drives with an assortment of installed printer drivers. The initial screen displays a double stack of drive icons along the right side and a row of printer driver icons across the bottom. A row of icons representing minimized applications runs above the printer icons. Of the 22 icons on the screen, none will run an actual program. Not even the Windows desktop accessories are available. To launch an application, click on the icon for the program's hard drive. That opens a window with a folder icon for each directory in the drive and icons for all the files in the root directory. If your desired executable file is in a subdirectory, click on its folder and find the appropriate file icon. Double-click, and vou're running.

That's not easier than the Windows Program Manager.

File Organizer provides three easier ways to launch a program: putting the program's icon on the desktop, assigning a special hot key to the program, or adding it to the pull-down applications menu. All work well.

If you put icons on the desktop, though, you'll fill your already-crowded desk-

manipulation. To move an entire subdirectory from one drive or directory to another, grab its folder and drag it to where you want it. Dragging a file to the trash can icon deletes the file. To print a file, drag its icon onto the printer icon. To start an application and load a file, drag the file icon onto the application



PubTech File Organizer grants you superior control of Windows files through improved icon control.

top quickly. Instead, move to the Desktop Utilities function (which has its own separate manual) to create any number of custom desktops. For instance, you could have a desktop with Excel and its associated subprogram icons along with icons for your most frequently used spreadsheet files. Pull up your Excel desktop, and you're ready to work. Or if you have a regular task that involves several separate applications, create a desktop with those applications already running. Although creating the desktop files can take some time, you have an endlessly customizable front end for Windows.

File Organizer has features, however, that you can enjoy right out of the box, most notably icon-based file

icon. Almost any file management task is done solely by clicking on and moving icons

For file management by icon, File Organizer is topnotch. As a Program Manager replacement, it takes a shift of gears and extra time to set up an appropriate batch of customized desktops. If you persist, though, and thoughtfully customize, you'll have a Windows shell that suits you perfectly.

RICHARD O. MANN

IBM PC AT and compatibles (286, 386, or 486), 640K RAM, DOS 3.0 or Windows 3.0, hard disk; mouse recommended—\$199.95

PUBLISHING TECHNOLOGIES 7719 Wood Hollow Dr., Ste. 260 Austin, TX 78731 (800) PUB-TECH (sales) (512) 346-2835

Circle Reader Service Number 314

# BUSHBUCK CHARMS, VIKING SHIPS, & DODO EGGS/ GEOJIGSAW

A scavenger hunt by any other name could never be this much fun. BushBuck Charms, Viking Ships, & Dodo Eggs (yes, that's the name) is superior educational software. Not only will you gain an understanding of the world's cultures and increase your knowledge of geography, but you'll have fun along the way.

The object of the game is to fly to the different countries of the world and gather various common objects in each country you visit. Each location offers a special attraction or contains some historical significance; their descriptions can help you later, so read them all carefully. Points accumulate as you discover objects. Colorful, detailed maps and creative, animated sequences add interest, while the musical scores tend to stick with you for hours after you play.

Play alone, against another player, or against one of the included villains: Pierre, Natasha, and Otto von Slinkenrat, a real stinker who slimed his way to the top of the PICKLE (Preserving Individual Cultures and Knowledge in Lands Everywhere) Foundation.

My complaints are minor. Gathering all 15 objects requires some time; a savegame feature would be appreciated. And although recommended for all ages, I wouldn't expect *BushBuck Charms* to hold the interest of very young children unless they're able to read and decipher maps. Children

with those skills will love the game, if they can persuade Mom and Dad to quit playing for a while.

Another PC Globe educational game, *GeoJigsaw*, is far more suitable for young children. The color-cycling feature (available for VGA systems only) creates an illusion that the 12 puzzles are ani-

While GeoJigsaw not as strong a teaching tool as BushBuck Charms, both games offer children an opportunity to learn and enjoy themselves at the same time. And at a cost of \$39.95 for GeoJigsaw and \$49.95 for BushBuck Charms, learning comes at bargain prices.

Going to Nassau, Bahamas.

Scavenger hunts go global and show their educational side in BushBuck Charms, Viking Ships, & Dodo Eggs.

mated. Puzzle choices range from depictions of dinosaurs to the solar system. Additional puzzle disks would offer variety, but none were offered on the order blank included in the game box.

Puzzles may be cut into as few as 6 or as many as 294 puzzle pieces-just remember that you have to put the pieces back together. Puzzle pieces are easy to move with a mouse or joystick. A keyboard option is available, but maneuvering pieces using this option is difficult. The game supports only the PC speaker, but it does reward a completed puzzle with musical notes. A puzzle is automatically saved in its current state if you quit the game.

BushBuck Charms, Viking Ships, & Dodo Eggs

IBM PC and compatibles, 512K RAM, CGA, EGA, or VGA; mouse and Ad Lib sound card optional—\$49.95

GeoJigsaw

IBM PC and compatibles, 512K RAM, CGA, EGA, MCGA, VGA, or Tandy 16-color; mouse optional—\$39.95

PC GLOBE 4700 S. McClintock Tempe, AZ 85282 (602) 730-9000

Circle Reader Service Number 315

#### PC DISKLOCK

Data security is increasingly becoming a top-priority issue for small business owners and corporate MIS managers alike. Now Fifth Generation Systems, maker of the Mace Utilities, offers a solu-

tion to this growing problem with *PC Disklock*.

Disklock provides comprehensive protection of sensitive data through the use of primary and secondary passwords, selective locking and encryption of files, and an audit trail of unsuccessful logon attempts.

Disklock's password system draws the first line of defense. When installing the program, the user selects a primary password and, optionally, a secondary password. When using the primary password, the user has full access to all files and directories on the system, while someone logged on under the secondary password cannot access locked or encrypted files. This sort of simple security is useful in situations where several users, some of whom do not require access to sensitive files, share one computer.

In addition to the general security provided by the password system, Disklock provides two methods of safeguarding selected files. By locking a file, you make it inaccessible to users logged on under the secondary password. Encrypting a file, in addition to making it inaccessible to secondary users, also encodes the data in a way that makes it unintelligible. You can decrypt files only with the primary password you chose earlier.

As a final safety feature, Disklock keeps a log of all unsuccessful log-on attempts. Disklock stores the time and date of each failed entry attempt in a file called Disklock.log, which you may review periodically.

Does the average user need a data guardian such as *Disklock?* Probably not. Its main use will be to provide security in business environments where several us-

ers share computers containing sensitive information. Because of its thoughtful design, *PC Disklock* places a minimal burden on legitimate users while keeping the bad guys, and the merely curious, at bay.

RICHARD RAPP

IBM PC, and compatibles, 512K RAM, hard drive; mouse optional— \$189

FIFTH GENERATION SYSTEMS 10049 N. Reiger Rd. Baton Rouge, LA 70809-4559 (504) 291-7221

Circle Reader Service Number 316

#### **HARD NOVA**

Nova's not your typical twenty-first century housewife content to sit home tending the antigravity machine. Armed with a generous supply of Sonic Mace and a Stun Club, this spacegoing barracuda seeks a more fulfilling life of contract kidnapping, assassination, and smuggling assignments. Nova's a mercenary, and she stays alive by never dropping her guard or her weapons.

Hard Nova offers a combination of arcade action, roleplaying, and strategy-providing a little something for evervone. including choice of playing a male lead (Stark) instead of a female (Nova). First-rate graphics begin with the opening screens and culminate in a visual explosion as you traverse a stargate (providing you keep your Bremar-Nav sentient alive long enough to lead you through).

The graphics do more than just provide colorful eye-wash, however; they serve to help orient you to your rapidly changing alien surroundings, reveal the whereabouts of your few friends and many enemies, and occasionally supply a way to rest your war-



From the command chair in Hard Nova, you'll conduct serious, but diverting, mercenary action.

weary brain by playing Zero-G Roulette.

The gee-whiz technology evidenced throughout *Hard Nova* extends beyond its top-quality graphics to encompass numerous ingenious ways to pillage, plunder, maim, and murder. In the four distant frontier worlds where you ply your trade, the power of your weapons contributes directly to the length of your life.

Hard Nova provides one of the deadliest and most diabolical assortments of personal or ship-based armament this side of, well, Ariel. Weapons alone, however, do not guarantee survival; you still need what on Earth would be called people skills. Most often when you encounter aliens or humans, you try to kill them (or they kill you).

Remaining alive and victorious requires that you collect useful, strategic, and current information. You do that by questioning foul-smelling bartenders, beautiful women, and spiritless aliens. You need not be polite—say (or do) whatever is needed to get your answers.

It's all in a day's work for a mercenary, and you'll fight anything, if the price is right. You've come a long way, baby. . . . HOWARD MILLMAN

IBM PC and compatibles, 512K RAM, EGA, MCGA, or VGA; supports mouse, hard drive recommended, supports Roland MT-32, Ad Lib, and PS/1 sound boards—\$49.95

ELECTRONIC ARTS 1820 Gateway Dr. San Mateo, CA 94404 (800) 245-4525

Circle Reader Service Number 317

#### **FASTBACK PLUS**

Let's face it; most of us don't back up our hard drives as often as we should. We see it as a tedious, time-consuming, and generally unpleasant experience. But thanks to the award-winning Fastback Plus, this doesn't have to be true.

Fastback Plus includes a host of features, such as support for floppy, tape, and removable drives, as well as multiple hard drives. Advanced data compression, error detection, incremental and differential backups, and automatic disk formatting make backup chores less onerous and more rewarding. A macro facility allows you to automate your backups. The only major fea-

tures missing from Fastback Plus are disk image backups and LAN support. The omission of disk image backups, used most often when saving data to a streaming tape drive, seems odd considering the wealth of options you're offered in other areas of the program.

Be that as it may, Fastback Plus offers the average user more than enough choices. The data compression option allows you to choose between minimizing either the number of disks used or the amount of time used to perform the compression. The macro facility is extensive enough for all but the most demanding backups, and you can even choose between the original command line interface or the new point-andclick one. This allows users of the original Fastback to upgrade to the new package without having to rewrite their existing macros and batch files.

You are buying a well-conceived package when you pick up Fastback Plus. The Fastback Plus manual offers advice on developing a regular backup regimen and explains the program's features in understandable terms. You can choose from a multitude of options and, most importantly, Fastback Plus is fast. So unless you need specialized features such as disk image backups or LAN support, Fastback Plus is the program to make hard drive failure a temporary condition at worst.

RICHARD RAPP

IBM XT and compatibles, 330K RAM, hard disk—\$189

FIFTH GENERATION SYSTEMS 10049 N. Reiger Rd. Baton Rouge, LA 70809 (504) 291-7221

Circle Reader Service Number 318

#### LINKS CHAMPIONSHIP COURSES

Access Software's hot 1990 release, LINKS: The Challenge of Golf, came with an incredibly detailed, digitized version of Torrey Pines South Golf Course in southern California. The designers promised additional courses—these are the first out of the chute.

Just a few miles from Access's former offices, you'll find the setting for the Bountiful, Utah, course—high in the foothills of the spectacular Wasatch Front Mountains. Access captured the course in the fall, with gorgeous colors festooning the mountainside in the background. (Firestone is also dressed in its autumn best.)

Since Bountiful is in the hills, the course has lots of up- and downhill fairways moving across steep hillsides. A ball hit out of the fairway may end up anywhere. Watch out for the windows of the nearby condos! I live on the Wasatch Front. I can testify that playing this course on the computer captures the look and feel of a brisk 18 holes in the mountains on a sunny fall day.

The Firestone Country Club of Akron, Ohio, is a world-class course, the site of many PGA tournaments. It's also a duffer's nightmare. The densely tree-lined fairways continually obscure your view of the pin. If you don't have precise control of your hooks and slices, you'll spend hours in the woods, hitting trees on almost every stroke.

In short, it's a challenge. You'll fine-tune your skills here—or vie for a spot in the Hall of Shame. There's no mid-



Access brings an autumnal Bountiful home to LINKS fans.

dle ground. These beautiful courses have been lovingly re-created in astounding detail, right down to the types, shapes, and colors of the trees, buildings near the course, and scenery in the distance. *LINKS* is a great game. With these realistic courses (and many more to come), it should remain popular indefinitely.

RICHARD O. MANN

IBM PC and compatibles, requires LINKS: The Challenge of Golf—\$24.95 for Bountiful Golf Course—\$24.95 for Firestone Country Club

ACCESS SOFTWARE 4910 W. Amelia Earhart Dr. Salt Lake City, UT 84116 (800) 800-4880 (801) 359-2900

Circle Reader Service Number 319

#### **VOLKSWRITER 4**

Do the words advanced, powerful, and professional intimidate you? To the rescue comes the Volkswriter line of word processors, offering power and advanced capabilities with an inviting menu interface and simple commands. And while Volkswriter 4 targets managers and professionals, anyone who's familiar with word processing will quickly pick up the commands.

Six tutorial files introduce such basics of word processing as storage, retrieval, and creation of files. These tutorials end with more complex capabilities, like changing type styles and layouts, using embedded commands, and creating macros. Extensive online help is also available at the touch of a key. By the time you work through the tutorials, you'll realize that even advanced word processing really isn't difficult, and you just might begin to enjoy it.

# Can You Do A Better Job Than Gorby?



# CRISIS IN THE KAEMILIN

Coming live in October from **Spectrum HoloByte** 

2061 Challenger Drive, Alameda, CA 94501 (510) 522-1164

Circle Reader Service Number 167



Simple instructions for changing your spare tire:



Burn more calories.
Studies show that the combined use of both your upper and lower body during exercise burns more calories in less time. Unlike exercise bikes, treadmills, and stairclimbers that only work your lower body, NordicRow TBX is a total-body exerciser.

Put NordicRow TBX to work for you.

Split-resistance settings for the upper and lower body allow you to fine-tune your own workout and burn maximum calories. A revolutionary Back Stress Management System works to support your lower back for safe, effective exercise.

Take just 20 minutes a day, three times a week.
With NordicRow TBX there's no need to drive to the health club.

You can work out in the comfort and convenience of your own home! NordicRow TBX gives you a superior cardiovascular workout that tones and shapes *all* the muscles in your *entire* body.

Try NordicRow TBX in your own home for 30 days!

NordicRow TB BY NORDICTRACK

FREE VIDEO BROCHURE CALL 1-800-468-4491 Ext. 328J Or Write: NordicTrack, 141 Jonathan Blvd. N., Dept. 328J1, Chaska, MN 55318

Maybe you want to carry work to and from the office. Don't worry if you receive files from coworkers in a different file format. Volkswriter 4 automatically reads Word-Star (3.3-5.5), WordPerfect (5.0 and 5.1), Microsoft Word (3.0-5.0), Lotus 1-2-3 (releases 1 and 2), and Displaywrite files. And for an additional \$69, you can purchase Volks Word for Word, a file-conversion utility that converts more than 30 file formats.

Unlike some other word processors, Volkswriter 4 doesn't require you to change the type style of a document to print it with a different printer driver. Volkswriter 4 tries to match the layout type styles with those of the new printer driver, or you can alter the type styles manually. Install or create type styles for specific purposes, such as inserting headers at the top of pages.

Noteworthy features in Volkswriter 4 include page preview, a keyboard display chart, a calculate crossfoot option for columns of numbers, the ability to insert page numbers as Arabic or Roman numerals, the ability to insert nonprinting comments, the change case command, and the notepad.

Save paper by using the page preview option. (This option is only available for systems with a graphics card.) Embed special printing characteristics such as bold, italic, underline, subscript, and superscript easily, or send Escape codes to your printer with the CMD command. Or display the little known Ctrl key assignments in a box at the top of the screen with the keyboard assignment command; that way, you won't have to laboriously search for elusive key assignment tables in your DOS manual.

Calculate in column or row format, and use the crossfoot method to figure rows and columns simultaneously—instead of loading your spreadsheet for such simple calculations. You also can sort text columns in ascending or descending or-

characters to draw boxes around text. With Volkswriter 4, you simply highlight a block of text and use the Alt-B command to draw a double or single line box around the highlighted block of text.

Creating macros with Volkswriter 4 poses no more

```
Volksuriter 4
                                                                                                                              F1 - Help
  C - Create Document
R - Retrieve Document
S - Store Document
                                              D - Document Directory
E - Continue Editing
L - Style Sheets
                                                                                                                             X - Exit
N - Rename
Z - Delete
                                                                                             P - Print
T - TextHerge
                                                                                              U - Utilities
 Ctrl+F1 - Preferences
                                                                                              Alt+A - Info ---
                                    YOUR CHOICE: TUTOR1.UM
Directory = C:\UMADOCS -
                                                                                                      27% FREE
1408 4-13-90 1:03a
1564 4-13-96 1:03a
37376 4-13-96 1:03a
12928 1-23-89 12:09p
18304 1-23-89 12:09p
15872 1-23-89 12:09p
                                                                           THEABEL LEL
THELET LTR
                                                                           THLETTER LTR
                                                          3:53p
1:03a
                              2048
SHOW ME
THLIST REC
TUTUR1 UN4
TUTUR3 UN4
                                                                            UHATS . NEW
                                       4-13-90
2-07-89
                                                                           FEATURES UM
TUTORZ UM
TUTOR4 UM
                                                        1:03a
8:46a
                              1792
                            17536
15488
  UTORS .UU4
                                                                                                                             1002
```

Here the user-friendly Volkswriter 4 displays some of its myraid available options on the main menu.

der by name, ZIP code, and so on. This option comes in handy for sorting names and addresses for use with the mail-merge option.

With the special page-numbering options, you can use Roman numerals for the table of contents and index, and Arabic numerals for the rest of the document. And since capitalization typos occur often, the caps change command offers a quick way to correct the errors without retyping an entire word or line. Volkswriter 4's notepad option lets you keep notes for yourself. If you think of something while working on a document, key it in and send it to the notepad. It will be cut from the current document and appended to a file that you specify.

Most word processors lack an easy way to use line

threat than tying your shoelaces. Even users who've never created a macro will enjoy experimenting with this feature.

The word count command saves you time. You needn't move to the top of a document to get an accurate word count. To count the words in a specific section of a document, merely highlight the text in question before choosing the word count command.

More special features include mail merge, undelete (up to 900 characters), storage of blocks of text to a separate file, and printing in landscape or portrait modes. The most impressive capabilities of this package include the 310,000-word thesaurus and *Grammatik IV.* 

You can purchase several accessories separately for a reasonable sum. These include an extended 610,000word thesaurus; specialized dictionaries with computer, legal, and medical words; and multilingual dictionaries, thesauruses, and dictionaries.

This version of the program doesn't include mouse or bitmap graphics support or an indexing feature, but it wasn't intended to be another desktop publishing package, either. Volkswriter 4 can be a useful tool for managers and other professionals and even students who need to meet term-paper deadlines (the footnote feature is outstanding). And with a 30-day money-back guarantee, you can't lose. This word processor truly puts the power of words into the hands of the people. JOYCE SIDES

IBM PC and compatibles; 640K RAM; CGA, EGA, VGA, or Hercules (for print preview); hard disk—\$249

VOLKSWRITER One Lower Ragsdale Dr., Bldg. 2, Ste. 100 Monterey, CA 93940 (408) 648-3000

Circle Reader Service Number 320

#### **STREET ROD 2**

Do you want to be King of the Road without spending the big bucks for a top-quality racer? Do you lack the smarts to build a monster machine from scratch or the guts to push the pedal to the floor? If so, then *Street Rod* 2 might be just your ticket.

You'll begin by selecting your first set of wheels and spare parts from the want ads. Even though there are 25 autos and 60 parts to choose from, with only \$1,200 to spend, a Ford Fairlane and a few new tires are about all you'll be able to afford.

Next it's into the garage, where you can perform cos-



After a brief pit stop, cruise the streets searching for racing action.

metic surgery by spray-painting your monster, chopping its roof, and removing the bumpers. To improve your chances against the competition, pop the hood and tune your engine or bolt on a new part. With Street Rod 2, you can even roll under the body and do some serious work, adding differentials, mufflers, and exhaust manifolds. Eventually, substitute a top-performance manual transmission for that easy-to-shift, but decidedly inferior, automatic.

When you arrive at the local drive-in, sit tight until a beatable car cruises by. Then challenge the driver (male or female) to a drag race on a mile-long straight track or to a road race on either of two 21/2-mile courses.


If you're not off the line fast enough on the drag strip, you'll eat mouthfuls of your opponent's dust. If you jump off too quickly, you'll blow your engine and yourself right out of the competition.

On the road, controlling your speed on turns and sensing when to brake and downshift are essential for victory and for continued good health. Be warned: Cops are everywhere, ready to ticket you if you can't outrun them.

A ruined engine, a dropped transmission, and other damages can be repaired—if you have the cash. At other times, you might want to write your heap off as a loss and junk it for a few bucks.

Three months is all the time you'll have to go from rank amateur status to being an opponent worthy of the King of Street Racing. Winning lots of races and regularly upgrading your vehicles with your earnings are the keys to victory. Don't expect to complete the program in one sitting; the save-game option comes in handy.

Though enjoyable and exciting, the racing sequences add little new to the



# THE BIG BOOK OF PC SPORTS

BY KEITH FERRELL, EDITOR OMNI PETER SCISCO, EDITOR IN CHIEF, COMPUTE

Here it is—the PC sports book that covers all the bases. If you're looking for a PC sports game, or need help with the ones you have, this is your ace in the hole. Collected here are in-depth reviews and strategies for more than 60 of the hottest PC sports games. Also includes software discounts worth over \$100. Order your copy today.

Send \$14.95 plus \$2 shipping and handling for each book (\$4 Canada, \$6 foreign) and applicable tax\* to:

COMPUTE Books c/o CCC 2500 McClellan Ave. Pennsauken, NJ 08109

\* Residents of NC, NJ, and NY add appropriate sales tax. Canadian orders please add 7% Goods and Services tax. All orders must be paid in US. funds drawn on a U.S. bank. Please allow four to six weeks for delivery.

Offer good while supplies last.

10SP91C

genre in terms of action or challenges. Whether using a mouse, joystick, or keyboard, you'll experience more than your share of killer crashes before you begin to master the controls. The garage segment is more original, and, thanks to a responsive point-and-click interface, easier to handle. In all locations the graphics, animation, and sound are excellent.

If you fantasize about the ultimate machine but you drive a ho-hum buggy, consider taking to the road with Street Rod 2. It won't make you think your Chevette is a Corvette, but it'll let you experience the sensation of driving a superfast monster car—without the danger and at a fraction of the cost.

IBM PC and compatibles, 512K RAM (640K for Tandy), CGA, EGA, Tandy 16-color, or Hercules; Ad Lib and Sound Blaster supported, mouse and joystick optional—\$39.95

Also available for Amiga—\$39.95

CALIFORNIA DREAMS Distributed by Electronic Arts 1820 Gateway Dr. Sani Mateo, CA 94404 (800) 245-4525


Circle Reader Service Number 321

# THE COMPLETE WRITER'S TOOLKIT

While it won't replace a serious writer's reference library and while one of its functions isn't quite up to scratch, *The Complete Writer's Toolkit* is a welcome addition to the resources available to the writer. *The Toolkit* contains six modules, as many or as few of which you can install as you like. Five of these—The American Heritage Electronic Dictionary, Roget's II Electronic Thesaurus, Written

Word III, The Abbreviation Expander, and The Concise Columbia Dictionary of Quotations—can be made memory resident and hot-keyed into windows over your text within your word processor.

Three of these modules may get limited use: Written Word III is a reliable handbook on the basics of gram-



Every serious writer needs a serious toolkit.

mar, spelling, and punctuation, though its sections dealing with research papers and résumés are too general to be very useful. On the infrequent occasions you need it, The Abbreviation Expander provides the full terms for abbreviations you type into the Lookup Screen and allows you to add to its list, and The Dictionary of Quotations may actually slow down your writingchiefly because of the temptation to linger and browse through the 6000 quotations which can be accessed by topic, author, or index, and imported directly into your text file.

In a writer's toolkit, though, the real test cases are the dictionary and the thesaurus—and these are, surprisingly, better than I had hoped for. While not as comprehensive as its hard-cover parent, The American

Heritage Electronic Dictionary contains 115,000 entries and provides succinct but detailed definitions; you can also look up words within the definition simply by placing the cursor on the word and hitting Enter. The Spelling and Wildcard modes let you search for words even if you're unsure of their spelling, and there's even an Anagram mode for people who want to cheat at word puzzles.

While I wish Roget's II Electronic Thesaurus had been based on a more traditional model, its versatility makes it attractive. Type in your word, and the thesaurus window splits into two columns-one with the word's definitions, the other with its synonyms. Moving the cursor from definition to definition changes the displayed list of synonyms; tab over to the synonym column, and you can check the definitions for each of its words.

The sixth module, The Houghton Mifflin Grammar and Style Checker, is not memory resident but can be accessed from DOS if you want to check an imported text file for grammar, spelling, punctuation, and style. It also contains a Stats option that counts the words in your file and rates its readability. Anything that would reduce the drudgery of proofreading is welcome, but unfortunately, using The Checker is a little like having your work proofed by a C-level freshman comp student. Though it usually catches the most blatant errors, some subtleties escape it. For example, it may confuse participles with verbs or fail to recognize a gerund as a subject. And sometimes its advice is just wrong; in the sentence "The Grammar and Style Checker

is weak," it reads Grammar and Style Checker as separate nouns and recommends you change is to are. The Checker allows you to enable or disable its grammar rules and thereby customize it to some extent; however, to use this option, you have to know enough about proper usage not to need it in the first place. Use it with caution.

Despite this weakness, the other modules of *The Toolkit* are serviceable online references. *The Toolkit* may conflict with some memory-resident programs, so you'll need to experiment a bit to see what it works well with. If you do have problems, check with the people on the support line listed below; I found them to be helpful and patient even with idiot-level questions.

ANTHONY MOSES

IBM PC and compatibles; 512K RAM, 70K in TSR portion (requirement lowered to 10K in latest version—Ed.); requires 5MB disk space (for all six modules)—\$129

SYSTEMS COMPATIBILITY 401 N. Wabash, Ste. 600 Chicago, IL 60611 (312) 329-0700 (sales) (312) 527-4357 (support)

Circle Reader Service Number 322

#### PLAN IT!

Do you worry that Social Security won't be enough after retirement? If so, take a look at *Plan It!*. This software adviser helps you plan for financial security in your golden years. *Plan It!* provides a clear picture of what you must save now and how much your yearly retirement withdrawals can be, in order to preserve your retirement spending power.

Plan It! also offers investment strategies for insurance and college planning. The insurance module calcu-

# Just what you need to manage your checkbook. And just what you don't.

of all you need is an easy way to manage your checkbook and budget, why buy an accounting software program laden with confusing jargon? Amortization and payroll capabilities? Properties tracking? It doesn't make sense.

'Strictly Personal' is an easy-to-use checkbook management and budgeting program. Period. It works just like a checkbook, but takes less paperwork and time.

The program organizes and balances your checking account, lets you set up a yearly budget with up to 90 expense categories and

tracks it on a quarterly basis. The program also provides banking activity reports and prints checks. Just what you need.

Plus, you get free telephone support. With answers to your questions in a language you can understand - English. And a 60-day, money-back guarantee.

> So, if all you've been looking for is a checkbook management and budgeting software program,

look no further. 'Strictly Personal' is all you need.

Call 1-800-682-2140 now to order your copy - just \$39.95 + \$3.50 shipping. SC residents, add 5% sales tax. If not 100% satisfied, return within 60 days for a full refund (shipping excluded).

#### PERSONAL CHECKBOOK MANAGEMENT AND BUDGETING. PERIOD.

Order from 9 a.m. to 9 p.m. EST, 7 days a week. VISA & MasterCard. IBM® PC, XT, AT, PS/2 and 100% Compatibles, Hard disk, Monochrome/color. PC/MS-DOS version 2.0 or higher. ©1991 The Mernyall Group, Inc. All rights reserved worldwide. Mernyall Group, Inc. All other trademarks acknowledged.

Circle Reader Service Number 191

lates the value of your current policy and analyzes your life insurance needs and benefits. The college module suggests three financial options to safeguard a sufficient nest egg for your children's college education.

Each of Plan It!'s three modules calculates how much you need to save in order to attain your economic goals. Dollar projections depend upon financial data that you enter (that is, your income needs, age, interest earnings, and the annual inflation rate). You can print reports concerning "what if" scenarios, keep track of your investments with the software's portfolio management system, and use the financial calculator to determine loan payments. The program's menu-driven interface and context-sensitive online help simplify operation. If you feel like a financial ostrich, Plan It! pulls your head out of the sand and plants your feet squarely on the path to a secure retirement. CAROL HOLZBERG

IBM PC and compatibles, 512K RAM, 80286 or faster microproces-

HALO SOFTWARE CONCEPTS P.O. Box 64 4300 Old Barker Hill Rd. Jamesville, NY 13078 (800) 484-1008, #3571

Circle Reader Service Number 323

#### **STUDYWARE FOR** THE SAT

Competition can be a good thing, but it sometimes means heartbreak for high school students who've set their sights on attending a prestigious college or university. These students need an edge to improve SAT (Scholastic Aptitude Test) scores to get into those institutions, and help comes from StudyWare for the SAT.

StudyWare comes not only with an informative and easy-to-understand user's manual that offers strategies and tips for taking the SAT, but also with Cliffs SAT Preparation Guide, a sister publication of Cliffs Notes. Cliffs Guide offers two practice exams with removable SATlike answer sheets. Also included in Cliffs Guide are a study guide checklist, a discussion of two approaches to taking the SAT, and strategies for completing each SAT section, including antonyms, analogies, sentencė completion, reading comprehension, mathematics, and quantitative comparisons. All of these topics are covered in StudyWare's useful practice exams.

Special features in the program include mouse support, pull-down menus, and an onscreen glossary with over 450 listings. There's also an onscreen clock to help you keep up with the amount of time you've used for each question.

To start, choose Test, Drill, or Exam. If you're interrupted, use the Pause option to stop the exam clock until you're ready to continue. Drills help to improve your speed, and with the Math Drills you can choose to practice squares and square roots, units of measure, word problems, algebraic operations, ratio/proportion, quantitative comparisons, geometry, and more. In Tutor mode, an explanation appears for the answer you choose, whether the answer's right or wrong

Your scores are automatically tallied, and you can view the results in three ways: Topic Priority Breakdown, Items Missed, or Results Graph. The Topic Priority Breakdown displays 20 categories with the composite results of your correct answers. This report lists the page numbers in Cliffs Guide where you can study that topic.

I encountered a few curious typographical errors and a mismatched explanation for one of the math problems. When I called StudyWare, a spokesperson thanked me for calling and promised to send a disk with fixes to me and any registered user who calls the full-time technical support department.

I was impressed that Stu-

dyWare holds its own when compared with other SAT programs. It offers more than 800 onscreen questions and more than 4000 explanations. It also displays more true math symbols than the two other leading SAT programs by Barron's and Davidson and Associates.

If you're looking for a way to help your children score higher on the SAT, put StudyWare on your shopping list. Whether they're taking the SAT for the first time or the tenth time, they can't go wrong by studying more. StudyWare for the SAT is the perfect tutor, and with a price tag of \$49.95, it's an investment in the future with potentially great returns.

JOYCE SIDES

IBM PC and compatibles, 256K RAM; graphics card, mouse, and hard drive optional—\$49.95

STUDYWARE 4760 Murphy Canyon Rd., Ste. A San Diego, CA 92123 (619) 495-0190

Circle Reader Service Number 324

#### Q-DOS 3

Even if you feel right at home with the DOS directory and file structure, you may find hard disk housekeeping tedious using only DOS. You may also have trouble every now and then remembering where you put a particular file, or, if you have more than one disk partition, where you put a particular directory.


One solution calls for a graphical user interface (GUI). Some of us don't like GUIs. They tend to be slow and to require such involved procedures that by the time you finish with all the GUI protocol, you might as well be back with DOS. A prime example of a better solution, *Q-DOS 3* won't slow you down at all. The program installation puts *Q-DOS 3* in your path

statement, so you can call it from any directory. Q-DOS 3 occupies only about 9.5K RAM and provides very convenient mouse support, though a mouse is not essential. The first option on its command line is Directory, and if you click on that option or type D, the directory structure of your current drive appears as a tree with your current directory highlighted. Want to change directories? Use the mouse or arrow keys to choose your destination, click again, and you'll see a listing of files in that directory, with size and date.

Want to look at another drive? Click on the Change Drive box, and you'll see a list of your drives. Click on a drive, and you'll see a tree of the directories and subdirectories of that drive. Click on your choice, and you move to that directory of the drive.

The *Q-DOS 3* command line remains available always. Can't find a file? Click the Find box on the command line. You'll be asked for the filename as well as whether you wish to search all drives or only the current drive.

Deletion of a directory which has subdirectories seems interminable using DOS. You must go from one subdirectory to another, deleting files, then return to the parent directory and delete the subdirectories one by one. Finally, DOS will let you delete the directory—unless there are hidden files somewhere, which the DOS Delete command will not touch. Not so with Q-DOS. One click brings up the tree, another highlights the undesired directory or subdirectory, a third gives the Erase command. and a fourth confirms that you really wish to do this, after which the directory and all its subdirectories and files, hid-



Use DynaComm's script editor to automate your log-in procedures.

den or not, go away.

The program boasts many other fine features. To name just a few, you can alter file attributes (hidden, system, read only, and so on), rename files and directories, and erase or unerase files. Its response is snappy, and its documentation is good. Personally, I have habitually despised file handlers, grumbling, "I know how to handle my files and directories, thank you. I don't need any help from any dumb program." Q-DOS 3 has changed my mind.

CHARLES IDOL

IBM PC and compatibles, 384K RAM-\$99.95

GAZELLE SYSTEMS 42 N. University Ave. Provo, UT 84601 (800) 233-0383

Circle Reader Service Number 325

#### DYNACOMM ASYNCHRONOUS

For those who prefer mice and icons, telecommunicating in the PC environment can prove a tortuous affair. Many Windows 3.0 users were probably delighted to find a basic telecom and terminal emulation program, Terminal, right in Windows. FutureSoft, the company that

wrote the admittedly limited *Terminal* for Microsoft, offers a fully loaded version called *DynaComm*.

No matter what network or computer you need to connect with, you'll find Dyna-Comm's built-in flexibility comforting. DynaComm supports the most common binary transfer protocols, including XMODEM (checksum and CRC), YMODEM (batch mode), YTerm, Kermit, and CompuServe B+, but not ZMODEM, the fastest and most advanced protocol. The long list of terminal emulations includes DEC VT52, VT100, VT220 (but not VT102), ADDS VP/60, HP 700/94, IBM 3101, Televideo 925/950, and CompuServe's VIDTEX. Keyboard remapping proves an essential feature when communicating with a terminal that uses a keyboard layout different from that of the standard PC. The manual contains tables that list all the keyboard ASCII values for the terminals Dyna-Comm emulates, if you really need to know.

Since you may carry out text transfers in the background, you can run other applications during uploads. In fact, *DynaComm* fully supports Microsoft's Dynamic Data Exchange (DDE). So, for example, the text file you've

# COMPUTE HAS THE WINNING HINTS, TIPS, & STRATEGIES

FOR THE MOST POPULAR PC GAMES!

#### THE OFFICIAL BOOK OF ULTIMA


by Shay Addams Introduction by Lord British

Written with the assistance of Lord British, *Ultima*'s creator, this book includes inside information found nowhere else. Packed full of hints, tips, anecdotes, and never-before-published clues for all six *Ultima* adventures. 244 pages

#### TURN & BURN: THE AUTHORITATIVE GUIDE TO FALCON

by Howard Bornstein Foreword by Gilman Louie

For both the beginner and experienced Falcon pilot, this book has a wealth of information, special tips, and proven strategies that will make you the master of the skies. Covers all versions of Falcon and each of the 12 missions. 248 pages



#### THE OFFICIAL F-19 STEALTH FIGHTER HANDBOOK

by Richard Sheffield Foreword by Major "Wild Bill" Stealey

Take to the skies with F-19
Stealth Fighter and test this
amazing aircraft. Learn all the
thrilling maneuvers of this
fantastic new fighter. Here's the
key to mastering MicroProse's F-19 Stealth Fighter
simulator. 184 pages

#### THE OFFICIAL F-15 STRIKE EAGLE HANDBOOK

by Richard Sheffield Foreword by Sid Meier

Fly like an ace with MicroProse's best-selling F-15 simulators. Covers both F-15 Strike Eagle and F-15 Strike Eagle II. You'll perform tactics and manuevers you never thought possible. Filled with step-by-step instructions and clear diagrams. 224 pages

#### THE OFFICIAL BOOK OF LEISURE SUIT LARRY

Written with the help of the creator and designer of Leisure Suite Larry, this best-selling book covers Larry I, II, and III. Packed full of all the hints and tips any Larry enthusiast could want. This official book also includes Larry's life story, an exclusive interview with Larry Laffer, and some candid comments from Larry's women. 228 pages

I want more hints and tips. Please send me the books checked below.  The Official Book of Leisure Suit Larry (215X) \$12.95 The Official F-15 Strike Eagle Handbook (2311) \$12.95 The Official F-19 Stealth Fighter Handbook (2176) \$14.95 The Official Book of Ultima (2281) \$14.95 Turn & Burn: The Authoritative Guide to Falcon (1978) \$12.95	City Signature MC WISA  Signature (required)  Name Street Address State	Exp. Date
SubtotalSales tax (residents of NC, NY, & NJ add appropriate sales tax).	Offer good while supplies last.  All orders must be paid in U.S. funds drawn on a U.S. bank.  Orders will be shipped via UPS Ground.	
Canadian orders add 7% goods and services tax.  Shipping and Handling: \$2 U.S. and Canada; \$6 foreign  Total Enclosed	MAIL TO: Compute Books c/o CCC 2500 McClellan Ave. Pennsauken, NJ 08109	7E91C

just received can be automatically inserted into a *Microsoft Word* document, or, with the right script, a *Word* document can be uploaded automatically from *Dyna-Comm*. Data can run both to and from *Dyna-Comm* and other programs in multiple channels. Expect a severe reduction in program speed if there's much data exchange going on, though.

Another useful feature for avid telecommunicators is *DynaComm*'s ability to open up to eight terminal windows simultaneously. Fully editable, terminal windows come with options for custom text styles, colors, tabbing, and formatting. You can also perform full search-and-replace operations, which become very useful when you receive lots of junk characters in a file.

The Director program (really a special script) is Dyna-Comm's home base. Director functions as an integrated phone dialer and phone book, and provides easy access to settings, files, and log-in parameters. You can choose most actions by clicking on buttons and making menu choices, so communicating becomes about as simple and friendly as possible. Through Director you can also create function key macros and scripts that autocommunications mate chores. Many other environments are possible with DynaComm, but most users will stay primarily in Director.

If you need to write elaborate scripts, *DynaComm* includes a powerful, event-driven script language that also contains the tools to create custom user interfaces, complete with user-definable menus and dialogs. A 400-page manual shows you how to use the script language, but unless you have


some programming experience you won't find it easy going.

Simple log-in scripts aren't too difficult (one is thoroughly explained in the manual), but a typical segment of one of the more elaborate sample scripts confounded procedure Log-in scripts for several of the more popular services, such as CompuServe and GEnie, come with DynaComm, so you may not need to wrestle with scripts until you're quite comfortable with the program.

Probably the easiest way to begin involves the Record-

LAN interfaces built in; most other communications programs make you buy special LAN versions. This in itself would recommend Dyna-Comm to businesses using a LAN. The other attractive capability for Windows-based businesses is that users familiar with Terminal can use DynaComm right away and learn the more complex functions of the program as necessary. Or an industrious network administrator can write and install custom scripts so that the average user doesn't have to worry about advanced functions at all.

As powerful a telecom pro-



PC-IQ makes the austere DOS environment a more temperate one.

er script, which creates scripts of your actions as you make a connection. You can edit scripts created with Recorder as you gain proficiency. The manuals, especially the Script Reference, seem reasonably well written and complete, but they might be hard to follow if you only recently took up computer communications. I'd recommend the online tutorials instead. The online help's a possible supplement to the tutorials, but too often brief to the point of uselessness.

DynaComm has LAN support for NetBIOS and other gram as you could ask for and definitely the most powerful one currently available for Windows, DynaComm still isn't for everyone, and not everyone should ask for it. If you communicate with only a few easily accessible systems, such as Compu-Serve or your boss's PC, then Terminal may be all you need; why pay for more? But for the professional telecommunicator with a need for advanced LAN compatibility and a desire to customize the Windows environment, DynaComm's the only choice.

STEVEN ANZOVIN

IBM PC and compatibles, Windows 2.11 or higher; Windows 3.0 recommended—\$295

FUTURESOFT 1001 S. Dairy Ashford Houston, TX 77077 (713) 496-9400

Circle Reader Service Number 326

#### PC-IQ

I am enamored of icons, pulldown menus, and point-andclick control. However, I work in a DOS world, with its command line interface and cryptic error messages. As every PC computing enthusiast knows, typing appropriate commands at the infamous DOS prompt requires utmost precision. Typographical errors return puzzling responses such as Invalid number of parameters or File creation error. Enter PC-IQ, a natural-language DOS interface that uses artificial intelligence to translate DOS computerese into everyday language. Not only does PC-IQ understand plain English, but it asks for clarification when it can't interpret a command or when it requires more information to execute an instruction. Online help is always available. All documentation is clearly written. Even computer novices will not be intimidated.

In order to run PC-IQ and its associated utilities, you must install it on a hard disk. Installation is a breeze even though the PC-IQ directory takes up almost two megabytes of disk space. Be aware that PC-IQ's Install option modifies the path statement in your AUTOEX-EC.BAT file and also makes changes to the default settings of your CONFIG.SYS file. You'll be able to retrieve the original files, however, because PC-IQ renames them

A full selection of software and accessories for the IBM and Amiga. Specialists in International Sales • Competitive Pricing • Same day shipping

#### **GAMES** A. Slim's Dealer's Choice 19 .37 Action Stations .... Altered Destiny .... Ancient Art of War. Ancient Art of War at Sea ... Andretti's Racing Challenge 31 33 Ante-Up... Are We There Yet?... Armada 2525 .... Armor Alley ......



**Card That** Makes You PC Come Alive!

#### Music Synthesizer Card \$79 Personal Music System \$129

B.A.T	.19
Bad Blood	.32
Randit Kings of Ancient China	37
Bane of the Cosmic Forge	.37
Bard's Tale III	.31
Battle Chess	.32
Bane of the Cosmic Forge	.32
Battle Command	.33
Battle Isle	.34
BattleHawks 1942	.22
BattleStorm	.32
Battletech II	.31
Berlin 1948	.32
Bill & Ted's Adventure	.24
Bill Elliot's Nascar Challenge	.32
Billy the Kid	.24
Black Gold	.32
Blitzkrieg	.32
BlockOut	.28
Blue Max	.17
Breach 2	.20
Bridge 6.0	.26
Buck Rogers	.33
Budokan	.21
California Games II	.27
Captain Comic II	.17
Cardinal of the Kremlin	.27
Carmen in America's Past Carmen USA/World/Time	.37
Carmen USA/World/Time	.32
Carmen World Deluxe	.48
Carriers at War	.33
Casino Master	.59
Castles	.37
Chamber Sci Mutant Priestess .	.17
Champions of Krynn	.33
Checkmate	.34
Chessmaster 2100	.33



The same of the sa	
Chessmaster 2400 Chessmaster 2400 Windows	
Chuck Yeager's Air Combat	40
Circuit's Edge	
Civil War	
Civilization	
Clue Master Detective	
Command HO	
Conan the Cimmerian	
Conflict:Middle East	37
Conspiracy: The Deadlock Files	35
Continuum	
Corporation	
Countdown	
Covert Action	
Crime Does Not Pay	
Crime Wave	
Curse of the Azure Bonds	



#### **Gravis PC \$39**

Cybergenic Ranger	32
Das Boot Submarine	19
Days of Thunder	27
Days of Thunder Death Knights of Krynn	33
Dick Tracy	32
Dick Tracy Print Kit	17
Drogen Strike	22
Dragon Strike	33
Dragon Wars Dragon's Lair II: Timewarp	32
Drakkhen	
Dream Team	
Duck Tales:Quest for Gold	
E. Thorp's Real BlackJack	32
Eagle's Rider	32
Eagle's Rider Earl Weaver Baseball 2	33
Earthrise	
Elite Plus	
Elvira	
Empire	
Escape From Hell	21
Eye of the Beholder 2	30
Eye of the Beholder	33
F-14 Tomcat	27
F-15 II Scenario Disk	20
F-15 II Scenario Disk	20
F-15 Strike Eagle II	
F-19 Stealth Fighter	
F-29 Retaliator	
F-117A Stealth VGA	
Falcon 3.0	
FireKing	25
Flight of the Intruder	37
Freakin' Funky Fuzzballs	23
Full Metal Planet	31
Future Wars	32
Game Pack I	
Games People Play	
Gateway to Savage Frontier	
duterio, to davage monter	



with Foo	t Pedals	\$109
Genghis I	Khan	37
Gettysbur	rg:The Turnin	g Point39
Gold of th	ne Americas .	25
		41
Halls of N	Montezuma	25
Hard Nov	a	19
HardBall	II	31
Hare Rais	sing Havoc	32
Harpoon .	RattleSet # 3	39
Harpoon	Scenario Edit	or28
Heart of (	China	37
		33
Hockey L	eague Simula	ator26
		32
Hunt for I	Red October	23
HyperSpe	ed 2.0	37
		34
Ishido'		34
J. Nicklau	Is Course Dis	sk #4/517 ed Crse37
Jack Nick	and 007	35
Jet Fighte	er II	42
		33
Jones in	the Fast Lane	26
Kamptgru Kind's Ou	Jppe	39
Kings Ro	unty	24
Knights o	of the Sky	24
L' Emper	eur	37
Legend o	f Faerghail	37 32 37
Leisure L	arry I VGA	37
		34
remining	o	

Lexicross.....LHX Attack Chopper...

Liberty or Death

30

Life & Death	24
Life & Death II:The Brain	.33
Links Bayhill, Bountiful, Firestone	18
Links: The Challenge of Golf	
Loom	
Lord of the Rings	
Lord of the Rings II	37
Lost Patrol	
M1 Tank Platoon	
Mac Arthur's War	
Magic Candle 2	30
Martian Dreams	
Martian Memorandum	
Mana Chroate	20
Mean Streets	30
MechWarrior	
Medieval Lords	
Medieval Warriors	.25
MegaFortress: Flight of Old Dog	
MegaTraveller II	.37



with purchase of any 2 titles	
Mickey & Minnie's Print Kit	17
MicroLeague Basketball	27
MicroLeague Football	29
Might & Magic 1 & 2	33
Might & Magic III	39
Missions Disk 2	22
Missions Disk 2 Monday Night Football w/ Video	37
Monopoly	27
MoonBase	27
NCAA: Road to the Final Four	34
Night Breed	14
Night Hunter	19
Night Shift	19
No Greater Glory	37
Nobunaga's Ambition II	.37
Nuclear War	34
Obitus	39
Operation COM•BAT	25
Overlord	32
Penthouse Jigsaw (Adult)	25
Personal Pro Golf	32
PGA Tour Golf (Limited Edition)	40
PGA Tour Golf	33
Pick N' Pile	28
Planet's Edge	39
Playroom	29
Pool of Radiance	33
Pools of Darkness	39
Prince of Persia	27
Pro Football Analyst	27
Pro Tennis Tour 2	22
Quest for Clues III	10
Railroad Tycoon	34
Reach for the Stars	25
Red Baron	37
Renegade Legion Intercentor	39
Renegade Legion Interceptor Rise of the Dragon	37
Road & Cars 1 for Test Drive 3	19
Romance of Three Kingdoms 2	43
Rommel	25
Rotox	28
Rules of Engagement	.37
Savage Empire	.37
Scenery Disks	.22
Scrabble Deluxe	.32
	1

Search for the King	36	
Secret of Monkey Island II	40	
Secret of Monkey Island II	20	
Secret of Monkey Island VGA	39	
Secret of the Silver Blades		
Secret Weapons of Luftwaffe		
Shadow of the Sorcerer	33	
Shanghai II: Dragon's Eye	31	
Shuttle Space Flight Simulator	37	
Sinda	30	
Siege	27	
Sim City City	31	
Sim City Sim City Graphic Set 1/2	30	
Sim City Graphic Set 1/2	23	
Sim Earth		
Sliders		
Space Ace	37	
Space Quest IV	37	
Spellcasting 101	37	
Spellcasting 201	42	
Spirit of Evenlibur	32	
Spirit of Excalibur Stanford Wong's Video Poker	22	
Staniord World & video Pokei	24	
Star Control Star Trek:25th Anniversary	21	
Star Trek: 25th Anniversary	31	
Starflight II	22	
Storm Across Europe	38	
Strategic Forces	25	
Stratego	32	
Street Rod II	29	
Strip Poker 3	33	
Stunt Driver		
Stunts		
Super Car Pak	37	
Super Off-Road	26	
Swap		
Team Yankee		
Teenage Ninja Turtles	20	
Terminator		
Test Drive III	.35	
Tetris	24	



Free Wing Commander Hat! WhileSupplies Last \$49

The Immortal	28
The Manager's Challenge	
The Sound Source	25
Their Finest Hour	38
TimeQuest	37
Tony LaRussa Baseball	33
Tracon II	43



Weapons Control Systems or Flight Control System by THRUSTMASTER! \$89 ea

Treasure Trap	27
	47
	28
	32
Hump casue ii	22

Call us and use your Mastercard or Visa

In NY State 212-962-7168

Fax 212-962-7263

Hours: 9am to 7pm Monday - Friday (Saturday 10am - 5pm) Methods of Payment: We accept Visa, M/C, certified checks & Money orders. Personal checks allow 14 days to clear. COD add \$4.00 . School, State & City purchase orders accepted. Shipping: UPS (\$4 min). APO/FPO(\$5 min.) 2 Day Air (\$7 \$20 (please fax orders if possible). Send money orders or checks to: MISSION CONTROL,

170 Broadway, Suite 201, New York, NY 10038 FREE Demo Disks and Catalogue with order!

stick
4
\$49

The same of the sa	
Tunnels & Trolls1	.7
Tunnels of Armageddon2	9
Twilight 2000 VGA3	37
Typhoon of Steel3	19
Ú.S. Atlas	
Ultima VI4	
UMS II: Nations at War3	
Uncharted Waters4	
Vavine	8
Vaxine2 Vengeance of Excalibur3	22
Vette3	23
Video Poker	20
War of the Lance	33
Warlords	9
Wayne Gretzky Hockey II	34
Western Front	37
White Death3	32
Wing Commander 2	19
Wing Commander 2 Speech Pak 1	.7
Wing Commander	39
Wings of Fury	27
Wizardry Trilogy	32
Wizardry V	32
WolfPack	27
Wonderland	
World Champion Backgammon	
World Champion Cribbage	
Worlds at War	22
Wrath of the Demon	
Zac McKracken	
Zac wcryacken	-
COUNTRALDE	•

#### SOUNDCARDS

Ad Lib Card (Micro Channel)139
CMS Chips30
Sound Blaster Midi Interface79
Sound Blaster Voice Editor59
Ad Lib Software In Stock!

#### **ACCESSORIES**

DiskHolder for 5.25 or 3.5. 

#### **JOYSTICKS**

ntroller PC	49
	27
-,	24
	by CH CH Products Pedals Yoke k by Kraft

#### **EDUCATIONAL**

Aldahlaster Dive

Algebiaster Plus32	
Berenstain Bears: Counting18	
Berenstain Bears: Letters18	
Berenstain Bears: Junior Jigsaw .18	
Challenge of Ancient Empire32	
Designasaurus II28	
Donald's Alphabet Chase14	
Goofy's Railway Express14	
Geo Jigsaw27	
Grammar Gremlins32	
Math and Me22	
Math Blaster Mystery32	
Math Blaster Plus32	
Math Rabbit27	
Maurica Dunavia 700	
Mickey's Runaway Zoo14	
Mickey's 12327	
Mickey's ABC27	
Mickey's ABC/Sound Source37	
Mickey's Colors & Shapes37	
Mickey's Crossword Puzzle22	
Mickey's Jigsaw Puzzle32	
Midnight Rescue32	
Outnumbered32	
PC Globe V441	
PC U.S.A. 2.041	
Read & Roll32	
Reader Rabbit32	
Super Spellicopter27	
Think Quick32	
Treasure Mountain32	
01 1 0 1 0	

Writer Rabbit Writing/Publishing Center	
PRODUCTIVI	ΤY
Animation Studio	25 28 87 87 48
Dvorak on Typing Fight In One	

Home Video Producer.



My Advanced Mail List	32
Pacioli 2000	40
Printshop New	38
VCR Companion	34
Maddled Diseases	22

#### **VIDEOS**

DOS Level I, II or III Intro to DOS Intro to Lotus 1-2-3 Intro to Microsoft Word 5.0



Chuck Yeager, Hunt Red October, ChessMaster, Life Death, Airplane Factory \$32

Intro to Word Perfect 5.0	
Lotus Level I, II or III	
and more	\$24

#### BUDGET

Advance to Boardwalk	.14
Big Boggle	
Dick Tracy Print Kit	17
Duck Tales:Quest for Gold	17



		_
Mystery32	The second secon	
Plus32	Expert Astronomer1	4
27	Expert Calendar1	4
away Zoo14	Expert Checkwriter1	4
27	Expert DOS Tutor1	4
27	Expert Fax Forms1	
/Sound Source37	Expert Home Design1	
ors & Shapes37	Expert Labels1	
ssword Puzzle22	Expert Landscape1	
aw Puzzle32	Expert Lottery Expert1	
cue32	Expert Maps1	
132	Expert Resume Writer1	
41	Expert Utilities	
41	ExpertPerfect Typing1	
22	loopordy 25th 1	1
32	Jeopardy 25th1	7
t32	Super Password1	
opter27	Who Framed Roger Rabbit1	
32	Wheel of Fortune Gold1	
ıntain32	IF YOU DON'T SEE IT, GIVE US A CALL	1
Circle Reader Ser	vice Number 153	

with the extension OLD rather than overwrite them.

PC-IQ acts as an interface between DOS and the computer user, translating a variety of natural-language instructions into conventional DOS commands. When it operates in natural-language mode, it shows users how it translates "English" instructions into DOS, thus providing an opportunity for interested parties to learn DOS as they work. For example, in natural-language mode, individuals who want to view all directories on a particular disk simply type TREE C (where C is the name of the desired disk). PC-IQ also accepts SHOW, GET, and LIST as TREE synonyms.

Once you're in a directory, you can obtain a listing of all files simply by typing SHOW ALL FILES. To open a new directory, type SWITCH x (where x is the actual directory name). PC-IQ also accepts GOTO, GO, CHANGE, ACCESS, and even CD, the actual DOS command. Novices who prefer a menu-driven interface over natural-language typing can switch to the program's point-and-click mode. This directs PC-IQ to display program options from pop-up menus. Menu choices include directory- and file-level operations and several utilities. Each option, in turn, calls up a submenu of additional choices.

PC-IQ offers a convenient alternative to typing and provides a great way to avoid the DOS command line. Regrettably, PC-IQ doesn't support all DOS commands, and it doesn't always recognize backslashes. You can't issue batch commands or use strict DOS syntax. The program does let you create or remove a directory, recover a deleted file, and view or

change the contents of an AS-CII file, however. Supported file operations include copy, find, move, rename, create, and print, while disk-level commands consist of check disk, format disk, and diskcopy. The Autoload function makes it possible to run a designated application from a pop-up menu. The Set command enables you to configure your system with the correct time and date. A simple text editor lets you create and save AS-CII files up to 64K in length.

PC-IQ has some nifty features. It comes with a built-in screen saver. Its database manager allows you to add new programs to the Autoload list or customize PC-IQ's vocabulary so it recognizes alternate command synonyms. Entertainment files offer you a chance to play a game like Trivial Pursuit or read a series of famous quotations and interesting facts.

Primarily for computer novices, PC-IQ will benefit individuals who want to learn something about DOS without having to grapple with unwieldy commands. However, if the DOS prompt does not seem intimidating, you may find the program limiting. It supports relatively few DOS commands, it may run out of memory when other memoryresident programs run simultaneously, and its interface might slow you down. In the final analysis, it might be better to improve your PC IQ with a primer on DOS instead of using PC-IQ.

CAROL HOLZBERG

IBM PC or compatible, 640K RAM, hard drive—\$99.95

A.I. SOLUTIONS 58 Creekview Dr. West Seneca, NY 14224 (800) 677-6670 (716) 675-5311

Circle Reader Service Number 328

# EYE OF THE BEHOLDER

On the fifth day of Marpenoth in the year of the Shadows Piergeiron, the chief lord of Waterdeep summoned me to a most solemn meeting. There was trouble in Waterdeep, and the source lay deep within the city itself. It would be my ducharacter generation, and general gameplay. More importantly, however, the game represents a dramatic advance in sound and graphic quality for the Advanced Dungeons & Dragons line. For instance, as you search through the many labyrinths beneath Waterdeep, you hear the distinct sound of dripping water and the muffled footsteps of undead crea-



Eye of the Beholder takes you and your party deep into deadly, labvrinthine sewers.

ty to uncover this evil and destroy it before it destroyed Waterdeep. With a Letter of Marque in hand, I quickly assembled a small band of hearty adventurers and set out to face the unknown source of evil. Unfortunately, the most logical place to begin my search was also the least hospitable—the sewers beneath the city.

Eye of the Beholder joins Strategic Simulations' Advanced Dungeons & Dragons line of fantasy role-playing games, and it's the first title in the groundbreaking new Legend Series. Eye of the Beholder, like all games in the new series, utilizes Advanced Dungeons & Dragons Second Edition game rules for combat resolution.

tures. During combat, you hear the metallic clang of heavy weapons on armor and the ghastly cries and hisses of your dying foes as your party battles with bizarre monsters. The sewers are inhabited by a variety of creatures ranging from Giant Spiders and Zombies to Kobolds and Mantis Warriors. All monsters are carefully drawn and animated.

You can begin the game either by creating your own characters from scratch or, if you want to dive right in, by using a prebuilt party. Eye of the Beholder can be played entirely with keyboard input, or you can point and click your way through the adventure with a mouse or other pointing device.

As you explore the sewers below Waterdeep, the area directly in front of your party is visible through a large 3-D view window. To the right are character portraits of the four player characters and up to two nonplayer characters (NPCs) who may join your group during the adventure. Hand-held items such as weapons and spell books are shown alongside each portrait, and both combat and spell casting are accomplished by clicking on the appropriate icons. Below each portrait, characters' points are displayed either as a bar graph or, if you prefer, a numeric value. By clicking on a specific character's portrait, you access an equipment screen that graphically displays all of the character's belongings. Here, you can easily outfit a character by dragging weapons and armor from backpack to body. To feed your fearless warrior, you simply drag food from his or her backpack over to a small table setting and drop it on the plate.

A separate character screen supplies all the vital statistics on each character such as class, alignment, race, sex, ability scores, experience, and character levels. Convenient Next and Previous buttons on both the equipment and character screens let you access similar information on other members of your party without your having to first return to the main screen.

Eye of the Beholder is not without a couple of annoying faults. First, each time you load the game, you must specify the graphic mode and sound board you wish to use and indicate whether or not you want to use your mouse. Second, unlike many games that allow you to save multiple games by as-

signing each a unique name, Eye of the Beholder makes every game that you save automatically replace the previous one. Even with these glitches, Eye of the Beholder remains one of the most engaging fantasy roleplaying games I've seen in a long time and one that no Advanced Dungeons & Dragons fan should be without.

IBM PC and compatibles, 640K RAM, CGA, EGA, MCGA, VGA, or Tandy 16-color; supports Ad Lib and Sound Blaster, requires hard drive or two floppy drives—\$49.95

Also available for Amiga-\$59.95

STRATEGIC SIMULATIONS Distributed by Electronic Arts 1820 Gateway Dr. San Mateo, CA 94404 (800) 245-4525

Circle Reader Service Number 329

#### **MAPVIEWER**

Have you ever looked at a map and wanted to see the information displayed differently? Perhaps a job presentation or sales close could have benefited from a jazzier visual aid than an uninspired photocopy from an old sales manual?

MapViewer, from Golden Software, could be your answer. It allows you to use standard maps or create your own and customize them any way you want. This Windows 3.0 program helps you create great presentations and is a terrific aid to schoolwork.

Any discussion of technical software should start with a review of its most important and often most neglected component—the documentation. *MapViewer* comes with an intimidating 312 pages plus appendices to sift through. The manual contains an introduction, start-up procedures, a tutorial, an advanced features

Enter Another World
Where the Living
are
Among the Few


CRUSADERS
of the
DARK SAVANT

The Sequel to Bane of the Cosmic Forge
Circle Reader Service Number 136

section, and a handy reference section.

Although the sheer volume of documentation may at first seem a bit overwhelming, it took me only about two hours to work readable; even the index appeared complete and dependable.

Most people will first experience *MapViewer* by running through the tutorial. When you first boot the pro-



MapViewer puts useful geographical data at your disposal.

through the tutorial and two hours to read the rest of the manual. Then I was ready to use *MapViewer*. I found the manual to be well written, concise, and generally gram, a standard Windows screen with icons for map customization greets you. The tutorial then instructs you to import a data file of the fifty American states and

a data file detailing the populations of each state. Then, using a simple spreadsheet, the tutorial reshapes the information into a variety of maps that display population ranges. For instance, a hatch map color-codes the country according to population density. A symbol map places appropriately sized human figures in each state. The bigger the person, the bigger the population. Choosing a prism map gives you three-dimensional states with the height of the state corresponding to the size of the population. A dotdensity map fills each state with dots in proportion to the population. For incorporating more than one variable, a pie map inserts a pie chart into each state and allows for population breakdowns into categories such as male and female.

Next, you may print your data. Finally, the tutorial runs through the help screens and index. A tutorial in any manual is an indispensable tool in learning how a program works. You learn best by doing, and Golden Software deserves applause for including such a complete and usable tutorial in the manual.

After running the tutorial, you're ready to explore MapViewer on your own. The features included allow you to make your map three-dimensional, display two data variables for each geographical area, put several

maps on one page, cover up parts of the map, or use the clipboard. In order to test the usefulness of the program, I constructed a map representing the spread of my personal business. This was an adequate test of the agility of the program, since my client base spans a large geographical area but is concentrated in very small groupings. I expanded the four counties surrounding me into an enlarged area and showed the remainder of the United States in a secondary map. For good measure and aesthetics, I then made the map three-dimensional and added color. Altogether, it took about four hours-one hour to enter the information into the spreadsheet and three hours to use the manual to figure out what I wanted to do.

The quality of printing was fine on my HP laser printer at work, but the legibility on my inexpensive dot-matrix printer at home was quite poor; distinguishing the different shades in each map area proved difficult. A representation in the manual of how the different colors will show up in black-and-white printing would've been handy and certainly saved time. Another problem is the definition of the geographical representations. Blowing up the area in and around Kuwait (which we've all become familiar with) revealed a very simplistic rendering of the borders. Honestly, though, these quibbles with an otherwise unique and useful program don't begin to undermine its strength.

When I first received MapViewer, I struggled to justify its utility. Though undeniably well made, MapViewer made me wonder, "What can I use it for?" I found my an-

swers. While other graphic business programs might sit on my shelf after reviews are written, MapViewer will stay on my hard disk. My son and I discovered (in my case rediscovered) the versatility and usefulness of maps. I know of no other tool as handy for supplementing a child's geographical education. In addition, its usefulness in supplementing business proposals recently became apparent—and since then, indispensable. I incorporated MapViewer into two presentations, and the results pleased me tremendously: my presentations were simply more impressive. For a program that on first glance appeared all but useless, a trip through the workings of MapViewer soon convinced me that its appeal should, geographically speaking, reach far and wide.

ADAM STARKWEATHER

IBM PC and compatibles, Windows 3.0—\$249

GOLDEN SOFTWARE 809 14th St. Golden, CO 80402 (303) 279-1021

Circle Reader Service Number 330

# PERSONAL LAW FIRM

Save a bundle on professional attorney's fees by minimizing time spent in a lawyer's office. Personal Law Firm. BLOC Publishing's electronic do-it-yourself legal adviser, can help you do just that. You can generate 30 legal documents to take care of important personal, family, and business affairs. Menu driven and easy to use, this electronic law firm will have even computer novices more sure of their legal footing after even a minimal effort.

Personal Law Firm includes forms for a last will

# FOR COMPUTE DISK SUBSCRIBERS

COMPUTE offers two different disk products for PC readers; the SharePak disk and PC Disk. SharePak is monthly and has a subscription price of \$59.95 for 51/4-inch disks and \$64.95 for 31/2-inch disks. A subscription to SharePak does not include a subscription to the magazine. PC Disk appears in even-numbered months and has a subscription price of \$49.95, which includes a subscription to the PC edition of COMPUTE. You can subscribe to either disk or to both, but a subscription to the other.

and testament, living will, and residential lease. You can set up or revoke a power of attorney; create prenuptial, postnuptial, or marital settlement agreements; and authorize a temporary guardian for your children. Other forms help you put together a commercial real estate lease, agreements that safeguard trade secrets or intellectual property, work-forhire contracts, promissory notes, and personal guarantees. Draw up a bill of sale, make a formal offer to purchase, issue demand letters, and more.

Once the program has been installed, just push a few buttons, answer some questions, and out pops a customized form. The program allows individuals to create a new document, revise an existing document, or print a hardcopy of a completed document. Onscreen prompts give directions every step of the way, and you can expect online help for any question you might

Our family lawyer, a practicing attorney in the state of Massachusetts, says that Personal Law Firm has potential. Ordinary folks shouldn't have to run to a legal professional for routine paper processing, especially when it comes to documents like a power of attorney, promissory note, or bill of sale. While the laws of different states may vary, these basic forms often prove legally valid in most jurisdictions.


On the other hand, our lawyer points out that blind faith in some *Personal Law Firm* documents could spell danger. For example, in the matter of a commercial real estate lease, virtually no such thing as consumer protection exists. If you execute a commercial lease without going to a lawyer, you can inadvertently leave out important provisions that protect your interests.

Your unease may heighten when you consider that Personal Law Firm documents were created by a member of the California bar. Laws tend to differ from state to state. For example, if landlords use the standard form for a residential lease (designed for nationwide application) in Massachusetts, they could get into serious trouble by overlooking specific state requirements concerning move in/move out inspections, escrow accounts for damage deposits, maximum limit for damage deposits and last month's rent, and other landlord obligations. These landlords could be forced to return tenant damage and security deposits before the end of the lease. They could even end up paying their tenants up to triple damages and attorney's

A step in the right direction, Personal Law Firm could benefit people preparing a document for legal review. Clients might not save any money in attorney's fees, however, because lawyers often charge a set fee for completing particular documents, regardless of whether or not the client prepares an outline.

Probably best suited for a typing service run by a skilled independent paralegal, Personal Law Firm's forms require the attention of someone who knows when it's appropriate to fill in the blanks and when it's necessary to approach a lawyer. Our lawyer cautions that a little bit of knowledge, posing as expert advice, can be as dangerous as an outdated law book.

The whole thrust of Person-



al Law Firm seems to suggest that individuals do not need a lawyer for certain documents. The packaging states that the software "creates documents that are valid in 49 states and the District of Columbia." Yet a tiny note at the bottom of the box says, "BLOC Publishing offers no warranty, express or implied, as to the legality of these documents in your particular state." This disclaimer appears intended to absolve BLOC Publishing of any liability. With the possible pitfalls in mind, exercise caution when creating your legal documents. Ultimately, the price of mistakes will be paid by you.

In future versions of *Personal Law Firm*, I'd like to see documents tailored to the laws of specific states. I'd also like BLOC Publishing to have its attorneys include the citations which specify the legal basis for the documents included. If nothing else, the program provides some insights into the legal system that laymen might oth-

erwise never investigate. Citations would add to the educational value. For safety's sake, though, don't rule out an attorney or a typing service run by an independent paralegal. In law, as with the medical profession, it's sometimes wise to seek second opinions.

CAROL HOLZBERG

IBM PC and compatibles, 256K RAM, hard drive, 80-character display (color or monochrome); supports virtually any printer, includes both 3½- and 5¼-inch disks—\$99.95

BLOC PUBLISHING 800 SW 37th Ave. Coral Gables, FL 33134 (305) 445-0903

Circle Reader Service Number 331

#### STUDYMATE— THE GRADE BOOSTER

One commonly held educational theory states that a critical aspect of learning is the development and strengthening of study skills. Capitalizing on this notion is Compu-

OCTOBER 1991 COMPUTE

Teach's Studymate—The Grade Booster 2.2.

Studymate does not pretend to be a program that teaches study skills. It leaves that multifaceted task to David H. Griswold's How to Study, a 148-page paperback enclosed as a bonus. Essentially a test-construction kit, Studymate provides a tool to help students organize their learning, review it in many different formats, and absorb it through repetition.

The main program consists of two parts—Editing Functions and Taking a Test—both accessed via a series of keyboard-controlled menus. From the Editor menu, you may create, edit, review, print, delete, or copy a test. In addition, you can

call up a disk directory that contains not only each filename but also a brief description of all exams on the disk, the style of questions they use, and who wrote them.

Taking for granted that you already know how to write a test, the documentation offers only a few tips on how to go about doing so. Fortunately, viewing some of the 75 different 20-question quizzes included on the Vocabulary Power Disk will give you ideas for framing questions, as well as help you improve your word usage.

Teachers using software for their pupils or parents generating quizzes for their children should have no trouble manipulating the Create function or thinking of ideas for

tests. Likewise, bright students who need review in certain subjects will find the program easy to handle.

Slower learners, however, will be hard-pressed to locate the relevant facts and ideas and to formulate them into meaningful questions. Although the program is best employed for teaching knowledge- and comprehensionbased material, to construct items for it requires higher levels of learning, such as analysis and synthesis. This might make the Create function of Studymate inaccessible to many of the very people it is trying to help.

In the right hands, the Create module may be used to produce a wide variety of tests: true/false, multiple

choice, fill in the blanks, spell scrambles, missing letters, and combinations of the above. Noticeably absent are matching columns, a test format commonly used by teachers of all grades.

Each test type has its own unique options and template. For instance, from the Multiple Choice menu you may determine the total number of responses and enter your own incorrect choices or have the program randomly assign them. After making your selections, you move to the template and fill in your first question, the correct reply, and the incorrect answers (unless randomly chosen) in the spaces provided. In this way you may create

#### Available exclusively by subscription!

## COMPUTE's Amiga Resource edition

Your authoritative source for Amiga information

Amiga owners: Each month, the Amiga Resource edition of COMPUTE brings you all the news, reviews, and home office information found in the regular newsstand edition of COMPUTE, plus a special section devoted

exclusively to Commodore's multitasking marvel—the Amiga. Whether you use your Amiga for multimedia, games, video, desktop publishing, or home office work, you'll find plenty of useful information in the Amiga Resource edition.

Amiga Resource includes:

PREVIEWS OF NEW AMIGA SOFTWARE INDUSTRY NEWS AND RUMORS AMIGA ART GALLERY COLUMNS BY AMIGA EXPERTS HARDWARE AND SOFTWARE REVIEWS A BIMONTHLY DISK SECTION AND MORE!



SUBSCRIBE TODAY and get a year (12 issues) of COMPUTE with Amiga Resource for only \$12.97!

Or get 12 issues and 6 bimonthly disks packed with original software for just \$49.95.

Mail completed coupon to

COMPUTE's Amiga Resource P.O. Box 3244 Harlan, IA 51593

or call 1-(800)-727-6937

☐ YES! Send me a 1 year	subscription
to the Amiga Resource	edition of
COMPUTE for only \$12	2.97.

Send me 1 year of the Amiga Resource
edition of COMPUTE (12 issues) and the
Amiga Resource Disk (six disks) for
just \$49.95.

Payment Enclosed	☐ Bill	Me
------------------	--------	----

Address			-
City	State	ZIP	
	11 (postage and Canadian Goods and disk. Other foreign orders add \$4.0		only;

If you're a COMPUTE subscriber who wishes to receive the Amiga Resource edition instead, send a photocopy of your cover and mailing label along with a request to Amiga Resource Subscriptions, 324 W. Wendover Ave., Str. 200, Greensboro, NC 27408, or call foll-free (800) 727-698.

as many items as disk space allows.

After completing your exam, you may administer it either on screen or via hardcopy. If you choose the former, access the Take a Test module and then load in the file, and you're ready to go. As a test giver, the computer flags mistakes and will usually offer you a second chance. If you're still in the dark, the program supplies the correct answer. When you're done, you're told the number and percentage of correct replies and the time it took to complete your work. Then you may decide to print the results, to be retested on the items answered incorrectly, or to retake the entire examination.

If you're preparing to take a test, Studymate provides solid value at a reasonable price. It won't study for you, but it will help when you decide to crack the books.

LEN POGGIALI

IBM PC and compatibles, 384K RAM—\$49.95

Also available for Apple II Series— \$49.95 and Macintosh—\$49.95

COMPU-TEACH -78 Olive St. New Haven, CT 06511 (800) 44-TEACH

Circle Reader Service Number 332

## CENTRAL POINT ANTI-VIRUS

You know that feeling you get when, after a complete physical examination, the doctor shakes your hand and tells you you're as fit as a fiddle? Well, that's how I feel since installing Central Point Anti-Virus on my hard drive. The program assures me that my system is free of computer viruses. Central Point Anti-Virus not only checks your entire system


for any signs of viruses but also can remove viruses from infected files and provide continuous protection from infection. That supplies invaluable peace of mind.

Central Point Anti-Virus recognizes more than 400 viruses-nasty little bugs with names like Dark Avenger, Chaos, Disk Killer, Leprosy, Beast, and Friday the 13th. Even more frightening than the names of viruses is the wide range of symptoms you're likely to encounter if the viruses manage to infect your system. Symptoms range from the annoying (files increase in size, your system slows down, music plays over your PC speaker, or mysterious messages appear) to the disastrous (your hard drive reformats!).

Two memory-resident utilities, VSafe and VWatch, provide continuous protection. The highly configurable VSafe uses 22K of system memory and monitors your system at all times for suspicious activity. If free memory's scarce on your system, substitute the 8K VWatch instead. VWatch checks for the presence of known viruses each time a program executes or a disk is accessed.

You can install either utility as a COM file or as a driver. As COM files, the utilities can easily be removed from memory at any time with a couple of keystrokes. You can't disable the driver versions of these utilities, but since they load into memory before COMMAND.COM, they automatically check this file for viruses.

Bootsafe, a utility run from your AUTOEXEC.BAT file, protects your system against viruses that try to infiltrate the boot sector on your hard drive. During installation, the program creates images of your boot sector and parti-



tion table and stores them in a hidden image file in the root directory of your hard drive. Then each time you boot your system, the program looks for existing boot sector viruses by comparing the current boot sector and partition table with those in the image file.

with VSafe and Watch, Bootsafe is completely optional during installation. If you don't think you need continuous protection, you can simply load Central Point Anti-Virus periodically to scan for viruses. If you choose to use the program in this manner, it will even remind you at regular intervals (user-selectable from one week to three months) to scan your system. Despite the sophistication of Central Point Anti-Virus, the program remains very easy to use, with context-sensitive help available at all times and a clear and extremely thorough manual. Besides telling you everything you need to know to use the program, the manual explains how the program works and includes a 43-page Virus Dictionary, which lists close to 200 viruses and describes in some detail their symptoms and infection mechanisms. In addition, you can count on support from the Virus Protection Service Plan, which provides registered users with a virus hotline, quarterly mailings, online support via Central Point's BBS (or CompuServe), and one free upgrade. Now, that's a comprehensive PC health package. **BOB GUERRA** 

IBM PC and compatibles, 512K RAM—\$129, \$30 for registered owners of other Central Point products

CENTRAL POINT SOFTWARE 15220 NW Greenbrier Pkwy., Ste. 200 Beaverton, OR 97006 (503) 690-8090


Circle Reader Service Number 333

# WINDOWS 3 POWER TOOLS

If you're interested in becoming a *Windows* power user, this is the book for you. Instead of concentrating on get-

OCTOBER 1991 COMPUTE

ting-started information or the basics of using Windows accessories, this book-anddisk combination focuses on Windows itself, and it includes solutions to lots of knotty problems that plague intermediate and advanced Windows users.



Windows 3 Power Tools works the kinks out of Windows.

Windows 3 Power Tools delivers information on almost every aspect of running Windows. Early chapters deal with mastering Program Manager, File Manager, fonts, and Recorder. More advanced sections follow on Clipboard and DDE, memory management, and customizing Windows. The final chapters concentrate on improving the performance of Windows and using Windows on a network.

The section on Windows memory management is especially noteworthy. It's the clearest discussion of Windows' three modes of operation and how Windows uses expanded and extended memory I've read. There's also useful information on highmemory managers like QuarterDeck's QEMM.

The chapter on improving Windows' performance is excellent as well. If you've wondered what arguments you should really use to optimize

SMARTDrive's performance, this chapter will clear up the confusion.

In addition to these tips and techniques, Windows 3 Power Tools includes a disk full of some notable Windows software. Included are Oriel, a batch language for Windows; Command Post, Wilson Windoware's replacement for Program Manager; Aporia, a true object-oriented interface to Windows; and IconDraw, an icon editor. All are worth a look,

Since Windows 3.0 hit the scene, scores of Windows 3.0 books have appeared. Windows 3 Power Tools is the best one yet.

CLIFTON KARNES

Authors: The LeBlond Group-

Geoffrey T. LeBlond, William B. LeBlond, and Jennifer L. Palonus 664 pages—\$49.95


BANTAM COMPUTER BOOKS 666 Fifth Ave. New York, NY 10103

Circle Reader Service Number 334

#### MICROSOFT PRODUCTIVITY PACK

If Professor Windows is for the computer-shy, Microsoft Productivity Pack is intended for the computer-literate. Its purpose is the same, teaching basic Windows skills to the new user, but it places greater confidence in that user's study habits and familiarity with computers.

The largest of the three modules included in *Productivity Pack, Learning Windows* provides sections on Getting Started, *Windows* Essentials, Working with Applications, Managing Your Files, Organizing Your Work, and A Day with *Windows*. Graphical representations of historical and fictional charac-



Microsoft Productivity Pack explains the fundamental differences between Windows and DOS.

ters lend each presentation a creative touch. Cleopatra, for instance, multitasks several *Windows* applications while designing the pyramids.

Productivity Pack doesn't quiz you as lessons proceed, so take notes like a good detective. You'll conclude Learning Windows by using the environment to help Sherlock Holmes solve a case. This calls on all your recently developed skills, and while you can always tab through this section to get at Productivity Pack's answers, who wants to fail Sherlock Holmes?

The other two Productivity Pack modules, Quick Troubleshooting and Working Smarter, are simply fancy titles for problems and hints. Both topics offer Windows Help-style access to simple but effective information. These two areas give the impression of providing more material than they actually cover because many of the extensive help subbranches lead back to a relatively small number of answers.

Productivity Pack is a refreshing, hands-on approach to learning about the GUI that conquered America. While you may find all the same information in the *Windows* manual, you won't get all the fun pictures.

BARRY BRENESAL

IBM PC and compatibles, Windows 3.0 or later—\$59.95

MICROSOFT 1 Microsoft Way Redmond, WA 98052-6399 (800) 426-9400

Circle Reader Service Number 335

#### **OPTIONS**

Does the dreaded DOS command line interface get you down? Do your typing skills give rise to a *File Not Found* response more frequently than you care to admit? Do you have difficulty remembering obscure nested directory paths? Then replace the infamous DOS prompt with *Options'* point-and-click interface.

Options typically installs in the C drive and modifies your AUTOEXEC.BAT file to execute automatically at startup. Alternatively, you could access the system by entering MENU at the DOS prompt. Menu options execute DOS commands,



A Fantasy Role-Playing Simulation by D.W. Bradley

# CRUSADERS of the DARK SAVANT









Welcome to the sequel to Bane of the Cosmic Forge and the only game that could possibly follow its lead. It's everything Bane was...and more.

256 Colors • Outdoor Campaigns • Full Musical Score & Sound Effects • Auto Mapping True Point & Click Mouse Interface • Unprecedented depth of story



Ogdensburg Business Center, Suit 2E Ogdensburg, New York 13669

To order or for a dealer nearest you call

1-800-447-1230

launch programs, or run batch files.

The program features timesaving macro capabilities, password protection to limit access to designated users or particular directories, plus a screen saver that blanks the screen after a user-specified length of time. You also get Tracking Control to keep records of computer usage, a Stopwatch function for time tracking (great for keeping time records on client phone calls), and pop-up calendar, calculator, and memory map accessories.

**Options** automatically loads functions into extended memory in order to lessen the amount of conventional memory required to run the application. Pull-down menus in the Edit mode and context-sensitive online help assist with program operation. The package provides users with several convenient features in one handy location. Isn't it time you considered your options to maximize productivity, guarantee system security, and minimize operator error?

CAROL HOLZBERG


IBM PC and compatibles, 384K RAM, hard disk; mouse recommended—\$89.95

APOGEE SYSTEMS 717 630 Eighth Ave. SW Calgary, AB Canada T2P1G6 (403) 265-0675


Circle Reader Service Number 336

#### **PROKEY PLUS**

Popular with experienced computer users, macros sometimes perplex or intimidate computer novices. Even a novice, however, can appreciate the advantages of macros. Substituting a single keystroke for a series of strokes, macros save time and prevent typing errors.



Exercise your options and do away with the DOS prompt.



ProKey Plus helps you write macros for every occasion.

Like most shortcuts, macros have some drawbacks. Creating macros so that Ctrl-E produces the closing lines of a letter and Ctrl-H writes letter headers only saves time if you can remember which key does what. ProKey Plus solves this problem. To help you write macros, ProKey Plus lets you annotate them. When you list your macros, you'll see a description of what a hot key does, rather than the usual litany of the component keystrokes. ProKey Plus, which occupies about 67K of RAM, interpos-

es itself between your key-

board and any application you may be running. This means that you can use the program to define or execute macros from within your application programs.

Modern word processors are notorious for the complex keystroke sequences necessary to invoke their commands. ProKey Plus provides an alternative; I tested it with WordPerfect, arguably the word processor that puts you through the most rigorous keyboard gymnastics, and it worked satisfactorily. ProKey Plus is quite rapid in its response. I fault it only on

its documentation. The manual is not tutorial in nature and needs more explicit examples. Even so, *ProKey Plus* in your library might go a long way toward easing the tension between you and your word processor!

IBM PC and compatibles-\$129

ROSESOFT P.O. Box 70337 Bellevue, WA 98007 (206) 562-0225

Circle Reader Service Number 337


#### **PC USA**

How many outdated atlases, dictionaries, and encyclopedias do you have gathering dust? Well, for the atlas at least, the days are numbered. PC USA, a computer atlas program available from PC Globe, offers both a graphic representation of the United States and a comprehensive database of all sorts of useful and trivial facts. Now you need never miss a question in the geography section of your favorite trivia game.

In order to access all this great information, you use a standard imitation *Windows* interface. Commands lined all along the top of the United States map allow you to determine which database you want to enter and the level of detail involved. You'll also find mighty helpful the small insert that describes how to run *PC USA* through *Windows* 3.0.

The manual itself adequately describes installation and all the various databases, though I ran the program effectively without much preparation. You also get a complete bibliography, which proves vital when determining the accuracy and currentness of the abundant information utilized in the program.


# GET THE OFFICIAL CLUES TO THE HOTTEST GAMES!



#### THE OFFICIAL BOOK OF KING'S QUEST, SECOND EDITION


Here's the source for hints, tips, and background for the newest adventure, King's Quest V.

This new volume includes more clues, maps, and inside details, along with more ways to add even more fun to all five of the best-selling King's Quest games. Covers King's Quest I - V.



#### THE OFFICIAL GUIDE TO SID MEIER'S RAILROAD TYCOON

This is the book that makes railroading and the game come alive. Inside players will find interviews with Sid Meier, the designer of Railroad Tycoon, along with facts on how the product was conceived and developed. Also includes formulas the program uses to determine income and expense.



#### THE OFFICIAL GUIDE TO ROGER WILCO'S SPACE ADVENTURES

For the first time,
Space Questers can learn what goes
on in the mind of the most
legendary janitor in the universe. Inside,
you'll find complete maps for every
Space Quest scenario, point values for
every reaction, and Roger's
walk-through to the finish of all the games.
Covers Space Quest 1 - IV.

10H91C

YF5	☐ Check or Money Order ☐ Signature ☐	MC UVISA	
☐ The Official Book of King's Quest, Second Edition (2452) \$12.95 ☐ The Official Guide to Roger Wilco's Space Adventures (237) \$14.95 ☐ The Official Guide to Sid Meier's Railroad Tycoon (2443) \$12.95	Acct. No	(Required) Please Print	Exp. Date
Total Number of Books	Street Address		
Total Cost of Books Ordered	City All orders must be paid in U.S.	State funds drawn on a U.	The state of the s
<ul> <li>Sales Tax (Residents of NY, NC, and NJ add appropriate sales tax for your area. Canadian orders add 7% goods and services tax.)</li> <li>Shipping and Handling: \$2 per book U.S.; \$4 Canada; \$6 foreign.</li> </ul>	Mail this entire coupon to: COMPUTE Books c/o CCC 2500 McClellan Ave. Pennsauken, NJ 08109		Total .
Total Enclosed	0#		

Offer good while supplies last.

PC USA's database contains a staggering number of facts about every state in the U.S. The information ranges from age distribution, population, ethnic groups, and education statistics to annual pay by industry, taxes, gross state products, and (my personal favorite) state songs. There are dozens more information categories accessible. Search and enjoy; the information appears to be as current as possible.

The rather lackluster relief maps of the various states disappointed me a bit. Whether the Rockies or the Appalachians, all mountains resemble anthills, and with the exception of rivers, no real terrain differentiation shows. Also, even though *PC USA* utilizes music, no sound boards are supported. Finally, technical support calls aren't toll-free.

The abovementioned minor problems hardly mar the most comprehensive and useful geographical database I have seen. PC USA's applications seem as numerous and varied as the people who will use them, and I can't recommend this program more highly. Now, if I could just find something to replace those clunky volumes of encyclopedias.

ADAM STARKWEATHER


IBM PC and compatibles, 640K RAM, CGA, EGA, MCGA, VGA, Tandy 16-color, or Hercules—\$69.95, annual update—\$25.00

PC GLOBE 4700 S. McClintock Tempe, AZ 85282 (602) 730-9000

Circle Reader Service Number 338

#### **NVELOPE PLUS**

Designed to make envelope printing a snap, Nvelope Plus offers several features which account for the Plus in the title: the ability to print addresses easily in different



PC USA puts all manner of intriguing statistical and geographical data at your fingertips.



Lick envelope-addressing problems with Nvelope Plus.

fonts, to choose one of many envelope and label types offered or customize your own, to add ZIP codes from a comprehensive ZIP code database, and to create a thorough personal database of addresses.

As a memory-resident program with readily modified hot keys, *Nvelope Plus* pops up easily in an existing address database, in a word processing program, or anywhere else you might have addresses tucked away. Once summoned, *Nvelope Plus* makes grabbing an address for printing onto an en-

velope or address label marvelously simple. You can easily specify the size and type of envelopes and address labels, as well as whether they have a preprinted return address.

Nvelope Plus has a clear, effective user's manual, though once the program has been loaded, it needs little explanation. The envelope screens clearly display how the end product will look. If you place an envelope properly in your printer, you get what you expect.

Nvelope Plus performs its primary task quite well, with

enough extras to elevate it above the status of a typewriter substitute. Finding a ZIP code for any city in America with the built-in ZIP code directory, for instance, can save quite a bit of time. Without *Nvelope Plus*, the simple task of printing an envelope isn't as simple as it seems. With it, there's one less hassle to slow you down.

EDDIE HUFFMAN

IBM PC and compatibles, 256K RAM, LaserJet, PostScript-compatible, or Epson-compatible impact printer; hard disk recommended—\$49.95

CAJUN EDGE 117 S. Oak St., Ste. C P.O. Box 2457 Hammond, LA 70403 (800) 448-2970 (outside Louisiana) (504) 542-0410

Circle Reader Service Number 339

#### CONTACT MANAGEMENT

Success in a sales office hinges on productivity. Beacon's Contact Management provides an individual salesperson or networked sales office a way to manage daily sales calls more productively. Contact Management provides reams of useful information to salespeople and managers.

With a simple, one-line menu across the bottom of the screen, Contact Management proves simple to use. If you need to see additional program options, a simple touch of the F1 key brings up a full-blown menu/help screen, showing the software's options. As sales calls come in or go out, salespeople will have complete information about prospects or customers right at their fingertips.

Having this information readily available is much more important when you have incoming calls and

# CUNUUEK NINTENDO®


### WITH THESE BOOKS FROM COMPUTE

# THE OFFICIAL GUIDE TO MEGA MAN

Defeat the power-mad scientist, Dr. Wily!
Make your way through Monsteropolis!
Defend all of Mankind!
Finally, here it is—the complete playing guide to all three of the best-selling Mega Man games.
144 pages, \$7.95

#### COMPUTE'S NINTENDO SECRETS

More strategies,
hints, tips, reviews, and
ratings for
dozens of the newest,
most popular
Nintendo games.
Maxout
scores on Super Mario
Bros. 3,
Batman, Ninja Gaiden II,
and more.
198 + 8 color pages,
\$8.95



#### CONQUERING ZELDA: THE UNAUTHORIZED GUIDE

Finally—the hints and techniques you need to conquer two of the most popular Nintendo games.

The Legend of Zelda® and The Adventure of Link™.

Step-by-step instructions to rescue the princess!

128 pages, \$7.95

#### COMPUTE'S GUIDE TO NINTENDO GAMES

Packed with hints and tips for better play and dozens of reviews of available game cartridges for the Nintendo Entertainment System. 272 pages, \$9.95



the state of the s					
YES! I want more hints and tips. Please send me the books checked below.	☐ Check or money order ☐ MC ☐ VISA Signature				
COMPUTE!'s Guide to Nintendo Games (2214) \$9.95	Acct no Exp. Date				
	Name				
COMPUTE's Nintendo Secrets (2346) \$8.95	Street Address				
Conquering Zelda: The Unauthorized Guide (2397) \$7.95	(No P.O. Boxes please)				
☐ The Official Guide to Mega Man	City State ZIP				
(2417) \$7.95	All orders must be paid in U.S. funds drawn on a U.S. bank.				
	Orders will be shipped via UPS Ground Service. Offer good while supplies last.				
Subtotal	MAII 70 0				
Sales tax (Residents of NC, NY, & NJ add	MAIL TO Compute Books				
appropriate sales tax. Canadian orders add 7% goods and services tax.)	2500 McClellan Avenue				
	Pennsauken, NJ 08109				
Shipping and Handling: \$2 per book US; \$4 Canada; \$6 foreign.	Nintendo and The Legend of Zelda are registered trademarks of Nintendo of America, Inc. The Adventure of				
Total Enclosed	Link is a trademark of Nintendo of America, Inc.				
	10G91C				

## MAIL \* ORDER \* MALL



#### **V** BACK RELIEF BY POLLENEX

A re you one of the millions of Americans who suffers from low back pain? Do hours of prolonged sitting leave you aching or numb? If so, then the Pollenex Back Relief is just what the doctor ordered. Back Relief's unique design cradles your back in comfort and features multiple combinations of massage and heat. The inflatable lumbar cushion conforms to the shape of your back. Dual massaging elements can be used separately or together for full back massage. Handy remote control lets you select upper/lower massage, low and high intensity as well as

heat control.And the soothing massager works 2 ways-adapter

#1 plugs into any indoor electrical outlet while adapter #2 plugs into car, van, or truck cigarette lighter. So Back Relief is perfect for car, home, or office. Plush, durable fabric cover adds extra comfort \$119.98 (\$6.75) #A2001.



#### **▼ THE BEST RECEPTION EVER!!**

liminate radio signal fade and aggravating cross over signals that garble the sound. The new LS4 omni-directional antenna is the only indoor antenna that thinks for itself. The micro chip brain receives signals and isolates them into individual clear frequencies. Features the Gallium Arsenide Field Effect Transistor. No need to redirect this antenna. Leave it where it is and its 360 degree radius allows it to receive from any direction. This antenna will boost your radio signals up to 24 decibels for the clearest reception you have ever experienced. Easy to install, light weight. Plugs into any stereo model. Unique modern design. Made in the U.S.A. U.L. listed. 1 year warranty. Dimensions: 3" x4.125" x 17.25"

x4.125" x 17.25". \$58.98 (\$5.25) #A1891.

#### V EVERYTHING BAG

eople on the go always have so much to carry around. The Everything Bag makes it a snap. This oversized shoulder bag is constructed of tough, water-resistant canvas material and features nine roomy pockets. Plus, an unusual zipper design enables the bag to expand to double its normal width—to a full eight inches. Adjustable 2" wide straps provides a real comfort feature. In 3 great colors. \$24.98 (S4.00) #A1955-Blue; #A1956-Khaki; #A1957-



#### FOOD FOR WOOD

ost of the convenience waxes you buy actually dry out wood instead of nourishing it. What's the alternative? Our choice is Williamsville Wax. It is made of beeswax and lemon oil, heatblended with other natural oils. It can be used on any type of wood, any type of finish, on paneling or kitchen cabinets as well as fine furniture. Williamsville Wax is super for restoring neglected or mistreated wood. Two 8-oz. bottles cost \$13.98 (\$3.25) #A14312.



#### **VINNOVATIVE IONIZER**

A sophisticated electronic device that uses nature's way of cleaning air—emitting trillions of negatively charged ions that act like magnets, attracting microscopic particles of dust, smoke and pollen. One belongs in every room, but sometimes a table-top ionizer just isn't practical or desirable for reasons of space or your decor. This tiny unit (1½"x3") provides an ingenious solution, plugging right into any wall outlet.

where it will remain inconspicuous while performing its mighty task. With "on" indicator light and collector pad that can be rinsed and, eventually, replaced. By Pollenex, for fresher air in home or office. \$39.98 (\$4.00) #A1867.



#### **▼ NIGHT TRACKER™**

ight up your night! Night Tracker's, the cordless, rechargeable hand-held spotlight packs a 500,000 candlepower beam to give you a light whenever, wherever you need it. The beam is 10 times brighter than your automobile headlights and will carry over 1 mile. Operates on rechargeable batteries or recharge it from 110 volt AC outlet or from any 12 volt car or boat outlet. Perfect for home, travel, boating and camping. Made in the USA and comes with a 90 day warranty. Now featured with amber and red lens attachments. \$79.98 (\$6.25) #A1975.



#### CALL TOLL FREE 24 HRS. 7 DAYS 1-800-722-9999

**TO ORDER:** Send check with item number for total amounts, plus shipping & handling shown in ( ) payable to **MAIL ORDER MALL**, DEPTCP-101; PO. Box 3006, Lakewood, N.J. 08701, or call TOLL FREE **1-800-722-9999**. NJ residents add 7% sales tax. We honor MasterCard, Visa, and American Express. Sorry, no Canadian, foreign, or CO.D. orders. **30 day money back guarantee for exchange or refund.** 

## MAIL \* ORDER \* MALL

#### V CAR-THEFT PROTECTION — WITH NO INSTALLATION

With Sonic Sentry, the value of a car alarm brings you peace of mind — without the expense and bother of installation. You can switch it from one vehicle to another. Just plug Sonic Sentry into the cigarette lighter; cord reaches 5 feet, so the unit can occupy dash or seat when vehicle is parked, where the flashing lights can make a browsing thief think twice. The petite 4½"x4¼"x2" box is capable of emitting a truly ear-piercing alarm, concentrated inside the car, where it can most effectively repel an

intruder. Activated by the light that accompanies the opening of car door, hood or trunk, it also senses impact or "unnecessary roughness"; the shriek lasts for one minute and only the key stops it—unplugging the lighter activates a back-up battery. Stuck on the road? Switch Sonic Sentry to its mode showing HELP in flashing red lights and put in the window to attract aid. It's protection you can't afford not to have, at \$74.98 (\$7.00) #A1989.



#### **V STEP UP TO A HEALTHIER YOU**

octors, physical trainers, and athletes agree that stair climbing is one of the best forms of aerobic exercise. You can achieve your fitness goals without the severe jarring or pounding associated with running or jogging. That's why the foldaway ExerClimb™ is the perfect piece of exercise equipment. The ExerClimb™ improves cardiovascular function, increases endurance, burns body fat, and conditions major muscle groups to tighten and tone upper body, thighs, hips, buttocks, and calves. And results can be seen with a twenty minute workout three times a week. It is quiet enough to let you exercise while watching T.V. or listening to your favorite music. The hydraulic powered ExerClimb™ features sturdy steel construction, magnum series shocks and individual tension adjustment to insure a high intensity, low impact workout. Compact and lightweight (28 lbs.) this incredible machine fits in virtually any size room. When opened for use, it measures 28"H x 27"L x 16"W. Plus, its unique foldaway feature makes carrying and storage a snap. Perfect to take along to your office, trips, or almost anywhere. Some assembly



required, using only screwdriver and pliers. For all these great features, one would expect to pay much more, but the Exer-Climb<sup>19</sup> has a very trim price tag. So now there is no reason not to "step" into better shape. Ninety day warranty. **\$119.98** (\$15.00) #A1998.




#### V SHARPEST OF THE SHARPENERS



he classic knife sharpening tool is the butcher's steel, but most people find it intimidating. The Chantry Knife Sharpener duplicates butcher steel action but makes it so simple anyone can sharpen and realign a blade edge perfectly in moments. As the knife edge is drawn between a pair of hard (Rockwell 64-65) Sheffield Steel rods, spring-loaded at just the proper angle, both sides of the blade are aligned. Works on stainless or carbon steel knives, straight or serrated edges. The Chantry is made of heavily enameled steel, can be countertop mounted. It is included in the permanent design collection of the Museum of Modern Art. \$34.98 (\$5.00) #A1878.



#### **▼ THE DAZER™**



ven the most dedicated canine afficionado can sometimes encounter unfriendly dogs. Dazer™ provides a humane way to repel their advance, emitting ultrasonic sound waves inaudible to humans and totally safe for dogs (unlike mace and other common deterrents). Pocket size (4¾″ long) plastic case can also clip on belt; takes 1-9V battery, included. For joggers, hikers, bikers, seniors and kids—plus the proverbial postman. \$29.98, (\$3.00) #A1829X.

#### CALL TOLL FREE 24 HRS. 7 DAYS 1-800-722-9999

TO ORDER: Send check with item number for total amounts, plus shipping & handling shown in ( ) payable to MAIL ORDER MALL, DEPTCP-101; PO. Box 3006, Lakewood, N.J. 08701, or call TOLL FREE 1-800-722-9999. NJ residents add 7% sales tax. We honor MasterCard, Visa, and American Express. Sorry, no Canadian, foreign, or CO.D. orders. 30 day money back guarantee for exchange or refund.

# PENTHOUSE MAGAZINE COMES ALIVE ON YOUR COMPUTER!



Try the New **ONLINE SERVICE** of PENTHOUSE MAGAZINE. It's incredible! You can finally use your computer for something that you will truly enjoy. You'll be able to:

- •DOWNLOAD beautiful color images of Penthouse Pets
- •Have UNINHIBITED CHAT with Penthouse Pets and special guests from around the world
- •Receive revealing ELECTRONIC MAIL from other members
- •Experience much more!

We'll even provide the software to maximize your computer's graphic abilities!



TO GET YOUR COPY OF OUR SOFTWARE,
AND INFORMATION ON HOW TO ACCESS THE SYSTEM IN YOUR AREA, USE YOUR MODEM TO DIAL:

1-900-463-8300

Just 50¢ Per Minute. You Must Be 18 Years Of Age Or Older.

don't have time to prepare your presentation. When a customer calls, there's no need to tell him to hang on for a few minutes while you frantically fumble through a dozen legal pads, looking for what you last discussed on the telephone. Just pull the appropriate information up on Contact Management, and then, before taking an order from your customer and scheduling delivery or making an appointment, you can quickly key up your calendar to check for any conflicts on your end.

Contact Management also provides you with preconfigured reports. You can use this information in a sales office to analyze top salespeople. Whom do they call? How many calls a day do they make? How often do they contact their customers? All this information makes this software an invaluable tool for the salesperson or sales office and will likely boost productivity. Though priced a bit high for many home us-

ers, those with the capital and the need shouldn't miss this opportunity to improve efficiency.

PEER PLAUT

IBM PC and compatibles, 512K RAM, hard drive—\$349 single user; \$695 multiuser, \$75 per node

BEACON SOFTWARE 222 N. Huron St. Toledo, OH 43604 (419) 242-3888

#### SANTÉ

Can't afford the services of a registered dietitian to put you and your menus in a healthful frame of mind? Santé puts one in your kitchen. The government's nutritional guidelines come built in and make eating for optimum health less troublesome.

Developed by Hopkins Technology with the assistance of a registered dietitian, Santé describes the nutritional content of over 2000 foods and analyzes how your meals measure up against the U.S. Recommended Dietary Allowances

(USRDA) for your age and gender. The program offers analyses of food, which check specifically for 29 nutrients, compare saturated and unsaturated fats, and calculate the percentage of protein, carbohydrates, and fats in your diet.

Analyze a single food, recipe, meal, day, or range of days; the results are displayed or printed in easy-to-read reports and bar charts. Some discoveries prove unpleasant: Your Sunday eggs, bacon, and biscuits give you double the maximum USRDA for cholesterol.

You say you want healthful alternatives to your old standbys? Try the 12 included recipes and the hundreds you receive once you've registered as a *Santé* owner. All recipes are dietitian tested, and you can import them—and your own recipes—with the touch of a key.

Plan a week's worth of meals and make adjust-ments to reduce the fat or in-

crease the calcium. See how you've done over a month's time—some days you may not do well, but over the long haul, Santé keeps you on track, nutritionally speaking.

The program's friendly interface features pull-down menus you navigate with the arrow and Enter keys. Online help nearly makes the manual dispensable, explaining program functions and providing information about each nutrient.

If you consume something not in the database, you can personalize the food list. You can also enter ingredient prices; Santé calculates the cost of meals.

Hopkins promises to provide personal replies to all questions about the program and nutrition. Believe the promise. I found a bug, and tech support went to work, fixed it, and had a new version in the mail in no time. Santé is inspirational. I'm more conscientious about my diet, and I know I'm eat-

#### **Advertisers Index**

Read	er Service Number/Advertiser	Page	Read	er Service Number/Advertiser	Page	Reader Service Number/Advertiser
159	900 Software	158		Magalog Marketing Group	150,151	132 The Other Guys
107	Abracadata	155	146	Meggido	A-5	195 Universal Memory34
161	Access Software			MicroLogic		198 Villa Crespo
142	Action Management		138	MicroMiga	A-28	178 Virgin Games122
162	Bare Bones Software		158	MicroProse	105	179 Virgin Games
112	BOBCO		157	MicroProse	27	105 Virgin Games
207	CH Products		169	MicroProse	117	172 Wedgwood Computer
166	Citizen		153	Mission Control	137	118 WOL/Learning Adventure
184	Commodore		186	Montgomery Grant	A-3	
103	CompuServe		187	Montgomery Grant	G-5	
118	Computer Business Services		133	Motion Blur Publishing	A-19	
114	Computer Direct	42.43	176	My Storybook	156	
141	Computer Productions		1,51.5	National Videotex Network	81	
137	Covox	158	153	New World Computing		
125	Creative Labs		119	Nordic Track		
139	Creative Specialties		122	NRI/McGraw Hill		
105	Damark		196	NSI Computer Products88,89,90,91		A COLD
165	Data East		104	Origin		Amiga Disk ResourceA-
148	Davidson		185	Poor Person Software		Amiga Resource Subscription1
120	DCS Industries		199	Power-Up		Best Amiga Utilities Disk
	Delphi		157	Power-Up		COMPUTE Books60,115,131,135,147,149,156,0
180			193	Professional Cassette	25	COMPUTE Subscription1
131	DemoSource		151	Professor Jones		COMPUTE's GEnie OnLine
171	Digital Dynamics		168	Psyanosis		COMPUTE's Quantum Q-LinkG
	Disk-Count Software					COMPUTE's "The Hot Disk"
	General Car Rental		116	SeXXy Software		Gazette Disk LibraryG-
197	GEnie		154	Sierra OnLine	00 141 142 145	Gazette Disk SubscriptionG-
149	GFXBase		136	Sir-Tech13	156	Gazette Productivity ManagerG-
128	The Grapevine Group		109	Smart Luck Software		Mean 18 Golf Course
117	Holosoft Technologies		121	Software of the Month Club		PC Disk Subscription
	The Hunter Group		126	SoftShoppe, Inc	136	PC Power Disk Subscription
177	IHT Software			SOGWAP		PC Productivity Manager
190	I. Leonard & Company		152	Spectrum Holobyte	15	Penthouse1
134	Interplay		173	Spectrum Holobyte	131	SharePak Disk Subscription
135	Interplay	1	167	Spectrum Holobyte		SpeedScript DiskG-
111	Lucasfilms		130	Starware Publishing		
183	Lucky Computer	155	191	Strictly Personal		
127	LWS Software		170	Tenex	G-13	

ing better now than before I installed *Santé*. After all, now I have a dedicated dietitian looking over my shoulder.

KAREN LEE SIEPAK

IBM PC and compatibles, 512K RAM, hard drive with minimum 2MB available—\$59

HOPKINS TECHNOLOGY 421 Hazel Ln. Hopkins, MN 55343 (800) 397-9211 (612) 931-9376

Circle Reader Service Number 341

# PROFESSOR WINDOWS

A graphically oriented environment's bound to throw longtime DOS users a curve or two, but learning the basics of Windows shouldn't cause any anguish. If you've been holding off installing Windows because you dread the climb up the learning curve, look to Professor Windows for a lift. It's a friendly program that walks you through the sometimes con-

fusing world of Windows.

Using either the mouse or the keyboard, you can learn about such matters as simple graphics objects, *Windows* accessories, getting help, and printing. Subjects are arranged in six areas (startup, basics, tasks, printing, accessories, and advanced), and you can move ahead or back one screen, or jump completely out of a tutorial at any time.

Though elementary, treatment of the material proves effective within its defined boundaries. Users answer simple multiple-choice questions on newly learned facts. A bar display of continuing progress through each lesson sustains the sense of accomplishment.

Ironically, in spite of Windows' multitasking environment, Professor Windows won't load when anything else remains open, excluding Program Manager. It will freeze if you run it under a Windows shell (like DC Windows Express or PubTech

File Manager).

Professor Windows won't help everyone; it's strictly for novice users and probably not advanced enough for longtime PC users. Professor Windows does assuage computer anxieties if you have them, and if you need a little assistance to jump-start your Windows career, Professor Windows could be

just the patient tutor that you've been waiting for.
BARRY BRENESAL

IBM PC and compatibles, hard drive, Windows 3.0 or later—\$49.95

INDIVIDUAL SOFTWARE 5870 Stoneridge Dr., #1 Pleasanton, CA 94588 (800) 822-3522 (sales) (415) 734-6767

Circle Reader Service Number 342

#### CREDITS

Page 6: Grant Faint/Image Bank; pages 18–19: Uniphoto; page 30: Mark Wagoner; page 31: Mark Wagoner; page 32: Mark Wagoner; page 37: Mark Wagoner; page 38: Mark Wagoner; pages 44–45: Steven Hunt/Image Bank; page 54: Grant Faint/Image Bank; pages 74–75: Mark Wagoner; page 76: Robert Tinney/The Stock Market; pages 78–79: Steven Hunt/Image Bank; page 80: Steven Hunt/Image Bank; page 84: Jeanette Adams; page 86: Mark Wagoner; page 87: Mark Wagoner; page 97: Elle Schuster/Image Bank; pages 98–99: Mark Wagoner; page 106: Mark Wagoner; page 108: Peter Simon/PhotoTake; page A-2: John Banagan/Image Bank; pages A-8–9: Myron J. Dorf/The Stock Market; page A-16: David Maenza/Image Bank; page A-20: Lisa Pomerantz/Image Bank; page A-32: Hans Welder/Image Bank; pages G-2–3: Elle Schuster/Image Bank.

# **COMPUTE's**Product Mart

is a special advertising section designed to benefit you, the PC direct marketer, by letting you advertise directly to the readers that buy. We offer:

Marketing Assistance
 Each ad receives a complementary

Each ad receives a complementary reader service number that generates a targeted sales lead mailing list.

Qualified Readers

Our readers search the Product Mart for quality hardware, software, and peripheral products they can *buy*.

Guaranteed Audience

Our rate base is guaranteed at 275,000 per issue, with an actual monthly circulation of over 300,000.

Cost Effectiveness

Ad sizes range from 1/9 (2¼ x 3¼) to 1/2 page (vertical or horizontal), and you can request frequency rates of up to 12 times per year. Second color is available.

Space closing: First day of the second month preceding issue date (for example, November issue closes Sept. 1). Space limited to a first-reserved, first-served basis.

For ad specifications or more information call

East Coast & Midwest
Caroline Hanlon • (919) 275-9809

New England Jack Garland • (617) 749-5852

West Coast Lucille Dennis • (707) 451-8209

Call now to reserve your space!

#### **PRE-SCHOOL SOFTWARE**

#### **NEW! TALKING SOFTWARE**

for Kids 0-4 Years Old

(At Last! Software Designed to Make Your Child Smarter!)

Now! You can Easily give your Child a Learning Headstart with Kiddyware Pre-School Software.

Developed by Elementary Teachers, Kiddyware is the most Complete & Easy To Use, Pre-School Software available Today. Here's Why:

- Over 12 Fun Lessons that teach your child:
- Alphabets & Numbers
- Shapes, Colors & Directions
  People, Places & Things
- □ Body Parts (Eyes, Nose, Etc.)
- 137 Graphic Screens filled with Exciting Animation, Sound, Pictures, Colors and Music
- AMAZING! 93 Word Built-In Speech & Sound Vocabulary
- TALKS THROUGH YOUR PC
   No Additional Hardware
   Required.



 NO SPECIFIC KEY-PRESSES REQUIRED! (Kids Press Any Key To

HOT

- Operate)

  NO ADULT SUPERVISION REQUIRED!
- Start it, Adjust it & Leave.
   Tested & Proven Effective with children Ages 0-4.

Put your child ahead of the pack! Order Kiddyware Pre-School. Don't Wait. Start your child's education today. 100%


Money-Back Guarantee

Act Now! \$23.95 + \$3
Send \$23.95 S&H To:

Action Management, Inc. 915 S. Grand Traverse, Suite B7 Flint, MI 48502 1-800-964-KIDS

MC/VISA/COD/CHECK/MO CGA, EGA, or VGA Reqd. Demo only \$5 Dealer Inquiries Invited

Circle Reader Service Number 142



# Lucky Computer Co. O 85MB SUPER VG

POWER SYSTEM FEATURES

HAMB RAM exp. to 16MB (32MB option)

□ 16 Bit VGA Card, 512K Video RAM

□14" Color Monitor, 1024x768 res.

□ 85MB Hard Drive, 23ms access

□ 1.2 MB and 1.44MB Floppy Drives

□ Desktop or MiniTower Case, 220W

□ 101 Key Enhanced Keyboard

□ 1 Serial, 1 Parallel Port, 1 Game Non Interlaced SVGA add \$200.00

Complete Systems 1MB/Mono/40MB

386SX20 \$895.00 386-25 \$995.00 386-33 \$1195.00

Call for Complete configuration info NEW LOCATION!

12110 Westheimer Houston, TX 77077 (713)497-7887

10773 SW Byrtn.-Hills, Hwy Beaverton, OR 97005 1(800)348-5825

UCKYSTARINTERNATIONAL

486-33 ISA

Complete Deaktop System

SUPER VGA, 4MB RAM

□120 MB Hard Drive, 18ms

□128K Cache, exp. to 256K

JU.

17338 Southcenter Pkwy Tukwila, WA 98188 1(800)367-5825

4151 Beltline, Suite 120 Addison, TX 75244

1(800)966-7687 ay open 12 to 5PM C.S.T.



Since 1984 Locations Nationwide Call for the one Nearest You!

Circle Reader Service Number 183

#### FREE -15 DISKS - FREE **FULL OF GREAT SOFTWARE**

TRY US! Get 15/5.25" or 6/3.5" disks of ourbestselling no virus software. Business-Education-Programmer's Utilities-Graphics-Desktop publishing-Games-Finance. Also ask for our special Kid's Pkg, our Mac® font pkg, or our Clip Art pkg for IBM/Mac or Amiga. Credit cards only!

PAY ONLY \$5.00 FOR SHIPPING

APPLE][® APPLE GS® IBM® MAC® AMIGA®

SMC SOFTWARE PUBLISHERS **ORDER TODAY - CALL** 


VISA

619 931-8111



#### since 1985 Circle Reader Service Number 121

#### **DESIGN YOUR OWN RAILROAD**



Design Precision, To-scale, (HO, N, Z, O, S, G) Layouts and Run Realistic Railroad Simulations.

Circle Reader Service Number 107

Secret Weapon Luftwa

Sim City Sim City Graphic 1 or 2 Sim Earth

Shandhaill

Space Ace

To order or receive a free color catalog call: 800-451-4871 or FAX: 503-683-1925

Order by mail: Add \$7 shipping first program plus \$2 ea. additional. Send Visa/MC# (with exp. date) or check.

\$49.95 

Abracadata the source of plan-making software P.O. BOX 2440 SINCE 1985 FUGENE OR 97402 (503) 342-3030

### DISK-COUNTSOFTWARE

908-541-8768 800-448-6658 Lowest Delivered Price including shipping We will beat any advertised price

BUSINESS & UTILITY

Alge Blaster
Algebra Made Easy
Back to the Future II
Bane of Cosmic Forge
Bards Tale III
Battlechess VGA or II 31 25 26 36 32 30 31 Battechess VGAOTI 30
Bill Elliott NASCAR 31
Buck Rogers: Countdown 32
Bushbuck, Charms, Viking 31
Captain Comic II 25 Castles 37
Challenge of Ancient Emp 37
Children's Writing & Publ. 42
Chuck Yeager Air Combat38
Complete Lottery Tracker 31
Compuserve DOS 24
Conan: The Cimmerian 31 nerian 31 Conspiracy: Deadlock File 33 Corporation 31 ord Magic 4.0 Das Boot Death Knights of Krynn 33 Deluxe Paint II Enhanced 88 Delixe Paintil Enhanced 68
Designasaurus II 23
Dick Tracy 31
Dragons Lair II 37
Dream Team NBA 31
Ducktales:Quest for Gold 15 Designasaurus II 23 MegnotyLane 23 Terminator 35 Gammatik IV or Wind, 59 MemoryLane 25 Themp Park Mystery 31 Harvard Graphics 3.0 Harvard Gammatik IV or Wind, 59 Harvard Graphics 3.0 Harvard Gammatik IV or Wind, 59 Harvard Graphics 3.0 Harvard Gammatik IV or Wind, 59 Harvard Gammatik I

Kid Works 31
King's Quest Bundle 37
King's Quest V (VGA) 42
Kings Quest V (EGA) 37
Legand Of Fearphal 32
Leisure Suit Larry I (VGA) 37
Leisure Suit Larry Bundle 54
31
32
32 Lexicross Life and Death 2 Links - Course disk Links - Course disk Managers Challenge Gen. Mgr/JOwners Disk Marhole Mario Andretti Racing Martian Dreams Martian Memorandum Math Blaster Mystery Math Blaster Plus Math Blaster Plus Math Blaster Plus Math Rabbit Math Rabbit Mavis Beacon Typing McGee at the Fun Fair Mega Fortress Megatraveller 2 Memory Lane
Mickey's ABC or 123
Mickey's Sound Source
Micro Cookbook

Space Quest Bundle Space Quest IV Spell- it Plus Sprint of Excalibur Stellar 7 Stick/bear Opposites Talk Stick/bear Reading Tutor Stickybear Shapes Talk Streat Red 2 Stunt Driver Super Munchers Tank Team Yankee Teenage Mutant World Tennis Cup Terminator Terminator Theme Park Mystery Treasure Mountain

BUSINESS & UTILITY
386 Max 5.1
Adobe Type Manager
After Dark for Windows
Amer, Handbook Bus. Let
Ami Pro 1.2
Auto Map
Automenu
Becker Tools 2.0
Calendar Creator 4.0
Central Point Anti Virus Becker Tools 2.0
Calendar Creator 4.0
Central Point Anti Virus
Certificate Maker
Check-till
Copy II PC
Coriel Draw 2.0
Correct Grammar/Wind.
DacEasy Accounting
Definitions Plus
Descrieve2.3 Desquiew 2.3
Desquiew 2.3
D R DOS 5.0 upgrade
Dvorak on Typing
Eight in One
Express Publisher Form Tool Gold Geoworks Ensemble Grammatik IV or Wind. Harvard Graphics 3.0 Hijaak

52 149 249 99 Pro Audio Spectrum Thunderboard Rolandi APC MIDI INTERFACE MUSIC Quest Midi MQX-16 Roland MPU-IPC Voyetra Jr-22/Pak Voyetra Sr-22/Pak Cakewalk 145 135 129 199 95 169 95 254 Cakewalk Pro Copyist App. 2.0 Master Tracks Pro 2 Player Garne Card 15
MICE & TRACKSALLS
Appoint Mouse Prol.Pen 70
CH Roller Mouse (serial) 85
CM 290 E Mouse 24
Expert Mouse Serial 95
Microsoft Bus Mouse 115
Microsoft Serial Mouse 95
Mouseman Cordless 135
Mouseman Serial 69
Trackman Social 79

SOUND CARDS

Ad Lib Microchannel Ad Lib PCMS Ad Lib Gold

Ad Lib Software avail Sound Blaster

Sound Blaster MCA

Sound Blaster Prof.

Voice Editor

MODEMS & FAX CARDS Frecom Fax 96
Frecom 96 One-Liner
MaxFax 9624
PM 2400 Internal
Sportster 2400 Internal
Sportster 2400 External
Zoom External 2400
Coom Internal 2400 89 79



Personalized Children's Books




Home Based or On Location

- Join the Fastest Growing Personalized Children's Book Company in the Industry
- Unlimited Support For Your Success.
- High Quality Hard Bound Books
- Each Color Story . . . An Educational Tool
- Limited Number of Dealerships Available

For More Information, **Call or Write:** MY STORY BOOKS, INC. 11408 Audelia Rd. **Suite 4845** Dallas, TX 75243

1-800-245-7757

A PROUD SPONSOR OF CHILDREN'S LITERACY



To order a copy of Spellcasting 101 Hint Book send \$9.95 plus \$2 shipping and handling (\$4 Canada, \$6 foreign) and applicable tax\* to:

> **COMPUTE Books** c/o CCC 2500 McClellan Ave. Pennsauken, NJ 08109

\*Residents of NC, NJ, and NY add appropriate sales tax. Canadian orders please add 7% Goods and Services tax.

All orders must be paid in U.S. funds drawn on a U.S. bank. Please allow four weeks for

Offer good while supplies last.

10SP91C



#### S SOFTSHOPPE, INC.

ASP Member

- Selected Programs
- Latest Versions
- As Low as \$1.50

#### FREE CATALOG IBM PD/SHAREWARE

POB 3678, Ann Arbor, MI 48106

Call 800-829-BEST (2378) or 313-761-7638 Fax 313-761-7639

Circle Reader Service Number 126

#### IBM SHAREWARE **EXCITEMENT**

\$1,25 Per 5,25" Disk \$1.50 Per 3.5" Disk

All The Popular New Programs For XT's, AT's, and Windows.

> No Minimum Order FREE CATALOG

In Hawaii 808-935-4614 All Others 1-800-654-2467 I. Leonard Co. P.O. Box 5476, Hilo, Hi 96720

Circle Reader Service Number 190

#### BEAT THE LOTTE

29 Lotto Jackpot Winners Have Won \$71.3 Million With GAIL HOWARD's Systems!

ALL NEW COMPUTER ADVANTAGE™ \$49.50 + \$3 S/H
The ROLLS ROYCE of Lottery SoftwareIII Comes Loaded
With ALL State Lottery Results. Has 22 Charts & Reports.
Incredibly Fast•On Screen Instant Help-Printed Manual.

SMART LUCK® COMPUTER WHEEL™ \$39.50 + \$3 S/H
Has 252 Lotto Systems With Specific Win Guarantees.
Find One System That Fails Its Win Guarantee, And You
Get DOUBLE Your Money Back!

SMART LUCK COMPUTER WHEEL FIVE™ \$37.50 + \$3 S/H 220 Systems for pick-5 Lottos. Has Won EIGHT Jackpots

FULL WHEEL GENERATOR™ \$28.50 + \$3 S/H Guarantees ickpot If You Trap the Winning Numbers in Your Group

COMPUTER WHEEL™ AND COMPUTER ADVANTAGE™ SAVE \$10.00! Buy BOTH For Only \$79 + \$3 S/H

We ship IBM/comp. 5.25" disk. Add \$1 for EACH 3.5" disk

#### SMART LUCK SOFTWARE



Dept. C-13, P. O. Box 1519 White Plains, NY 10602

1-800-876-G-A-I-L(4245) or



Circle Reader Service Number 109

# Where Adults Come To Play!

### DOYSEY

- Local Numbers Covering 700 U.S. Cities!
- CB-Style Group and Private Chat!
- 1000's Of Shareware Programs!
- Business and Personal Services!
- Travel & Flight Scheduling with OAG!
- Giant Message Forums & Classifieds!
- Live Multiplayer Games!
- Matchmaker Dating Database!
- Designed For Adult Users!

FOR YOUR FREE DEMO AND A LOCAL NUMBER NEAR YOU CALL

818-358-6968

BY MODEM, 8/N/1-3/12/2400 BAUD

Circle Reader Service Number 141

# SOFTWARE PREVIEWS

are only a phone call away
. the mail takes a little longer.

1-800-433-2938

#### Wedgwood Computer

5312 Woodway Drive Fort Worth, Texas 76133









Circle Reader Service Number 172





Easily Convert Images to BMP, GIF, IMG, MAC, PCX, RLE

#### MEGABYTES of color images in every product

# 601 51	vimsuits	16 COIOT	14.88	*****	256 COIOT	19.88
# 602, 603,	604, 605 an	d 606				
X-	Rated	16 color	14.88		256 color	19.88
# 105 60	1 - 603	16 color	37.88		256 color	49.88
# 106 60	04 - 606	16 color	37.88		256 color	49.88

# 107 ... 601 - 606 ...... 16 color 72.88 ..... 256 color 94.88

Send Check or Money Order to:
Starware Publishing Corporation
P.O. Box 4188 - Dept. 28
Include \$3 \$&H Deerfield Bch, FL 33442 Add \$3 for 3.5"

Deerfield Bch, FL 33442 Add \$3 for 3.5" (305) 426 - 4552 FL add 6% MUST STATE AGE 21

### Earn \$4,000 Per Month From Your Home With A Computer!



a proven turn key business an individual or couple can run. If you purchase our software and business program, we will give you the computer and printer. If you already own a computer, you may receive a discount. You do not need to own, or know how to run, a computer — we will provide free, home office training. Financing available.

Quit spending money on your compu-

ter and let it earn money for you. This is

FREE CBS 386 SX Computer

Find out how other couples, and individuals like yourself, are building a lifetime income!

To receive a free cassette and color literature, call toll-free:

1-800-343-8014, ext. 303

(in Indiana: 317-758-4415) Or Write:

Computer Business Services, Inc., CBC Plaza, Ste. 303, Sheridan, Indiana 46069

Circle Reader Service Number 118

### Go WND with STRATEGIC VIDEO POKER™

VERSION 3.0 is here! Now play Jacks or Better, Joker Wild, Deuces Wild, and Tens or Better video poker games with Strategic Video Poker — you'll never tire of the excitement, as you play like an expert.

We've selected 25 popular game versions, and added loads of new features, to provide you with more entertainment. With our on-line strategy advice, hand-tester, and hold-tester, you'll play like a pro. Select from our Standard or Expert modes. Use

the Simulator to run millions of hands. Set your own payoffs, bet, coins, bankroll.

Not only do you get an on-line tutor, you can print any of the optimum playing strategies to take to the casino. You don't have to figure out payoffs, or "create" a strategy. Just use our pull-down menus to select games to play, print rankings, run the Simulator, or change parameters.

"It is the zenith of perfection," says Mario Graziosi of Mt. Ephraim, NJ.

"It simulates a 'casino-quality' video poker screen with excellent graphics," reports *PCM Magazine*.



For IBM PC and compatibles. Offers **true** VGA high-res graphics, as well as support for EGA, CGA, Hercules, and Mono.

Play all of the Joker Wild strategies of Bradley Davis — renowned author of the popular book Mastering Joker Wild Video Poker



LWS Software
Dept 4C • PO Box 688
Broomall, PA 19008
215-449-9767

Only \$49.95 + \$5 s/h (PA add \$3.30); \$6 Canada; \$10 outside U.S. territories

MC/V: 800-828-2259 ext. 410

EASY ACCESS TO OVER 15,000 TITLES

900 SoftWare, Inc.

Presents

#### Shareware & Public Domain

That you can have INSTANTLY using your 1200 or 2400 Baud modem

FOR ALL IBM COMPATIBLE PC's No Disk Fees . Tested Virus Free

Call Now & Get It Now! Avoid The Mail Order Mess & Risk

No need to order and wait, download and use it now. SHAREWARE, the "Try Before You Buy" concept is brought to you instantly. Most titles transferred in 7 minutes or less\*

> THE BEST TITLES . . THE MOST TITLES ... NOW!

#### TOP NAME SOFTWARE FROM CATAGORIES INCLUDING:

Business

Windows 4

3.0

**Utilities** 

- Desk Top Publishing Education
- Games

- Children's Programs
- Programming
- Power Users
- Special Interest
- Windows 3.0
- Graphics Communications
- Reference Desk Top Organizers
   Computer Aided Design (CAD)

#### CALL NOW! AVAILABLE 24 HOURS 1-900-RUN-SOFTWARE

1-900-786-7638

Set Modem To: 8,1,N

98¢/min. - \$2.50 1st minute - \* 2400 Baud Modem

"Use Your Modem To Select From A Menu of Over 15,000 Titles Organized For Easy Selection By Even Inexperienced Modem Users"

900 SoftWare, Inc.

Voice Line (714) 289-0287

4642 E. Chapman, Suite #285 • Orange, CA 92669

Circle Reader Service Number 159

## SOUND MASTER



- A high quality alternative to "Sound Blaster". Better sound, less noise, more features.
- 100% AdLib™ Compatible.
- Covox Voice Master<sup>®</sup> (voice commands), Speech Thing® and MIDI Maestro™ compatible. Internal PC speaker supported.
- All digitized speech and sound formats supported, including synthesized speech, PCM, ADPCM, & CVSD.
- · "Direct-to-disk" DMA digitizer. variable sample rates to 25K/sec for recording, 44K/sec for playback.
- · Full duplex MIDI interface. Cables and software included.
- . FM Music, MIDI, and Digitizer can function together.
- · Audio amplifier with volume control. Low noise, low power electronics. Speaker included.
- . Proudly Made in the U.S.A.

#### Your Best Choice For Multi-Media Sound.

ONLY \$229.95 (plus \$5 Shipping & Handling)

ORDER HOTLINE: (503) 342-1271 M-F 8 AM to 5 PM PST. VISA/MC/AMEX phone or FAX orders accepted. NO CODs. 30 Day Money Back Guarantee if not completely satisfied. One year warranty on hardware.

CALL OR WRITE FOR FREE PRODUCT CATALOG



COVOX INC. 675 Conger Street • Eugene, OR 97402 Phone (503) 342-1271 • FAX 503-342-1283 =



# seen more

than 355,000

readers each

month.

# ADULT SOFTWARE

Disk #1 • An unbelievable visual encounter - MUST SEE!! Disk #2 • NEW! 3 encounter games for friends and lovers guaranteed to shed both

clothes and inhibitions.

Disk #3 • An anatomical arcade game with unusual ammunition.

Disk #4 • 2 more incredible

visual encounters -impress your

Disk #5 • Create your own fantasies about friends & lovers. Disk #6 • NEW! View, print, or edit ten sizzling pictures including celebrities.

\$7 each, any 3 for \$17, or all 6 for \$32. For IBM & compat. CGA, EGA or VGA graphics reg'd.

#### CONNOISSEUR

ALL NEW! In 256 Color VGA!! Disk #CC1 • \* YOU BE THE STAR ★ The FIRST CUSTOMIZABLE movie allows you to write the dialog and the title. You can star with the partner of your choice. Incredible scenes display with your dialog. ONLY AVAILABLE FROM LIST

Disk #CC2 • THE FIRST SOUND MOVIE! The first computer movie with SOUND. See the incredible 256 color VGA graphics while hearing the actual dialog. OURS EXCLUSIVELY! Disk #CC3 • THE BEST MOVIE! The best computer movie available. Only for the serious collector. 256 stunning VGA colors.

1 Movie \$29 2 Movie \$49 3 Movie \$65 All CC Disks Require VGA monitor and hard disk -over 1 MB of action.

#### SeXXcapades

The FIRST adult game with TRUE SOUND and 80 sizzling color VGA scenes!

- Options for gender preference and game intensity Play with 2-8 close friends
   Over 5MB of pure action!
- Fulfill your carnal passions with new experiences
- Find out how you and your partner can better relate. \$79 — Special offer: \$69 with purchase of any

CC1, CC2, CC3 disks above **OURS EXCLUSIVELY!** 

ADD \$3 S/H • 3.5" OR FOREIGN ORDERS ADD \$2 PER DISK • IN PA ADD TAX. MUST STATE AGE OVER 21. VISA/MC Orders only 800-243-1515 Ext. 600FM

24 HRS./7 DAYS • Or check/MO to: SeXXy Software, 2880 Bergey Rd., Dept 600FM, Hatfield, PA 19440

THE COMPETITION ISN'T EVEN CLOSE!!

Circle Reader Service Number 116

## Conquering Super Mario Bros.

Here's the book you need to beat all three Super Mario Bros. games. No matter where you're stuck, this is the book that will help you get back on the winning path. Bowser doesn't stand a chance!

To Order send \$7.95 plus \$2 shipping and handling for each book (\$4 Canada, \$6 foreign) and applicable tax\* to:

> **COMPUTE Books** c/o CCC 2500 McClellan Ave. Pennsauken, NJ 08109

\* Residents of NC, NJ, and NY add appropriate sales tax. Canadian orders please add 7% Goods and Services tax.

All orders must be paid in U.S. funds drawn on a U.S. bank. Please allow four weeks for delivery.

Offer good while supplies last.

Super Mario Bros. is a registered trademark of Nintendo of America, Inc.

OCT91CSM

## CLASSIFIEDS

#### BOOKS

**DISCOUNT COMPUTER BOOKS.** Thousands of titles available. Please call or write for your free catalog today. BOOKWARE, 147 Campville Rd., Northfield, CT 06778 (800) 288-5662 (203) 283-6973

#### **BUSINESS OPPORTUNITIES**

#### TRAVEL AGENCY

Start your own at home. \$2870. No license or bond. For free info/newsletter call: 1-800-926-5600

#### COMPUTER REPAIR

24 HOUR Computer Repair. Commodore, Amiga, IBM, Apple. A & M Computer Repair, 20 Guernsey Dr. New Windsor, NY 12553. 914-562-7271 1-800-344-4102

Auth. Comm. repairs C64/128, 1541/1571, SX64, 128D & Amiga, Selling DTK-comp computers. Quick service-30 day warranty MOM & POP's Computer Shop. 114 N. 16th, (816) 425-4400 Bethany, MO 64424

#### EDUCATION

#### B.S. & M.S. in COMPUTER SCIENCE

The American Institute for Computer Sciences offers an in-depth correspon-dence program to earn your Bachelor of Science and Master of Science deperes in Computer Science at home. BS. subjects covered are: MS/DOS, BASIC, PASCAL, C, Data File Processing, Data Structures & Operating systems. MS program includes subjects in Software Engineering and Artificial Intelligence, and other topics.

AMERICAN INST. for COMPUTER SCIENCES 2101 CC Magnolia Ave. South, Suite 200

Birmingham, AL 35205

CALL (205) 933-0339

800-767-2427

#### **ENTERTAINMENT**

SPEECH & MUSIC for IBM Comp! Uses internal speakers. For demo disk send \$2.00 to: Bravo! Software, Demo/CO 1045 Griffin Ave., Mahtomedi, Mn 55115

#### **GAMES**

#### GAME MAKER KIT

Now you can create color, animated, graphic games for fun or profit - without programming! Easy to use mena driven PC game construction kit supports CGA, EGA, or VGA. Guaranteed. \$30 or free details

Box 312 . A

GAME BUILDER

Box 312 · A · Jackson, OH 45640

(614) 988-2331 Voice or (614) 988-2307 BBS



#### HARDWARE

SOFTWARE PLUS - Your Commodore, Amiga + IBM connection! 1000's of generic + orig. prgms, hardware + computer systems. For catalog, write: SOFTWARE PLUS, 64 W. Cutts, Biddeford, ME 04005 or call 207-284-9426.

#### MISCELLANEOUS

THE TEE SHIRT FOR PC LOVERS! In Ash or White! Choose: "PC Habit" or "Modem Habit" S-XL: Send \$13.98 + \$2.50 p&h (XXL+\$2) to: PC Habit, Inc. 13876 SW 56 St. Suite 125C, Miami FL 33175. Guaranteed! FL res add tax.

#### SILENCE YOUR PC!

Reduce or eliminate BEEPS & BUZZES from your computer. With a PC Silencer. Send \$12.95 (US) plus \$3.00 for postage and handling to: Advanced Solutions, 205 De Brullon, Boucherville, Que, J4B 2J6.

#### SOFTWARE

IBM - COMMODORE 64 & 128 - AMIGA. 1000's of PD/Shareware programs on 100's of disks. Free listing or \$1 for large descriptive catalog (specify computer).
DISKS O'PLENTY INC., 7958 Pines Blvd., Suite 270B, Pembroke Pines, FL 33024

#### PICK-3 & PICK-4 LOTTERY PLAYERS! LIP is

the Lottery Inventory Program that gives you a fighting chance! IBM/Com. Only \$19.95 + \$2 s/h. OH add 6% tax. Specify 5¼ or 3½ disk. OHIO res. ACT NOW and receive FREE 3-digit database (1980-1991 over 3700 entries) BL LIP Software P.O. Box 5044, Poland, Ohio 44514

IBM OR C64 USERS: 10 AWESOME DISKS jammed with 250+ virus-free programs! Only \$16 + \$3 s/h. Specify IBM or C64. Softcell dept-A Box 801 Tacoma, WA 98401

BUY/SELL used software! Lowest Prices! Free list. Specify 64/128, Amiga or IBM. Centsible Software, PO Box 930, St. Joseph, MI 49085. 616-982-0327

#### FREE! IBM PD & SHAREWARE DISK CATALOG

Specify 51/4 or 31/2. Low prices since 1988! ASP APPROVED VENDOR, Finto Software, Dept M, Rt 2 Box 44, Rosebud, TX 76570

#### SOFTWARE

HAVE YOU WON THE LOTTERY? DO YOU OWN LOTTO PICKER? **WELL, WHAT DID YOU EXPECT!** 

LOTTO PICKER is your ticket to the riches! LOTTO PICKER works by discovering the hidden biases in every lottery game worldwide. Using this info to your advantage Lotto Picker will tell you exactly which numbers to play - no guess-work involved. Your Lotto Picker card will be loaded with combinations and number patterns most likely to be selected! Plays all Pick 3,4,6,7,10,11. Also plays games based on playing cards (MS-DOS only). FREE telephone support with each purchase. For MS-DOS, Apple II, and C64/128. **NEW LOW PRICE \$29.95** (+\$4.55 s/h). NY add tax. SATISFACTION GUARANTEED OR YOUR MONEY BACK!

ORDER TODAY! 1-800-484-1062 s-code 0644 or 1-718-317-1961 GE RIDGE SERVICES, INC., 170 Broadway, Suite 201-CP, New York, N.Y. 10038

গাঁতলৰ

FREE IBM SOFTWARE CATALOGS. \$1 mails your name to 12 dealers or 50 for \$4. DEALERS: your offer to this list \$10 a month. DUDEK, Box 58B, Peolesville, MD 20837.

#### Free VGA Picture Catalog:

or 4 720K disk sampler set for \$10. Linken Graphics, Dept. 2, P O Box 98, Manville, NJ 08835. 908-253-0897.



Get 6 terrific IBM shareware games for only \$1. each!

**BLOCKOUT** - 3D Tetris, Great CFB40 - Best action Football GOOSE - Futuristic tank game CROSSBOW- Action adventure PERE - Exciting Russian game SEAHUNT - Funny Battleship

Send \$6(\$7 for 3.5" disks) + \$3 for S/H to Dept. A 1 FREEWARE, P.O. Box 131, Hatboro, Pa. 19040

USED SOFTWARE—Free Brochure. Specify Amiga or C64/128. We also buy used software. Send list. Bare Bones Software, 940 4th Ave., #222, Huntington, WV 25701 or 1-800-638-1123.

IBM-C64/128-APPLE PD & SHAREWARE - Free catalog or \$2 for sample & catalog (refundable). Specify computer. CALOKE IND (B), Box 18477, Raytown, MO 64133

#### COMPUTE Classified is a low-cost way to tell over 355,000 microcomputer owners about your product or service.

#### Additional Information. Please read carefully.

Rates: \$38 per line, minimum of four lines. Any or all of the first line set in capital letters at no charge. Add \$15 per line for boldface words, or \$50 for the entire ad set in boldface (any number of lines.)

Terms: Prepayment is required. We accept checks, money orders, VISA, or MasterCard.

Form: Ads are subject to publisher's approval and must be either typed or legibly printed. One line equals 40 letters and spaces between words. Please underline words to be set in boldface.

General Information: Advertisers using post office box number in their ads must supply permanent address and telephone number.

Orders will not be acknowledged. Ad will appear in next available issue after receipt.

Closing: First of the second month preceding cover date (e.g. October issue closes August 1.) CLASSIFIED DISPLAY RATES

Classified display ads measure 21/4" wide and are priced according to height. 1" = \$275; 11/2" = \$400; 2" = \$525. Preferred supplied material is Velox or PMT.

To place an ad, send order and payment to Sharon Steinkemper, Classified Manager, COMPUTE, 1965 Broadway, New York, NY 10023-5965, or call Sharon Steinkemper at 212-724-0911, FAX 212-724-0825.

## **CONVERSATIONS**

#### MIND EXPANSION

Timothy Leary is the former Harvard psychology professor whose philosophy, "Tune in, turn on, drop out," changed the face of America in the 1960s. Since then, his interests have turned to computers and virtual reality. Periodically, Dr. Leary appears on America Online for informal interaction with subscribers. Here is the transcript of one of his recent appearances.

Timothy Leary: Let me say a few words about what's going on in my life these days. We're working on a newsletter which has a tentative publication date of July 4th. The name is tentatively "Timothy Leary's Animations." The newsletter will be very interactive. We'll be soliciting articles from our readers for future edi-

Question: Dr. Leary, what prompted you to get into soft20 years ago. As [for] the 1960s, that's a "whole nother lifetime." We're now in the 1990s. Why look back?

Q: Tell us about your software for mind expansion.

Leary: The reasoning behind the mind expansion software is the empowerment of the individual where everything that appears on the screen is what you have put there.

Q: What have you been doing in recent years, Dr. Leary?

Leary: I'm the head of two very influential software development companies. One is called FUTIQUE, and the other is TELELECTRONICS. We are developing 3-D electronic environments for the Mac. IBM, and the new 16-bit videogame appliances. Our company's aim is to load onto compact disc prefabricated fully furnished homes, gardens, landscapes, and any environment that the user would like to "boot up."

Q: What do you think about the Libertarian party?

Leary: I am an enthusiastic member of the Libertarian Party. I think that in politics the politicians of both parties, Democratic [and] Republican, pander to the lowest common denominator. Therefore. Newton's Law of Politics is true: "In politics the scum rises to the top." For this reason, I back the Libertarian Party. Our aim is to diminish, decrease, decimate the power of the state to interfere in the individual's life.

Q: Have you been doing any experiments with virtual reality?

Leary: Yes, I am involved with several groups developing TELEPRESENCE environments and electronic environments. I probably give more lectures and demonstrations about VR than anyone in the

Q: When will Mind Mirror be available for Macintosh?

Leary: We are trying to get

an update and revision of Mind Mirror for the Mac. With graphics, graphics, and more graphics! It is one of the two great sorrows of my life that Mind Mirror, my wonderful head program, was never translated for my Mac-using friends.

Q: Do you have software [currently available] for the Macintosh?

Leary: I do not have functioning Mac software, I can. however, strongly recommend four Mac products which convert the screen into a comfortable, livable, 3-D environment. These programs are 1) Virtual Valerie, 2) Spaceship Warlock, 3) Manhole, and 4) Cosmic Osmo.

Q: What about the software you're currently working on?

Leary: We are working, as I mentioned before, on developing 3-D programs which will allow performers to select and move around in an electronic environment. Our programs are interactor theaters where a small group can assemble for purposes of education, entertainment, and enlightenment. The three E's of the electronic twenty-first century.

Q: Dr. Leary, could you comment on the advent of virtual reality? Someone pointed out that it couldn't compare to LSD. Do you see this new technology as a substitute for drugs?

Leary: No. Virtual reality isn't a substitute for organic psychedelic plants drugs. Psychedelic drugs allow you to exit the repetitious word processes of your mind to boot up limitless programs, directories, and files in your brain. All of which, by the way, are technicolor, multimedia, and moving at the speed of light. On the other hand, electronic devices like the new computer-graphics hardware allow you to select electronic patterns and multimedia environments to express the panoramas of your own brain.

**Electronic devices** 

like the new

# USE THIS CARD TO REQUEST FREE INFORMATION ABOUT PRODUCTS ADVERTISED IN THIS ISSUE.

Clearly print or type your full name, address, and phone number. Circle numbers that correspond to the key numbers appearing on advertisements and in the Advertisers Index. Mail the postage-paid card today. Inquiries will be forwarded promptly to advertisers. Although every effort is made to ensure that only advertisers wishing to provide product information have reader service numbers, COMPUTE cannot be responsible if advertisers do not provide literature to readers.

Cards valid only until expiration date.

This card is for product information only. Address editorial and customer service inquiries to COMPUTE, 324 W. Wendover Ave., Greensboro, NC 27408.

COMPUTE'S FREE PRODUCT INFORMATION SE	EKAICE
---------------------------------------	--------

025.56501	1.10		120	10000	1000		
							132
							140
							148
							164
							172
173	174	175	176	177	178	179	180
181	182	183	184	185	186	187	188
189	190	191	192	193	194	195	196
	198	199	200	201			204
							212
							220
							228
							244
							252
							260
261	262	263	264	265	266	267	268
269	270	271	272	273	274	275	276
278	279	280	281	282	283	284	285
288	287	288	289	290	291	292	293
	295						301
							309
							317
							325
							333
							349
							357
							36
							373
						380	38
382	383	384	385	386	387	388	389
390	391	392	393	394	395	396	397
398	399	400	401	402	403	404	405
		Front	estion.	date 10	2 2 21		100
3		Expi	racion	uate 12	-2-91		1091
	125 133 141 149 157 165 173 181 189 221 1229 27 245 253 261 318 326 326 334 342 358 368 368 368 368 368 368 368 368 368 36	125 126 133 134 141 142 149 150 157 158 165 166 173 174 181 182 189 190 197 198 205 206 213 214 221 222 230 237 238 245 246 253 254 255 265 277 286 287 294 295 302 303 310 311 318 319 326 327 334 335 351 353 359 366 367 374 375 382 383 390 391 398 399	125	125 126 127 128 133 134 135 139 144 149 150 151 152 156 166 167 168 173 174 175 176 181 182 183 184 189 190 191 192 197 198 199 200 205 206 207 208 213 214 215 216 221 222 23 224 253 254 255 256 267 288 289 290 291 286 287 288 289 294 295 296 297 288 289 294 295 296 297 298 294 295 296 297 302 303 304 305 310 311 312 313 318 319 320 321 326 327 328 329 340 355 358 359 360 361 368 369 363 368 369 361 367 377 382 383 399 399 400 401	125	125	125



#### **BUSINESS REPLY MAIL**

FIRST CLASS MAIL PERMIT NO. 853 PITTSFIELD, MA
POSTAGE WILL BE PAID BY ADDRESSEE

COMPUTE Magazine Reader Service Management Department P.O. Box 5145 Pittsfield, MA 01203-9654



USE THIS CARD **FOR** FREE **PRODUCT** INFORMATION

# Call Our Number.

CompuServe, the world's largest and most comprehensive network of people with answers to your hardware and software questions, is waiting to hear from you.

For more information about CompuServe and our product support services, just mail this card or call 800 848-8199.

Name		
Address	 	
City, State, Zip		

Telephone

CompuServe\*



Compute/Oct

#### **BUSINESS REPLY MAIL**

FIRST CLASS PERMIT NO. 407


COLUMBUS, OHIO

POSTAGE WILL BE PAID BY ADDRESSEE

#### CompuServe®

ADVERTISING DEPARTMENT PO BOX 20212 COLUMBUS OH 43220-9988 NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES





Welcome to the grand opening of COMPUTE/NET. A wealth of information awaits you. Back issues of COMPUTE, hard-to-find computer books, super software, dazzling pictures, challenging games, prizes, a complete bulletin board, and much more are here. You can even talk to the editors and authors of the magazine. Lots of surprises are planned, so keep your eves on us.

#### FIND US ON AMERICA ONLINE

# Free Software. Free Time. Order Today!

Feedback

Board

Coming

**Events** 

Complete the coupon & send it in, or for faster service.

Keyword: Compute

Host: Rick Leinecker ("Compute")

CALL TOLL-FREE

1-800-827-6364 Ext. 5560

to order America Online TODAY!

If you decide to continue your America Online membership, your \$5.95 monthly fee will include one free hour online each month. And for additional hours you spend enjoying the service, you'll pay just \$5 an hour for evening or weekend use of the service.

6
AMERICA
Cintine

YES! Send me my FREE America Online software so I can try COMPUTE/NET, and credit me with free\* time online to explore the service.

Name	<ul> <li>* Telecommunications surcharges apply week- days from 6 a.m. to 6 p.m. and outside the conti- nental United States.</li> </ul>
Address (No P.O. Boxes)	Copyright © 1991 Quantum Computer Services, Inc. America Online and People Connection are registered service marks of Quantum Computer Services, Inc. Apple
City, State, ZIP	and Macintosh are registered trademarks of Apple Computer, Inc. DOS is a registered trademark of Microsoft Corporation.
Home Phone Number  Computer type:  DOS®-COMPATIRIF APPLE®	America Online requires a VISA, MasterCard, or checking account. Allow two weeks for delivery.

DOS®-COMPATIBLE


**APPLE®** 

5.25" Macintosh

The DOS-Compatible version of America Online requires 512K memory, an EGA monitor or higher, and a mouse.

Apple II 3.5" ☐ Apple II 5.25"

Apple IIe computers must have 128K RAM, 80-column capability and a serial card to access America Online. 5560 / PC





Feedback Board





Coming **Events** 

Welcome to the grand opening of COMPUTE/NET. A wealth of information awaits you. Back issues of COMPUTE, hard-to-find computer books, super software, dazzling pictures, challenging games, prizes, a complete bulletin board, and much more are here. You can even talk to the editors and authors of the magazine. Lots of surprises are planned, so keep your eyes on us.

### FIND US ON AMERICA ONLINE

# Free Software. Free Time. Order Today!

**BUSINESS REPLY MAIL** 

FIRST CLASS MAIL PERMIT 9096 VIENNA, VA

POSTAGE WILL BE PAID BY ADDRESSEE



Keyword: Compute

Host: Rick Leinecker ("Compute")

8619 Westwood Center Drive Vienna, VA 22182-9806

**NO POSTAGE** NECESSARY IF MAILED IN THE **UNITED STATES** 

& send it in, or for faster service.

Complete the coupon


CALL TOLL-FREE

1-800-827-6364 Ext. 5560

to order America Online TODAY!

If you decide to continue your America Online membership, your \$5.95 monthly fee will include one free hour online each month. And for additional hours you spend enjoying the service, you'll pay just \$5 an hour for evening or weekend use of the service.







Extraordinary personalities will join with you...



...against hundreds of imaginative creatures



...as you discover the wonder of magic



...in this world of fantasy sights & sounds!

### Feel the Power. Experience the Magic.

- A swashbuckling adventure that will keep you riveted for hours!
- Mesmerizing graphics created by the industry's top animators.
- Stunning music, sound fx and speech adding a "3rd dimension" of play!
- ★ Easy to start playing, instantly absorbing, addictively challenging.
- ★ NOTE: Former experience with previous Might & Magic's is not required.

Available at your local software retailer or direct from New World at 1-800-325-8898 (or, 1-818-999-0607 outside U.S.) • P.O. Box 4302 Hollywood, CA 90078-4302

copyright © 1991 Might & Magic is a registered trademark of New World Computing, Inc. • IBM screens shown. Actual screens may vary. Distributed in the U.S. by Electronic Arts Distribution.



If you die... it won't be from boredom



Suggested price \$59.95. Visit your retailer or call 1-800-326-6654.